

ReplicaSet Object

```
Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes/practice (main)
$ eksctl create cluster --name mccluster --nodegroup-name b17dng --node-type t3.micro --nodes 5 --managed
```

```
Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes/practice (main)
$ cd 2_june/
```

```
#1_rs.yaml
---
apiVersion: apps/v1
kind: ReplicaSet
metadata:
  name: fb-replicaset
  labels:
    app: fb-rs
    env: prod
spec:
  replicas: 3
  selector:
    matchLabels:
      app: fb-app
      env: prod
  template:
    metadata:
      labels:
        app: fb-app
        env: prod
    spec:
      containers:
      - name: fb-app
        image: dockerhub1105/practicerepo:python_image_v1
        ports:
        - containerPort: 8080
```

```
Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes/practice/2_june (main)
$ kubectl apply -f 1_rs.yaml
replicaset.apps/fb-replicaset created
```

```
Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes/practice/2_june (main)
$ kubectl get all
```

NAME	READY	STATUS	RESTARTS	AGE
pod/fb-replicaset-9fcb2	0/1	ContainerCreating	0	6s
pod/fb-replicaset-tf6s6	0/1	ContainerCreating	0	6s
pod/fb-replicaset-z5m4p	0/1	ContainerCreating	0	6s

NAME	TYPE	CLUSTER-IP	EXTERNAL-IP	PORT(S)	AGE
service/kubernetes	ClusterIP	10.100.0.1	<none>	443/TCP	11m

NAME	DESIRED	CURRENT	READY	AGE
replicaset.apps/fb-replicaset	3	3	2	9s

Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes/practice/2_june (main)

\$ kubectl get all

NAME	READY	STATUS	RESTARTS	AGE
pod/fb-replicaset-9fcb2	0/1	ContainerCreating	0	13s
pod/fb-replicaset-tf6s6	1/1	Running	0	13s
pod/fb-replicaset-z5m4p	1/1	Running	0	13s

NAME	TYPE	CLUSTER-IP	EXTERNAL-IP	PORT(S)	AGE
service/kubernetes	ClusterIP	10.100.0.1	<none>	443/TCP	11m

NAME	DESIRED	CURRENT	READY	AGE
replicaset.apps/fb-replicaset	3	3	3	16s

Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes/practice/2_june (main)

\$ kubectl get pods

NAME	READY	STATUS	RESTARTS	AGE
fb-replicaset-9fcb2	1/1	Running	0	25s
fb-replicaset-tf6s6	1/1	Running	0	25s
fb-replicaset-z5m4p	1/1	Running	0	25s

Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes/practice/2_june (main)

\$ kubectl get all

NAME	READY	STATUS	RESTARTS	AGE
pod/fb-replicaset-9fcb2	1/1	Running	0	36s
pod/fb-replicaset-tf6s6	1/1	Running	0	36s
pod/fb-replicaset-z5m4p	1/1	Running	0	36s

NAME	TYPE	CLUSTER-IP	EXTERNAL-IP	PORT(S)	AGE
service/kubernetes	ClusterIP	10.100.0.1	<none>	443/TCP	12m

NAME	DESIRED	CURRENT	READY	AGE
replicaset.apps/fb-replicaset	3	3	3	39s

Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes/practice/2_june (main)

\$ kubectl delete rs fb-replicaset

replicaset.apps "fb-replicaset" deleted from default namespace

Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes/practice/2_june (main)

\$ kubectl get all

NAME	READY	STATUS	RESTARTS	AGE
pod/fb-replicaset-9fcb2	1/1	Terminating	0	90s
pod/fb-replicaset-tf6s6	1/1	Terminating	0	90s
pod/fb-replicaset-z5m4p	1/1	Terminating	0	90s

NAME	TYPE	CLUSTER-IP	EXTERNAL-IP	PORT(S)	AGE
service/kubernetes	ClusterIP	10.100.0.1	<none>	443/TCP	13m

Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes/practice/2_june (main)

\$ kubectl get all

NAME	READY	STATUS	RESTARTS	AGE
pod/fb-replicaset-9fcb2	1/1	Terminating	0	97s
pod/fb-replicaset-tf6s6	1/1	Terminating	0	97s
pod/fb-replicaset-z5m4p	1/1	Terminating	0	97s

NAME	TYPE	CLUSTER-IP	EXTERNAL-IP	PORT(S)	AGE
service/kubernetes	ClusterIP	10.100.0.1	<none>	443/TCP	13m

Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes/practice/2_june (main)

\$ kubectl get all

NAME	READY	STATUS	RESTARTS	AGE
pod/fb-replicaset-9fcb2	1/1	Terminating	0	106s
pod/fb-replicaset-tf6s6	1/1	Terminating	0	106s

NAME	TYPE	CLUSTER-IP	EXTERNAL-IP	PORT(S)	AGE
pod/fb-replicaset-z5m4p	1/1	Terminating	0	106s	
service/kubernetes	ClusterIP	10.100.0.1	<none>	443/TCP	13m

Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes/practice/2_june (main)

```
$ kubectl get all
```

NAME	TYPE	CLUSTER-IP	EXTERNAL-IP	PORT(S)	AGE
service/kubernetes	ClusterIP	10.100.0.1	<none>	443/TCP	13m

Deployment Object

```
#2_instadeploy_v1.yaml
---
apiVersion: apps/v1
kind: Deployment
metadata:
  name: fb-deployment
  labels:
    app: fb-deploy
    env: prod
spec:
  replicas: 3
  selector:
    matchLabels:
      app: fb-app
      env: prod
  template:
    metadata:
      labels:
        app: fb-app
        env: prod
        version: v1
    spec:
      containers:
      - name: fb-container
        image: dockerhub1105/practicerepo:python_image_v1
        ports:
        - containerPort: 8080
```

Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes/practice/2_june (main)

```
$ kubectl apply -f 2_instadeploy_v1.yaml
deployment.apps/fb-deployment created
```

Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes/practice/2_june (main)

```
$ kubectl get all
```

NAME	READY	STATUS	RESTARTS	AGE
pod/fb-deployment-dd5b5b45d-jbbgm	1/1	Running	0	27s
pod/fb-deployment-dd5b5b45d-lbnwf	1/1	Running	0	27s
pod/fb-deployment-dd5b5b45d-nvh6j	1/1	Running	0	27s

NAME	TYPE	CLUSTER-IP	EXTERNAL-IP	PORT(S)	AGE
service/kubernetes	ClusterIP	10.100.0.1	<none>	443/TCP	19m

NAME	READY	UP-TO-DATE	AVAILABLE	AGE
deployment.apps/fb-deployment	3/3	3	3	29s

NAME	DESIRED	CURRENT	READY	AGE
replicaset.apps/fb-deployment-dd5b5b45d	3	3	3	29s

Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana Work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes/practice/2_june (main)

\$ kubectl describe deploy fb-deployment

```

Name:                fb-deployment
Namespace:           default
CreationTimestamp:   wed, 03 Jun 2026 18:15:05 +0530
Labels:              app=fb-deploy
                    env=prod
Annotations:         deployment.kubernetes.io/revision: 1
Selector:            app=fb-app,env=prod
Replicas:            3 desired | 3 updated | 3 total | 3 available | 0
unavailable
StrategyType:        RollingUpdate
MinReadySeconds:     0
RollingUpdateStrategy: 25% max unavailable, 25% max surge
Pod Template:
  Labels:  app=fb-app
          env=prod
          version=v1

```

```

Containers:
  fb-container:
    Image:          dockerhub1105/practicerepo:python_image_v1
    Port:           8080/TCP
    Host Port:      0/TCP
    Environment:    <none>
    Mounts:         <none>
  Volumes:         <none>
Node-Selectors:    <none>
Tolerations:       <none>

```

```

Conditions:
  Type           Status  Reason
  ----           -
  Available      True    MinimumReplicasAvailable
  Progressing    True    NewReplicaSetAvailable
OldReplicaSets: <none>
NewReplicaSet:  fb-deployment-dd5b5b45d (3/3 replicas created)

```

```

Events:
  Type           Reason              Age           From                      Message
  ----           -
  Normal         ScalingReplicaSet   2m19s        deployment-controller     Scaled up replica
set fb-deployment-dd5b5b45d from 0 to 3

```

```
#3_instadeploy_v2.yaml
---
apiVersion: apps/v1
kind: Deployment
metadata:
  name: fb-deployment #name should be same in other (v1) version of deployment yaml
file
labels:
  app: fb-deploy
  env: prod
spec:
  replicas: 3
  strategy:
    type: RollingUpdate
    rollingUpdate:
      maxUnavailable: 1
      maxSurge: 1
  selector:
    matchLabels:
      app: fb-app
      env: prod
  template:
    metadata:
      labels:
        app: fb-app
        env: prod
        version: v2
    spec:
      containers:
        - name: fb-container
          image: dockerhub1105/practicerepo:mc_app_img
          ports:
            - containerPort: 8080
```

Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes/practice/2_june (main)

```
$ kubectl apply -f 3_instadeploy_v2.yaml
deployment.apps/fb-deployment configured
```

Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes/practice/2_june (main)

```
$ kubectl get all
```

NAME	READY	STATUS	RESTARTS
AGE			
pod/fb-deployment-7f8bb96d5c-54h1t	0/1	ContainerCreating	0
pod/fb-deployment-dd5b5b45d-jbbgm	1/1	Running	0
8m59s			
pod/fb-deployment-dd5b5b45d-1bnwf	1/1	Running	0
8m59s			
pod/fb-deployment-dd5b5b45d-nvh6j	1/1	Running	0
8m59s			

NAME	TYPE	CLUSTER-IP	EXTERNAL-IP	PORT(S)	AGE
service/kubernetes	ClusterIP	10.100.0.1	<none>	443/TCP	27m

NAME	READY	UP-TO-DATE	AVAILABLE	AGE
deployment.apps/fb-deployment	3/3	1	3	9m

NAME	DESIRED	CURRENT	READY	AGE
------	---------	---------	-------	-----

replicaset.apps/fb-deployment-7f8bb96d5c	2	1	1	8s
replicaset.apps/fb-deployment-dd5b5b45d	2	3	3	9m1s

Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes/practice/2_june (main)

\$ kubectl get all

NAME	READY	STATUS	RESTARTS	AGE
pod/fb-deployment-7f8bb96d5c-54h1t	1/1	Running	0	13s
pod/fb-deployment-7f8bb96d5c-8n6z6	0/1	ContainerCreating	0	5s
pod/fb-deployment-dd5b5b45d-jbbgm	1/1	Terminating	0	9m6s
pod/fb-deployment-dd5b5b45d-lbnwf	1/1	Running	0	9m6s
pod/fb-deployment-dd5b5b45d-nvh6j	1/1	Running	0	9m6s

NAME	TYPE	CLUSTER-IP	EXTERNAL-IP	PORT(S)	AGE
service/kubernetes	ClusterIP	10.100.0.1	<none>	443/TCP	27m

NAME	READY	UP-TO-DATE	AVAILABLE	AGE
deployment.apps/fb-deployment	3/3	2	3	9m8s

NAME	DESIRED	CURRENT	READY	AGE
replicaset.apps/fb-deployment-7f8bb96d5c	2	2	1	15s
replicaset.apps/fb-deployment-dd5b5b45d	2	2	2	9m8s

Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes/practice/2_june (main)

\$ kubectl get all

NAME	READY	STATUS	RESTARTS	AGE
pod/fb-deployment-7f8bb96d5c-54h1t	1/1	Running	0	19s
pod/fb-deployment-7f8bb96d5c-5bq85	0/1	ContainerCreating	0	4s
pod/fb-deployment-7f8bb96d5c-8n6z6	1/1	Running	0	11s
pod/fb-deployment-dd5b5b45d-jbbgm	1/1	Terminating	0	9m12s
pod/fb-deployment-dd5b5b45d-lbnwf	1/1	Running	0	9m12s
pod/fb-deployment-dd5b5b45d-nvh6j	1/1	Terminating	0	9m12s

NAME	TYPE	CLUSTER-IP	EXTERNAL-IP	PORT(S)	AGE
service/kubernetes	ClusterIP	10.100.0.1	<none>	443/TCP	28m

NAME	READY	UP-TO-DATE	AVAILABLE	AGE
deployment.apps/fb-deployment	3/3	3	3	9m14s

NAME	DESIRED	CURRENT	READY	AGE
replicaset.apps/fb-deployment-7f8bb96d5c	3	3	2	21s
replicaset.apps/fb-deployment-dd5b5b45d	1	1	1	9m14s

Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes/practice/2_june (main)

\$ kubectl get all

NAME	READY	STATUS	RESTARTS	AGE
pod/fb-deployment-7f8bb96d5c-54h1t	1/1	Running	0	26s
pod/fb-deployment-7f8bb96d5c-5bq85	1/1	Running	0	11s
pod/fb-deployment-7f8bb96d5c-8n6z6	1/1	Running	0	18s
pod/fb-deployment-dd5b5b45d-jbbgm	1/1	Terminating	0	9m19s
pod/fb-deployment-dd5b5b45d-lbnwf	1/1	Terminating	0	9m19s
pod/fb-deployment-dd5b5b45d-nvh6j	1/1	Terminating	0	9m19s

NAME	TYPE	CLUSTER-IP	EXTERNAL-IP	PORT(S)	AGE
service/kubernetes	ClusterIP	10.100.0.1	<none>	443/TCP	28m

NAME	READY	UP-TO-DATE	AVAILABLE	AGE
deployment.apps/fb-deployment	3/3	3	3	9m20s

NAME	DESIRED	CURRENT	READY	AGE
replicaset.apps/fb-deployment-7f8bb96d5c	3	3	3	27s
replicaset.apps/fb-deployment-dd5b5b45d	0	0	0	9m20s

Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes/practice/2_june (main)

\$ kubectl get all

NAME	READY	STATUS	RESTARTS	AGE
pod/fb-deployment-7f8bb96d5c-54h1t	1/1	Running	0	31s
pod/fb-deployment-7f8bb96d5c-5bq85	1/1	Running	0	16s
pod/fb-deployment-7f8bb96d5c-8n6z6	1/1	Running	0	23s
pod/fb-deployment-dd5b5b45d-jbbgm	1/1	Terminating	0	9m24s
pod/fb-deployment-dd5b5b45d-lbnwf	1/1	Terminating	0	9m24s
pod/fb-deployment-dd5b5b45d-nvh6j	1/1	Terminating	0	9m24s

NAME	TYPE	CLUSTER-IP	EXTERNAL-IP	PORT(S)	AGE
service/kubernetes	ClusterIP	10.100.0.1	<none>	443/TCP	28m

NAME	READY	UP-TO-DATE	AVAILABLE	AGE
deployment.apps/fb-deployment	3/3	3	3	9m26s

NAME	DESIRED	CURRENT	READY	AGE
replicaset.apps/fb-deployment-7f8bb96d5c	3	3	3	33s
replicaset.apps/fb-deployment-dd5b5b45d	0	0	0	9m26s

Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes/practice/2_june (main)

\$ kubectl get all

NAME	READY	STATUS	RESTARTS	AGE
pod/fb-deployment-7f8bb96d5c-54h1t	1/1	Running	0	37s
pod/fb-deployment-7f8bb96d5c-5bq85	1/1	Running	0	22s
pod/fb-deployment-7f8bb96d5c-8n6z6	1/1	Running	0	29s
pod/fb-deployment-dd5b5b45d-jbbgm	1/1	Terminating	0	9m30s
pod/fb-deployment-dd5b5b45d-lbnwf	1/1	Terminating	0	9m30s
pod/fb-deployment-dd5b5b45d-nvh6j	1/1	Terminating	0	9m30s

NAME	TYPE	CLUSTER-IP	EXTERNAL-IP	PORT(S)	AGE
service/kubernetes	ClusterIP	10.100.0.1	<none>	443/TCP	28m

NAME	READY	UP-TO-DATE	AVAILABLE	AGE
deployment.apps/fb-deployment	3/3	3	3	9m31s

NAME	DESIRED	CURRENT	READY	AGE
replicaset.apps/fb-deployment-7f8bb96d5c	3	3	3	39s
replicaset.apps/fb-deployment-dd5b5b45d	0	0	0	9m32s

Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes/practice/2_june (main)

\$ kubectl get all

NAME	READY	STATUS	RESTARTS	AGE
pod/fb-deployment-7f8bb96d5c-54h1t	1/1	Running	0	45s
pod/fb-deployment-7f8bb96d5c-5bq85	1/1	Running	0	30s
pod/fb-deployment-7f8bb96d5c-8n6z6	1/1	Running	0	37s
pod/fb-deployment-dd5b5b45d-lbnwf	1/1	Terminating	0	9m38s
pod/fb-deployment-dd5b5b45d-nvh6j	1/1	Terminating	0	9m38s

NAME	TYPE	CLUSTER-IP	EXTERNAL-IP	PORT(S)	AGE
service/kubernetes	ClusterIP	10.100.0.1	<none>	443/TCP	28m

NAME	READY	UP-TO-DATE	AVAILABLE	AGE
deployment.apps/fb-deployment	3/3	3	3	9m39s

NAME	DESIRED	CURRENT	READY	AGE
replicaset.apps/fb-deployment-7f8bb96d5c	3	3	3	46s
replicaset.apps/fb-deployment-dd5b5b45d	0	0	0	9m39s

Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes/practice/2_june (main)

\$ kubectl get all

NAME	READY	STATUS	RESTARTS	AGE
pod/fb-deployment-7f8bb96d5c-54h1t	1/1	Running	0	51s
pod/fb-deployment-7f8bb96d5c-5bq85	1/1	Running	0	36s
pod/fb-deployment-7f8bb96d5c-8n6z6	1/1	Running	0	43s
pod/fb-deployment-dd5b5b45d-1bnwf	1/1	Terminating	0	9m44s

NAME	TYPE	CLUSTER-IP	EXTERNAL-IP	PORT(S)	AGE
service/kubernetes	ClusterIP	10.100.0.1	<none>	443/TCP	28m

NAME	READY	UP-TO-DATE	AVAILABLE	AGE
deployment.apps/fb-deployment	3/3	3	3	9m46s

NAME	DESIRED	CURRENT	READY	AGE
replicaset.apps/fb-deployment-7f8bb96d5c	3	3	3	53s
replicaset.apps/fb-deployment-dd5b5b45d	0	0	0	9m46s

Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes/practice/2_june (main)

\$ kubectl get all

NAME	READY	STATUS	RESTARTS	AGE
pod/fb-deployment-7f8bb96d5c-54h1t	1/1	Running	0	57s
pod/fb-deployment-7f8bb96d5c-5bq85	1/1	Running	0	42s
pod/fb-deployment-7f8bb96d5c-8n6z6	1/1	Running	0	49s

NAME	TYPE	CLUSTER-IP	EXTERNAL-IP	PORT(S)	AGE
service/kubernetes	ClusterIP	10.100.0.1	<none>	443/TCP	28m

NAME	READY	UP-TO-DATE	AVAILABLE	AGE
deployment.apps/fb-deployment	3/3	3	3	9m51s

NAME	DESIRED	CURRENT	READY	AGE
replicaset.apps/fb-deployment-7f8bb96d5c	3	3	3	58s
replicaset.apps/fb-deployment-dd5b5b45d	0	0	0	9m51s

Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes/practice/2_june (main)

\$ kubectl describe deploy fb-deployment

Name: fb-deployment
Namespace: default
CreationTimestamp: wed, 03 Jun 2026 18:15:05 +0530
Labels: app=fb-deploy
env=prod
Annotations: deployment.kubernetes.io/revision: 2
Selector: app=fb-app,env=prod
Replicas: 3 desired | 3 updated | 3 total | 3 available | 0 unavailable
StrategyType: RollingUpdate
MinReadySeconds: 0
RollingUpdateStrategy: 25% max unavailable, 25% max surge
Pod Template:
Labels: app=fb-app
env=prod
version=v2
Containers:
fb-container:
Image: dockerhub1105/practicerepo:mc_app_img
Port: 8080/TCP
Host Port: 0/TCP
Environment: <none>
Mounts: <none>
Volumes: <none>
Node-Selectors: <none>
Tolerations: <none>
Conditions:
Type Status Reason

```
Available      True      MinimumReplicasAvailable
Progressing    True      NewReplicaSetAvailable
OldReplicaSets: fb-deployment-dd5b5b45d (0/0 replicas created)
NewReplicaSet:  fb-deployment-7f8bb96d5c (3/3 replicas created)
```

Events:

Type	Reason	Age	From	Message
Normal	ScalingReplicaSet	12m	deployment-controller	Scaled up replica set fb-deployment-dd5b5b45d from 0 to 3
Normal	ScalingReplicaSet	3m24s	deployment-controller	Scaled up replica set fb-deployment-7f8bb96d5c from 0 to 1
Normal	ScalingReplicaSet	3m17s	deployment-controller	Scaled down replica set fb-deployment-dd5b5b45d from 3 to 2
Normal	ScalingReplicaSet	3m16s	deployment-controller	Scaled up replica set fb-deployment-7f8bb96d5c from 1 to 2
Normal	ScalingReplicaSet	3m9s	deployment-controller	Scaled down replica set fb-deployment-dd5b5b45d from 2 to 1
Normal	ScalingReplicaSet	3m9s	deployment-controller	Scaled up replica set fb-deployment-7f8bb96d5c from 2 to 3
Normal	ScalingReplicaSet	3m1s	deployment-controller	Scaled down replica set fb-deployment-dd5b5b45d from 1 to 0

Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes/practice/2_june (main)

```
$ kubectl rollout undo deploy fb-deployment
deployment.apps/fb-deployment rolled back
```

Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes/practice/2_june (main)

```
$ kubectl get all
```

NAME	READY	STATUS	RESTARTS
AGE			
pod/fb-deployment-7f8bb96d5c-54h1t	1/1	Running	0
11m			
pod/fb-deployment-7f8bb96d5c-8n6z6	0/1	Error	0
11m			
pod/fb-deployment-dd5b5b45d-pcvvj	1/1	Running	0
pod/fb-deployment-dd5b5b45d-rh86h	0/1	ContainerCreating	0
pod/fb-deployment-dd5b5b45d-wlpwb	1/1	Running	0
			3s
			0s
			2s

NAME	TYPE	CLUSTER-IP	EXTERNAL-IP	PORT(S)	AGE
service/kubernetes	ClusterIP	10.100.0.1	<none>	443/TCP	39m

NAME	READY	UP-TO-DATE	AVAILABLE	AGE
deployment.apps/fb-deployment	3/3	3	3	20m

NAME	DESIRED	CURRENT	READY	AGE
replicaset.apps/fb-deployment-7f8bb96d5c	0	0	0	11m
replicaset.apps/fb-deployment-dd5b5b45d	3	3	3	20m

Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes/practice/2_june (main)

```
$ kubectl get all
```

NAME	READY	STATUS	RESTARTS	AGE
pod/fb-deployment-dd5b5b45d-pcvvj	1/1	Running	0	10s
pod/fb-deployment-dd5b5b45d-rh86h	1/1	Running	0	7s
pod/fb-deployment-dd5b5b45d-wlpwb	1/1	Running	0	9s

NAME	TYPE	CLUSTER-IP	EXTERNAL-IP	PORT(S)	AGE
service/kubernetes	ClusterIP	10.100.0.1	<none>	443/TCP	39m

NAME	READY	UP-TO-DATE	AVAILABLE	AGE
deployment.apps/fb-deployment	3/3	3	3	20m

NAME	DESIRED	CURRENT	READY	AGE
replicaset.apps/fb-deployment-7f8bb96d5c	0	0	0	11m
replicaset.apps/fb-deployment-dd5b5b45d	3	3	3	20m

Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes/practice/2_june (main)

\$ kubectl get all

NAME	READY	STATUS	RESTARTS	AGE
pod/fb-deployment-dd5b5b45d-pcvvj	1/1	Running	0	21s
pod/fb-deployment-dd5b5b45d-rh86h	1/1	Running	0	18s
pod/fb-deployment-dd5b5b45d-wlpwb	1/1	Running	0	20s

NAME	TYPE	CLUSTER-IP	EXTERNAL-IP	PORT(S)	AGE
service/kubernetes	ClusterIP	10.100.0.1	<none>	443/TCP	39m

NAME	READY	UP-TO-DATE	AVAILABLE	AGE
deployment.apps/fb-deployment	3/3	3	3	21m

NAME	DESIRED	CURRENT	READY	AGE
replicaset.apps/fb-deployment-7f8bb96d5c	0	0	0	12m
replicaset.apps/fb-deployment-dd5b5b45d	3	3	3	21m

Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes/practice/2_june (main)

\$ kubectl get all

NAME	READY	STATUS	RESTARTS	AGE
pod/fb-deployment-dd5b5b45d-pcvvj	1/1	Running	0	27s
pod/fb-deployment-dd5b5b45d-rh86h	1/1	Running	0	24s
pod/fb-deployment-dd5b5b45d-wlpwb	1/1	Running	0	26s

NAME	TYPE	CLUSTER-IP	EXTERNAL-IP	PORT(S)	AGE
service/kubernetes	ClusterIP	10.100.0.1	<none>	443/TCP	39m

NAME	READY	UP-TO-DATE	AVAILABLE	AGE
deployment.apps/fb-deployment	3/3	3	3	21m

NAME	DESIRED	CURRENT	READY	AGE
replicaset.apps/fb-deployment-7f8bb96d5c	0	0	0	12m
replicaset.apps/fb-deployment-dd5b5b45d	3	3	3	21m

Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes/practice/2_june (main)


\$ kubectl describe deploy fb-deployment

Name: fb-deployment
Namespace: default
CreationTimestamp: wed, 03 Jun 2026 18:15:05 +0530
Labels: app=fb-deploy
env=prod
Annotations: deployment.kubernetes.io/revision: 3
Selector: app=fb-app,env=prod
Replicas: 3 desired | 3 updated | 3 total | 3 available | 0 unavailable
StrategyType: RollingUpdate
MinReadySeconds: 0
RollingUpdateStrategy: 25% max unavailable, 25% max surge
Pod Template:
Labels: app=fb-app
env=prod
version=v1
Containers:
fb-container:
Image: dockerhub1105/practicerepo:python_image_v1
Port: 8080/TCP
Host Port: 0/TCP
Environment: <none>
Mounts: <none>
Volumes: <none>
Node-Selectors: <none>
Tolerations: <none>
Conditions:
Type Status Reason

Available True MinimumReplicasAvailable

Progressing	True	NewReplicaSetAvailable		
OldReplicaSets:	fb-deployment-7f8bb96d5c (0/0 replicas created)			
NewReplicaSet:	fb-deployment-dd5b5b45d (3/3 replicas created)			
Events:				
Type	Reason	Age	From	Message
-----	-----	----	----	-----
Normal	ScalingReplicaSet	21m	deployment-controller	Scaled up replica
set fb-deployment-dd5b5b45d		from 0	to 3	
Normal	ScalingReplicaSet	12m	deployment-controller	Scaled up replica
set fb-deployment-7f8bb96d5c		from 0	to 1	
Normal	ScalingReplicaSet	12m	deployment-controller	Scaled down replica
set fb-deployment-dd5b5b45d		from 3	to 2	
Normal	ScalingReplicaSet	12m	deployment-controller	Scaled up replica
set fb-deployment-7f8bb96d5c		from 1	to 2	
Normal	ScalingReplicaSet	12m	deployment-controller	Scaled down replica
set fb-deployment-dd5b5b45d		from 2	to 1	
Normal	ScalingReplicaSet	12m	deployment-controller	Scaled up replica
set fb-deployment-7f8bb96d5c		from 2	to 3	
Normal	ScalingReplicaSet	12m	deployment-controller	Scaled down replica
set fb-deployment-dd5b5b45d		from 1	to 0	
Normal	ScalingReplicaSet	56s	deployment-controller	Scaled up replica
set fb-deployment-dd5b5b45d		from 0	to 1	
Normal	ScalingReplicaSet	55s	deployment-controller	Scaled down replica
set fb-deployment-7f8bb96d5c		from 3	to 2	
Normal	ScalingReplicaSet	55s	deployment-controller	Scaled up replica
set fb-deployment-dd5b5b45d		from 1	to 2	
Normal	ScalingReplicaSet	53s	deployment-controller	Scaled down replica
set fb-deployment-7f8bb96d5c		from 2	to 1	
Normal	ScalingReplicaSet	53s	deployment-controller	Scaled up replica
set fb-deployment-dd5b5b45d		from 2	to 3	
Normal	ScalingReplicaSet	52s	deployment-controller	Scaled down replica
set fb-deployment-7f8bb96d5c		from 1	to 0	

Service Object



```
#5_lb_svc.yaml
---
apiVersion: v1
kind: Service
metadata:
  name: fb-service
  labels:
    app: fb-service
    env: prod
spec:
  type: LoadBalancer
  selector:
    app: fb-app
    env: prod
  ports:
    - protocol: TCP
      port: 80 # This is the port to access load balancer, which is a external port.
      targetPort: 8080 # This is the port on which the application is running inside
the container.
```

Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes/practice/2_june (main)

\$ kubectl get po --show-labels

NAME	READY	STATUS	RESTARTS	AGE	LABELS
fb-deployment-dd5b5b45d-rh86h	1/1	Running	0	9m27s	app=fb-
app,env=prod,pod-template-hash=dd5b5b45d,version=v1					
fb-deployment-dd5b5b45d-vczrh	1/1	Running	0	6m21s	app=fb-
app,env=prod,pod-template-hash=dd5b5b45d,version=v1					
fb-deployment-dd5b5b45d-wlpwb	1/1	Running	0	9m29s	app=fb-
app,env=prod,pod-template-hash=dd5b5b45d,version=v1					

Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes/practice/2_june (main)

\$ kubectl apply -f 5_lb_svc.yaml
service/fb-service created

Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes/practice/2_june (main)

\$ kubectl get all

NAME	READY	STATUS	RESTARTS	AGE
pod/fb-deployment-dd5b5b45d-rh86h	1/1	Running	0	21m
pod/fb-deployment-dd5b5b45d-vczrh	1/1	Running	0	18m
pod/fb-deployment-dd5b5b45d-wlpwb	1/1	Running	0	21m

NAME	AGE	TYPE	CLUSTER-IP	EXTERNAL-IP
service/fb-service	7s	LoadBalancer	10.100.91.37	a279224537eee4cb1b20d6639e900ab9-238923887.us-east-1.elb.amazonaws.com
80:30675/TCP				
service/kubernetes	61m	ClusterIP	10.100.0.1	<none>
443/TCP				


NAME	READY	UP-TO-DATE	AVAILABLE	AGE
deployment.apps/fb-deployment	3/3	3	3	42m

NAME	DESIRED	CURRENT	READY	AGE
replicaset.apps/fb-deployment-7f8bb96d5c	0	0	0	33m
replicaset.apps/fb-deployment-dd5b5b45d	3	3	3	42m


```

Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-
Devops_MC_B17D/Kubernetes/practice/2_june (main)
$ kubectl describe deploy fb-deployment
Name: fb-deployment
Namespace: default
CreationTimestamp: wed, 03 Jun 2026 18:15:05 +0530
Labels: app=fb-deploy
env=prod
Annotations: deployment.kubernetes.io/revision: 3
Selector: app=fb-app,env=prod
Replicas: 3 desired | 3 updated | 3 total | 3 available | 0
unavailable
StrategyType: RollingUpdate
MinReadySeconds: 0
RollingUpdateStrategy: 25% max unavailable, 25% max surge
Pod Template:
  Labels: app=fb-app
          env=prod
          version=v1
Containers:
  fb-container:
    Image: dockerhub1105/practicerepo:python_image_v1
    Port: 8080/TCP
    Host Port: 0/TCP

```



V1 Version output



```

Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-
Devops_MC_B17D/Kubernetes/practice/2_june (main)
$ kubectl apply -f 3_instadeploy_v2.yaml
deployment.apps/fb-deployment configured

```

```

Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-
Devops_MC_B17D/Kubernetes/practice/2_june (main)
$ kubectl get all
NAME                                READY    STATUS    RESTARTS    AGE
pod/fb-deployment-7f8bb96d5c-4swqh 1/1      Running   0            70s

```



```
pod/fb-deployment-7f8bb96d5c-b228k 1/1 Running 0 71s
pod/fb-deployment-7f8bb96d5c-xh74h 1/1 Running 0 71s
```

NAME	TYPE	CLUSTER-IP	EXTERNAL-IP
service/fb-service	LoadBalancer	10.100.91.37	
a279224537eee4cb1b20d6639e900ab9-238923887.us-east-1.elb.amazonaws.com			
80:30675/TCP			
service/kubernetes	ClusterIP	10.100.0.1	<none>
443/TCP			

NAME	READY	UP-TO-DATE	AVAILABLE	AGE
deployment.apps/fb-deployment	3/3	3	3	58m


NAME	DESIRED	CURRENT	READY	AGE
replicaset.apps/fb-deployment-7f8bb96d5c	3	3	3	49m
replicaset.apps/fb-deployment-dd5b5b45d	0	0	0	58m

Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes/practice/2_june (main)

```
$ kubectl describe deploy fb-deployment
```

```
Name: fb-deployment
Namespace: default
CreationTimestamp: wed, 03 Jun 2026 18:15:05 +0530
Labels: app=fb-deploy
        env=prod
Annotations: deployment.kubernetes.io/revision: 5
Selector: app=fb-app,env=prod
Replicas: 3 desired | 3 updated | 3 total | 3 available | 0
unavailable
StrategyType: RollingUpdate
MinReadySeconds: 0
RollingUpdateStrategy: 1 max unavailable, 1 max surge
Pod Template:
  Labels: app=fb-app
          env=prod
          version=v2
  Containers:
    fb-container:
      Image: dockerhub1105/practicerepo:mc_app_img
      Port: 8080/TCP
```

V2 version output



Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes/practice/2_june (main)

```
$ eksctl get cluster
```

NAME	REGION	EKSCTL CREATED
mccluster	us-east-1	True

Bhavana@LAPTOP-E0A1LIK MINGW64 ~/Downloads/Bhavana work/AWS Devops/AWS-Devops_MC_B17D/Kubernetes/practice/2_june (main)

```
$ eksctl delete cluster mccluster
```

```
2026-06-03 19:29:49 [i] will delete stack "eksctl-mccluster-cluster"
```

```
2026-06-03 19:29:50 [✓] all cluster resources were deleted
```