| SCHEMA | TABLE | COLUMN | DEFAULT | NULLABLE | DATA_TYPE | CHAR_MAX_LENGTH | CONSTRAINT_TYPE |
|---|---|---|---|---|---|---|---|
| dbo | BSItem | | | | | | |
| dbo | BSItem | ItemID | | NO | int | 0 | PRIMARY KEY |
| dbo | BSItem | BHLItemID | | YES | int | 0 | |
| dbo | BSItem | ItemStatusID | ((10)) | NO | int | 0 | FOREIGN KEY |
| dbo | BSItem | CreationDate | (getdate()) | NO | datetime | 0 | |
| dbo | BSItem | LastModifiedDate | (getdate()) | NO | datetime | 0 | |
| | | | | | | | |
| dbo | BSItemStatus | | | | | | |
| dbo | BSItemStatus | ItemStatusID | | NO | int | 0 | PRIMARY KEY |
| dbo | BSItemStatus | Status | ('') | NO | nvarchar | 30 | |
| dbo | BSItemStatus | Description | ('') | NO | nvarchar | 4000 | |
| dbo | BSItemStatus | CreationDate | (getdate()) | NO | datetime | 0 | |
| dbo | BSItemStatus | LastModifiedDate | (getdate()) | NO | datetime | 0 | |
| | | | | | | | |
| dbo | BSSegment | | | | | | |
| dbo | BSSegment | SegmentID | | NO | int | 0 | PRIMARY KEY |
| dbo | BSSegment | ItemID | | NO | int | 0 | FOREIGN KEY |
| dbo | BSSegment | BioStorReferenceID | ('') | NO | nvarchar | 100 | |
| dbo | BSSegment | SequenceOrder | ((0)) | NO | smallint | 0 | |
| dbo | BSSegment | Genre | ('') | NO | nvarchar | 50 | |
| dbo | BSSegment | Title | ('') | NO | nvarchar | 2000 | |
| dbo | BSSegment | ContainerTitle | ('') | NO | nvarchar | 2000 | |
| dbo | BSSegment | PublisherName | ('') | NO | nvarchar | 250 | |
| dbo | BSSegment | PublisherPlace | ('') | NO | nvarchar | 150 | |
| dbo | BSSegment | Volume | ('') | NO | nvarchar | 100 | |
| dbo | BSSegment | Series | ('') | NO | nvarchar | 100 | |
| dbo | BSSegment | Issue | ('') | NO | nvarchar | 100 | |
| dbo | BSSegment | Year | ('') | NO | nvarchar | 20 | |
| dbo | BSSegment | Date | ('') | NO | nvarchar | 20 | |
| dbo | BSSegment | ISSN | ('') | NO | nvarchar | 125 | |
| dbo | BSSegment | DOI | ('') | NO | nvarchar | 50 | |
| dbo | BSSegment | OCLC | ('') | NO | nvarchar | 125 | |
| dbo | BSSegment | JSTOR | ('') | NO | nvarchar | 125 | |
| dbo | BSSegment | StartPageNumber | ('') | NO | nvarchar | 20 | |
| dbo | BSSegment | EndPageNumber | ('') | NO | nvarchar | 20 | |
| dbo | BSSegment | StartPageID | | YES | int | 0 | |
| dbo | BSSegment | ContributorCreationDate | | YES | datetime | 0 | |
| dbo | BSSegment | ContributorLastModifiedDate | | YES | datetime | 0 | |
| dbo | BSSegment | BHLSegmentID | | YES | int | 0 | |
| dbo | BSSegment | CreationDate | (getdate()) | NO | datetime | 0 | |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| dbo | BSSegment | LastModifiedDate | (getdate()) | NO | datetime | 0 | |
| dbo | BSSegment | ContributorName | ('') | NO | nvarchar | 255 | |
| | | | | | | | |
| dbo | BSSegmentAuthor | | | | | | |
| dbo | BSSegmentAuthor | SegmentAuthorID | | NO | int | 0 | PRIMARY KEY |
| dbo | BSSegmentAuthor | ImportSourceID | | NO | int | 0 | FOREIGN KEY |
| dbo | BSSegmentAuthor | SegmentID | | NO | int | 0 | |
| dbo | BSSegmentAuthor | BioStorID | ('') | NO | nvarchar | 100 | |
| dbo | BSSegmentAuthor | LastName | ('') | NO | nvarchar | 150 | |
| dbo | BSSegmentAuthor | FirstName | ('') | NO | nvarchar | 150 | |
| dbo | BSSegmentAuthor | SequenceOrder | ((1)) | NO | int | 0 | |
| dbo | BSSegmentAuthor | VIAFIdentifier | ('') | NO | nvarchar | 20 | |
| dbo | BSSegmentAuthor | BHLAuthorID | | YES | int | 0 | |
| dbo | BSSegmentAuthor | CreationDate | (getdate()) | NO | datetime | 0 | |
| dbo | BSSegmentAuthor | LastModifiedDate | (getdate()) | NO | datetime | 0 | |
| | | | | | | | |
| dbo | BSSegmentPage | | | | | | |
| dbo | BSSegmentPage | SegmentPageID | | NO | int | 0 | PRIMARY KEY |
| dbo | BSSegmentPage | SegmentID | | NO | int | 0 | FOREIGN KEY |
| dbo | BSSegmentPage | BHLPageID | | NO | int | 0 | |
| dbo | BSSegmentPage | SequenceOrder | ((0)) | NO | smallint | 0 | |
| dbo | BSSegmentPage | CreationDate | (getdate()) | NO | datetime | 0 | |
| | | | | | | | |
| dbo | Creator | | | | | | |
| dbo | Creator | CreatorID | | NO | int | 0 | PRIMARY KEY |
| dbo | Creator | ImportStatusID | | NO | int | 0 | FOREIGN KEY |
| dbo | Creator | ImportSourceID | | YES | int | 0 | FOREIGN KEY |
| dbo | Creator | CreatorName | | NO | nvarchar | 255 | |
| dbo | Creator | FirstNameFirst | | YES | nvarchar | 255 | |
| dbo | Creator | SimpleName | | YES | nvarchar | 255 | |
| dbo | Creator | DOB | | YES | nvarchar | 50 | |
| dbo | Creator | DOD | | YES | nvarchar | 50 | |
| dbo | Creator | Biography | | YES | ntext | -1 | |
| dbo | Creator | CreatorNote | | YES | nvarchar | 255 | |
| dbo | Creator | MARCDataFieldTag | | YES | nvarchar | 3 | |
| dbo | Creator | MARCCreator_a | | YES | nvarchar | 450 | |
| dbo | Creator | MARCCreator_b | | YES | nvarchar | 450 | |
| dbo | Creator | MARCCreator_c | | YES | nvarchar | 450 | |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| dbo | Creator | MARCCreator_d | | YES | nvarchar | 450 | |
| dbo | Creator | MARCCreator_Full | | YES | nvarchar | 450 | |
| dbo | Creator | ExternalCreationDate | | YES | datetime | 0 | |
| dbo | Creator | ExternalLastModifiedDate | | YES | datetime | 0 | |
| dbo | Creator | ProductionDate | | YES | datetime | 0 | |
| dbo | Creator | CreatedDate | (getdate()) | NO | datetime | 0 | |
| dbo | Creator | LastModifiedDate | (getdate()) | NO | datetime | 0 | |
| dbo | Creator | MARCCreator_q | | YES | nvarchar | 450 | |
| | | | | | | | |
| dbo | IAAnalysisHarvestLog | | | | | | |
| dbo | IAAnalysisHarvestLog | IAAnalysisHarvestLogID | | NO | int | 0 | PRIMARY KEY |
| dbo | IAAnalysisHarvestLog | HarvestDate | (getdate()) | NO | datetime | 0 | |
| dbo | IAAnalysisHarvestLog | SuccessfulHarvest | ((1)) | NO | tinyint | 0 | |
| dbo | IAAnalysisHarvestLog | Item | ((0)) | NO | int | 0 | |
| | | | | | | | |
| dbo | IADCMetadata | | | | | | |
| dbo | IADCMetadata | DCMetadataID | | NO | int | 0 | PRIMARY KEY |
| dbo | IADCMetadata | ItemID | | NO | int | 0 | FOREIGN KEY |
| dbo | IADCMetadata | DCElementName | ('') | NO | nvarchar | 15 | |
| dbo | IADCMetadata | DCElementValue | ('') | NO | nvarchar | 500 | |
| dbo | IADCMetadata | Source | ('') | NO | nvarchar | 50 | |
| dbo | IADCMetadata | CreatedDate | (getdate()) | NO | datetime | 0 | |
| dbo | IADCMetadata | LastModifiedDate | (getdate()) | NO | datetime | 0 | |
| | | | | | | | |
| dbo | IAFile | | | | | | |
| dbo | IAFile | FileID | | NO | int | 0 | PRIMARY KEY |
| dbo | IAFile | ItemID | | NO | int | 0 | FOREIGN KEY |
| dbo | IAFile | RemoteFileName | ('') | NO | nvarchar | 100 | |
| dbo | IAFile | LocalFileName | ('') | NO | nvarchar | 100 | |
| dbo | IAFile | Source | ('') | NO | nvarchar | 20 | |
| dbo | IAFile | Format | ('') | NO | nvarchar | 50 | |
| dbo | IAFile | Original | ('') | NO | nvarchar | 50 | |
| dbo | IAFile | RemoteFileLastModifiedDate | | YES | datetime | 0 | |
| dbo | IAFile | CreatedDate | (getdate()) | NO | datetime | 0 | |
| dbo | IAFile | LastModifiedDate | (getdate()) | NO | datetime | 0 | |
| | | | | | | | |
| dbo | IAFileFormat | | | | | | |
| dbo | IAFileFormat | FileFormatID | | NO | int | 0 | PRIMARY KEY |
| dbo | IAFileFormat | Format | ('') | NO | nvarchar | 50 | |
| dbo | IAFileFormat | Download | ((0)) | NO | bit | 0 | |
| dbo | IAFileFormat | CreatedDate | (getdate()) | NO | datetime | 0 | |
| dbo | IAFileFormat | LastModifiedDate | (getdate()) | NO | datetime | 0 | |
| | | | | | | | |
| dbo | IAItem | | | | | | |
| dbo | IAItem | ItemID | | NO | int | 0 | PRIMARY KEY |
| dbo | IAItem | ItemStatusID | ((10)) | NO | int | 0 | FOREIGN KEY |
| dbo | IAItem | IAIdentifierPrefix | ('') | NO | nvarchar | 50 | |

| dbo | IAItem | IAIdentifier | ('') | NO | nvarchar | 50 | |
|-----|--------|--------------|------|-----|----------|-----|--|
| dbo | IAItem | Sponsor | ('') | NO | nvarchar | 100 | |
| dbo | IAItem | SponsorName | | YES | nvarchar | 50 | |
| dbo | IAItem | ScanningCenter | ('') | NO | nvarchar | 50 | |
| dbo | IAItem | CallNumber | ('') | NO | nvarchar | 50 | |
| dbo | IAItem | ImageCount | | YES | int | 0 | |
| dbo | IAItem | IdentifierAccessUrl | | YES | nvarchar | 100 | |
| dbo | IAItem | Volume | ('') | NO | nvarchar | 50 | |
| dbo | IAItem | Note | ('') | NO | nvarchar | 255 | |
| dbo | IAItem | ScanOperator | ('') | NO | nvarchar | 100 | |
| dbo | IAItem | ScanDate | ('') | NO | nvarchar | 50 | |
| dbo | IAItem | ExternalStatus | ('') | NO | nvarchar | 50 | |
| dbo | IAItem | MARCBibID | ('') | NO | nvarchar | 50 | |
| dbo | IAItem | BarCode | ('') | NO | nvarchar | 40 | |
| dbo | IAItem | IADateStamp | | YES | datetime | 0 | |
| dbo | IAItem | IAAddedDate | | YES | datetime | 0 | |
| dbo | IAItem | LastOAIDataHarvestDate | | YES | datetime | 0 | |
| dbo | IAItem | LastXMLDataHarvestDate | | YES | datetime | 0 | |
| dbo | IAItem | LastProductionDate | | YES | datetime | 0 | |
| dbo | IAItem | CreatedDate | (getdate()) | NO | datetime | 0 | |
| dbo | IAItem | LastModifiedDate | (getdate()) | NO | datetime | 0 | |
| dbo | IAItem | ShortTitle | | YES | nvarchar | 255 | |
| dbo | IAItem | SponsorDate | | YES | nvarchar | 50 | |
| dbo | IAItem | TitleID | ('') | NO | nvarchar | 50 | |
| dbo | IAItem | Year | ('') | NO | nvarchar | 20 | |
| dbo | IAItem | IdentifierBib | ('') | NO | nvarchar | 50 | |
| dbo | IAItem | ZQuery | ('') | NO | nvarchar | 200 | |
| dbo | IAItem | LicenseUrl | ('') | NO | nvarchar | -1 | |
| dbo | IAItem | Rights | ('') | NO | nvarchar | -1 | |
| dbo | IAItem | DueDiligence | ('') | NO | nvarchar | -1 | |
| dbo | IAItem | PossibleCopyrightStatus | ('') | NO | nvarchar | -1 | |
| dbo | IAItem | CopyrightRegion | ('') | NO | nvarchar | 50 | |

| dbo | IAItem | CopyrightComment | (") | NO | nvarchar | -1 | |
|-----|--------|------------------|-----|-----|----------|-----|---|
| dbo | IAItem | CopyrightEvidence | (") | NO | nvarchar | -1 | |
| dbo | IAItem | CopyrightEvidenceOperator | (") | NO | nvarchar | 100 | |
| dbo | IAItem | CopyrightEvidenceDate | (") | NO | nvarchar | 30 | |
| dbo | IAItem | LocalFileFolder | (") | NO | nvarchar | 200 | |
| dbo | IAItem | NoMARCOk | ((0)) | NO | tinyint | 0 | |
| dbo | IAItem | ScanningInstitution | (") | NO | nvarchar | 500 | |
| dbo | IAItem | RightsHolder | (") | NO | nvarchar | 500 | |
| dbo | IAItem | ItemDescription | (") | NO | nvarchar | -1 | |
| dbo | IAItem | EndYear | (") | NO | nvarchar | 20 | |
| dbo | IAItem | StartVolume | (") | NO | nvarchar | 10 | |
| dbo | IAItem | EndVolume | (") | NO | nvarchar | 10 | |
| dbo | IAItem | StartIssue | (") | NO | nvarchar | 10 | |
| dbo | IAItem | EndIssue | (") | NO | nvarchar | 10 | |
| dbo | IAItem | StartNumber | (") | NO | nvarchar | 10 | |
| dbo | IAItem | EndNumber | (") | NO | nvarchar | 10 | |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| dbo | IAItem | StartSeries | (") | NO | nvarchar | 10 | |
| dbo | IAItem | EndSeries | (") | NO | nvarchar | 10 | |
| dbo | IAItem | StartPart | (") | NO | nvarchar | 10 | |
| dbo | IAItem | EndPart | (") | NO | nvarchar | 10 | |
| dbo | IAItem | PageProgression | (") | NO | nvarchar | 10 | |
| dbo | IAItemError | | | | | | |
| dbo | IAItemError | ItemErrorID | | NO | int | 0 | PRIMARY KEY |
| dbo | IAItemError | ItemID | | YES | int | 0 | FOREIGN KEY |
| dbo | IAItemError | ErrorDate | (getdate()) | NO | datetime | 0 | |
| dbo | IAItemError | Number | | YES | int | 0 | |
| dbo | IAItemError | Severity | | YES | int | 0 | |
| dbo | IAItemError | State | | YES | int | 0 | |
| dbo | IAItemError | Procedure | (") | YES | nvarchar | 126 | |
| dbo | IAItemError | Line | | YES | int | 0 | |
| dbo | IAItemError | Message | (") | YES | nvarchar | 4000 | |
| dbo | IAItemSet | | | | | | |
| dbo | IAItemSet | ItemID | | NO | int | 0 | PRIMARY KEY |
| dbo | IAItemSet | SetID | | NO | int | 0 | PRIMARY KEY |
| dbo | IAItemSet | CreatedDate | (getdate()) | NO | datetime | 0 | |
| dbo | IAItemStatus | | | | | | |
| dbo | IAItemStatus | ItemStatusID | | NO | int | 0 | PRIMARY KEY |
| dbo | IAItemStatus | Status | (") | NO | nvarchar | 30 | |
| dbo | IAItemStatus | Description | (") | NO | nvarchar | 4000 | |
| dbo | IAItemStatus | CreatedDate | (getdate()) | NO | datetime | 0 | |
| dbo | IAItemStatus | LastModifiedDate | (getdate()) | NO | datetime | 0 | |
| dbo | IAMarc | | | | | | |
| dbo | IAMarc | MarcID | | NO | int | 0 | PRIMARY KEY |
| dbo | IAMarc | ItemID | | NO | int | 0 | FOREIGN KEY |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| dbo | IAMarc | Leader | ('') | NO | varchar | 200 | |
| dbo | IAMarc | CreatedDate | (getdate()) | NO | datetime | 0 | |
| dbo | IAMarc | LastModifiedDate | (getdate()) | NO | datetime | 0 | |
| | | | | | | | |
| dbo | IAMarcControl | | | | | | |
| | | | | | | | |
| dbo | IAMarcControl | MarcControlID | | NO | int | 0 | PRIMARY KEY |
| dbo | IAMarcControl | MarcID | | NO | int | 0 | FOREIGN KEY |
| dbo | IAMarcControl | Tag | ('') | NO | nchar | 3 | |
| dbo | IAMarcControl | Value | ('') | NO | nvarchar | 2000 | |
| dbo | IAMarcControl | CreatedDate | (getdate()) | NO | datetime | 0 | |
| dbo | IAMarcControl | LastModifiedDate | (getdate()) | NO | datetime | 0 | |
| | | | | | | | |
| dbo | IAMarcDataField | | | | | | |
| | | | | | | | |
| dbo | IAMarcDataField | MarcDataFieldID | | NO | int | 0 | PRIMARY KEY |
| dbo | IAMarcDataField | MarcID | | NO | int | 0 | FOREIGN KEY |
| dbo | IAMarcDataField | Tag | ('') | NO | nchar | 3 | |
| dbo | IAMarcDataField | Indicator1 | ('') | NO | nchar | 1 | |
| dbo | IAMarcDataField | Indicator2 | ('') | NO | nchar | 1 | |
| dbo | IAMarcDataField | CreatedDate | (getdate()) | NO | datetime | 0 | |
| dbo | IAMarcDataField | LastModifiedDate | (getdate()) | NO | datetime | 0 | |
| | | | | | | | |
| dbo | IAMarcSubField | | | | | | |
| | | | | | | | |
| dbo | IAMarcSubField | MarcSubFieldID | | NO | int | 0 | PRIMARY KEY |
| dbo | IAMarcSubField | MarcDataFieldID | | NO | int | 0 | FOREIGN KEY |
| dbo | IAMarcSubField | Code | ('') | NO | nchar | 1 | |
| dbo | IAMarcSubField | Value | ('') | NO | nvarchar | 2000 | |
| dbo | IAMarcSubField | CreatedDate | (getdate()) | NO | datetime | 0 | |
| dbo | IAMarcSubField | LastModifiedDate | (getdate()) | NO | datetime | 0 | |
| | | | | | | | |
| dbo | IAPage | | | | | | |
| dbo | IAPage | PageID | | NO | int | 0 | PRIMARY KEY |
| dbo | IAPage | ItemID | | NO | int | 0 | FOREIGN KEY |
| dbo | IAPage | LocalFileName | ('') | NO | nvarchar | 50 | |
| dbo | IAPage | Sequence | | YES | int | 0 | |
| dbo | IAPage | ExternalUrl | | YES | nvarchar | 500 | |
| dbo | IAPage | CreatedDate | (getdate()) | NO | datetime | 0 | |
| dbo | IAPage | LastModifiedDate | (getdate()) | NO | datetime | 0 | |
| | | | | | | | |
| dbo | IAScanCenterInstitution | | | | | | |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| dbo | IAScanCenterInstitution | ScanningCenterCode | | NO | nvarchar | 200 | PRIMARY KEY |
| dbo | IAScanCenterInstitution | InstitutionCode | | NO | nvarchar | 10 | |
| dbo | IAScanCenterInstitution | Sponsor | ('') | NO | nvarchar | 50 | |
| dbo | IAScanCenterInstitution | SponsorName | ('') | NO | nvarchar | 50 | |
| | | | | | | | |
| dbo | IAScandata | | | | | | |
| dbo | IAScandata | ScandataID | | NO | int | 0 | PRIMARY KEY |
| dbo | IAScandata | ItemID | | NO | int | 0 | FOREIGN KEY |
| dbo | IAScandata | Sequence | | NO | int | 0 | |
| dbo | IAScandata | PageType | ('') | NO | nvarchar | 50 | |
| dbo | IAScandata | PageNumber | ('') | NO | nvarchar | 20 | |
| dbo | IAScandata | CreatedDate | (getdate()) | NO | datetime | 0 | |
| dbo | IAScandata | LastModifiedDate | (getdate()) | NO | datetime | 0 | |
| dbo | IAScandata | Year | | YES | nvarchar | 20 | |
| dbo | IAScandata | Volume | | YES | nvarchar | 20 | |
| dbo | IAScandata | Issue | | YES | nvarchar | 20 | |
| dbo | IAScandata | IssuePrefix | | YES | nvarchar | 20 | |
| | | | | | | | |
| dbo | IAScandataAltPageNumber | | | | | | |
| dbo | IAScandataAltPageNumber | ScandataAltPageNumberID | | NO | int | 0 | PRIMARY KEY |
| dbo | IAScandataAltPageNumber | ScandataID | | NO | int | 0 | FOREIGN KEY |
| dbo | IAScandataAltPageNumber | Sequence | | NO | int | 0 | |
| dbo | IAScandataAltPageNumber | PagePrefix | ('') | NO | nvarchar | 40 | |
| dbo | IAScandataAltPageNumber | PageNumber | ('') | NO | nvarchar | 20 | |
| dbo | IAScandataAltPageNumber | Implied | ((0)) | NO | bit | 0 | |
| dbo | IAScandataAltPageNumber | CreatedDate | (getdate()) | NO | datetime | 0 | |
| dbo | IAScandataAltPageNumber | LastModifiedDate | (getdate()) | NO | datetime | 0 | |
| dbo | IAScandataAltPageType | | | | | | |
| dbo | IAScandataAltPageType | ScandataAltPageTypeID | | NO | int | 0 | PRIMARY KEY |
| dbo | IAScandataAltPageType | ScandataID | | NO | int | 0 | FOREIGN KEY |
| dbo | IAScandataAltPageType | PageType | ('') | NO | nvarchar | 50 | |
| dbo | IAScandataAltPageType | CreatedDate | (getdate()) | NO | datetime | 0 | |
| dbo | IAScandataAltPageType | LastModifiedDate | (getdate()) | NO | datetime | 0 | |
| dbo | IAScandataPageType | | | | | | |
| dbo | IAScandataPageType | ExternalPageType | | NO | nvarchar | 50 | PRIMARY KEY |
| dbo | IAScandataPageType | BHLPageTypeName | | NO | nvarchar | 30 | |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| dbo | IAScandataPageType | BHLPageTypeID | | NO | int | 0 | |
| | | | | | | | |
| dbo | IASet | | | | | | |
| | | | | | | | |
| dbo | IASet | SetID | | NO | int | 0 | PRIMARY KEY |
| dbo | IASet | SetSpecification | ('') | NO | nvarchar | 200 | |
| | | | | | | | |
| dbo | IASet | DownloadAll | ((0)) | NO | bit | 0 | |
| | | | | | | | |
| dbo | IASet | LastDownloadDate | | YES | datetime | 0 | |
| dbo | IASet | CreatedDate | (getdate()) | NO | datetime | 0 | |
| dbo | IASet | LastModifiedDate | (getdate()) | NO | datetime | 0 | |
| dbo | IASet | LastFullDownloadDate | | YES | datetime | 0 | |
| | | | | | | | |
| dbo | ImportError | | | | | | |
| | | | | | | | |
| dbo | ImportError | ImportErrorID | | NO | int | 0 | PRIMARY KEY |
| dbo | ImportError | KeyType | | YES | nvarchar | 50 | |
| dbo | ImportError | KeyValue | | YES | nvarchar | 40 | |
| | | | | | | | |
| dbo | ImportError | ErrorDate | (getdate()) | NO | datetime | 0 | |
| dbo | ImportError | Number | | YES | int | 0 | |
| dbo | ImportError | Severity | | YES | int | 0 | |
| dbo | ImportError | State | | YES | int | 0 | |
| dbo | ImportError | Procedure | ('') | YES | nvarchar | 126 | |
| | | | | | | | |
| dbo | ImportError | Line | | YES | int | 0 | |
| | | | | | | | |
| dbo | ImportError | Message | ('') | YES | nvarchar | 4000 | |
| | | | | | | | |
| dbo | ImportLog | | | | | | |
| dbo | ImportLog | ImportLogID | | NO | int | 0 | PRIMARY KEY |
| dbo | ImportLog | ImportDate | (getdate()) | NO | datetime | 0 | |
| dbo | ImportLog | ImportSourceID | | YES | int | 0 | |
| dbo | ImportLog | BarCode | | YES | nvarchar | 40 | |
| dbo | ImportLog | ImportResult | ('') | NO | nvarchar | 30 | |
| | | | | | | | |
| dbo | ImportLog | TitleInsert | ((0)) | NO | int | 0 | |
| dbo | ImportLog | TitleUpdate | ((0)) | NO | int | 0 | |
| dbo | ImportLog | CreatorInsert | ((0)) | NO | int | 0 | |
| dbo | ImportLog | CreatorUpdate | ((0)) | NO | int | 0 | |
| dbo | ImportLog | TitleCreatorInsert | ((0)) | NO | int | 0 | |
| dbo | ImportLog | TitleCreatorUpdate | ((0)) | NO | int | 0 | |
| dbo | ImportLog | TitleTagInsert | ((0)) | NO | int | 0 | |
| dbo | ImportLog | TitleTagUpdate | ((0)) | NO | int | 0 | |
| dbo | ImportLog | ItemInsert | ((0)) | NO | int | 0 | |
| dbo | ImportLog | ItemUpdate | ((0)) | NO | int | 0 | |
| dbo | ImportLog | PageInsert | ((0)) | NO | int | 0 | |
| dbo | ImportLog | PageUpdate | ((0)) | NO | int | 0 | |
| dbo | ImportLog | IndicatedPageInsert | ((0)) | NO | int | 0 | |
| dbo | ImportLog | IndicatedPageUpdate | ((0)) | NO | int | 0 | |
| dbo | ImportLog | PagePageTypeInsert | ((0)) | NO | int | 0 | |
| dbo | ImportLog | PagePageTypeUpdate | ((0)) | NO | int | 0 | |

| dbo | ImportLog | PageNameInsert | ((0)) | NO | int | 0 | |
| dbo | ImportLog | PageNameUpdate | ((0)) | NO | int | 0 | |
| dbo | ImportLog | TitleTitleIdentifierInsert | ((0)) | YES | int | 0 | |
| dbo | ImportLog | TitleTitleIdentifierUpdate | ((0)) | YES | int | 0 | |
| dbo | ImportLog | TitleAssociationInsert | | YES | int | 0 | |
| dbo | ImportLog | TitleAssociationTitleIdentifierInsert | | YES | int | 0 | |
| dbo | ImportLog | TitleItemInsert | | YES | int | 0 | |
| dbo | ImportLog | TitleVariantInsert | | YES | int | 0 | |
| | | | | | | | |
| dbo | ImportSource | | | | | | |
| dbo | ImportSource | ImportSourceID | | NO | int | 0 | PRIMARY KEY |
| dbo | ImportSource | Source | | NO | nvarchar | 50 | |
| dbo | ImportSource | CreatedDate | (getdate()) | NO | datetime | 0 | |
| dbo | ImportSource | LastModifiedDate | (getdate()) | NO | datetime | 0 | |
| | | | | | | | |
| dbo | ImportSourceItemSource | | | | | | |
| dbo | ImportSourceItemSource | ImportSourceID | | NO | int | 0 | PRIMARY KEY |
| dbo | ImportSourceItemSource | BHLItemSourceID | | NO | int | 0 | PRIMARY KEY |
| | | | | | | | |
| dbo | ImportStatus | | | | | | |
| dbo | ImportStatus | ImportStatusID | | NO | int | 0 | PRIMARY KEY |
| dbo | ImportStatus | Status | | NO | nvarchar | 20 | |
| dbo | ImportStatus | Description | ('') | NO | nvarchar | 4000 | |
| dbo | ImportStatus | CreatedDate | (getdate()) | NO | datetime | 0 | |
| dbo | ImportStatus | LastModifiedDate | (getdate()) | NO | datetime | 0 | |
| | | | | | | | |
| dbo | IndicatedPage | | | | | | |
| dbo | IndicatedPage | IndicatedPageID | | NO | int | 0 | PRIMARY KEY |
| dbo | IndicatedPage | BarCode | | NO | nvarchar | 40 | |
| dbo | IndicatedPage | FileNamePrefix | | NO | nvarchar | 50 | |
| dbo | IndicatedPage | SequenceOrder | | YES | int | 0 | |
| dbo | IndicatedPage | Sequence | | YES | smallint | 0 | |
| dbo | IndicatedPage | ImportStatusID | | NO | int | 0 | FOREIGN KEY |
| dbo | IndicatedPage | ImportSourceID | | YES | int | 0 | FOREIGN KEY |
| dbo | IndicatedPage | PagePrefix | | YES | nvarchar | 40 | |
| dbo | IndicatedPage | PageNumber | | YES | nvarchar | 20 | |
| dbo | IndicatedPage | Implied | | NO | bit | 0 | |
| dbo | IndicatedPage | ExternalCreationDate | | YES | datetime | 0 | |
| dbo | IndicatedPage | ExternalLastModifiedDate | | YES | datetime | 0 | |
| dbo | IndicatedPage | ExternalCreationUser | ((1)) | YES | int | 0 | |
| dbo | IndicatedPage | ExternalLastModifiedUser | ((1)) | YES | int | 0 | |
| dbo | IndicatedPage | ProductionDate | | YES | datetime | 0 | |

| dbo | IndicatedPage | CreatedDate | (getdate()) | NO | datetime | 0 | |
|-----|---------------|-------------|-------------|-----|----------|---|---|
| dbo | IndicatedPage | LastModifiedDate | (getdate()) | NO | datetime | 0 | |
| | | | | | | | |
| dbo | Item | | | | | | |
| dbo | Item | ItemID | | NO | int | 0 | PRIMARY KEY |
| dbo | Item | ImportKey | ('') | NO | nvarchar | 50 | |
| dbo | Item | ImportStatusID | | NO | int | 0 | FOREIGN KEY |
| dbo | Item | ImportSourceID | | YES | int | 0 | FOREIGN KEY |
| dbo | Item | MARCBibID | | NO | nvarchar | 50 | |
| dbo | Item | BarCode | | NO | nvarchar | 40 | |
| dbo | Item | ItemSequence | | YES | smallint | 0 | |
| dbo | Item | MARCItemID | | YES | nvarchar | 50 | |
| dbo | Item | CallNumber | | YES | nvarchar | 100 | |
| dbo | Item | Volume | | YES | nvarchar | 100 | |
| dbo | Item | InstitutionCode | ('MO') | YES | nvarchar | 10 | |
| dbo | Item | LanguageCode | | YES | nvarchar | 10 | |
| dbo | Item | Sponsor | | YES | nvarchar | 100 | |
| dbo | Item | ItemDescription | | YES | ntext | -1 | |
| dbo | Item | ScannedBy | | YES | int | 0 | |
| dbo | Item | PDFSize | | YES | int | 0 | |
| dbo | Item | VaultID | | YES | int | 0 | |
| dbo | Item | NumberOfFiles | | YES | smallint | 0 | |
| dbo | Item | Note | | YES | nvarchar | 255 | |
| dbo | Item | ItemStatusID | ((10)) | NO | int | 0 | |
| dbo | Item | ScanningUser | | YES | nvarchar | 100 | |
| dbo | Item | ScanningDate | | YES | datetime | 0 | |
| dbo | Item | PaginationCompleteUserID | | YES | int | 0 | |
| dbo | Item | PaginationCompleteDate | | YES | datetime | 0 | |
| dbo | Item | PaginationStatusID | | YES | int | 0 | |
| dbo | Item | PaginationStatusUserID | | YES | int | 0 | |
| dbo | Item | PaginationStatusDate | | YES | datetime | 0 | |
| dbo | Item | LastPageNameLookupDate | | YES | datetime | 0 | |
| dbo | Item | ExternalCreationDate | | YES | datetime | 0 | |
| dbo | Item | ExternalLastModifiedDate | | YES | datetime | 0 | |
| dbo | Item | ExternalCreationUser | ((1)) | YES | int | 0 | |
| dbo | Item | ExternalLastModifiedUser | ((1)) | YES | int | 0 | |
| dbo | Item | ProductionDate | | YES | datetime | 0 | |
| dbo | Item | CreatedDate | (getdate()) | NO | datetime | 0 | |
| dbo | Item | LastModifiedDate | (getdate()) | NO | datetime | 0 | |

| dbo | Item | Year | | YES | nvarchar | 20 | |
|-----|------|------|--|-----|----------|----|--|
| dbo | Item | IdentifierBib | | YES | nvarchar | 50 | |
| dbo | Item | ZQuery | | YES | nvarchar | 200 | |
| dbo | Item | LicenseUrl | | YES | nvarchar | -1 | |
| dbo | Item | Rights | | YES | nvarchar | -1 | |
| dbo | Item | DueDiligence | | YES | nvarchar | -1 | |
| dbo | Item | CopyrightStatus | | YES | nvarchar | -1 | |
| dbo | Item | CopyrightRegion | | YES | nvarchar | 50 | |
| dbo | Item | CopyrightComment | | YES | nvarchar | -1 | |
| dbo | Item | CopyrightEvidence | | YES | nvarchar | -1 | |
| dbo | Item | CopyrightEvidenceOperator | | YES | nvarchar | 100 | |
| dbo | Item | CopyrightEvidenceDate | | YES | nvarchar | 30 | |
| dbo | Item | ScanningInstitutionCode | | YES | nvarchar | 10 | |
| dbo | Item | RightsHolderCode | | YES | nvarchar | 10 | |
| dbo | Item | EndYear | (") | NO | nvarchar | 20 | |
| dbo | Item | StartVolume | (") | NO | nvarchar | 10 | |
| dbo | Item | EndVolume | (") | NO | nvarchar | 10 | |
| dbo | Item | StartIssue | (") | NO | nvarchar | 10 | |

| dbo | Item | EndIssue | ('') | NO | nvarchar | 10 | |
|-----|------|----------|------|-----|----------|-----|---|
| dbo | Item | StartNumber | ('') | NO | nvarchar | 10 | |
| dbo | Item | EndNumber | ('') | NO | nvarchar | 10 | |
| dbo | Item | StartSeries | ('') | NO | nvarchar | 10 | |
| dbo | Item | EndSeries | ('') | NO | nvarchar | 10 | |
| dbo | Item | StartPart | ('') | NO | nvarchar | 10 | |
| dbo | Item | EndPart | ('') | NO | nvarchar | 10 | |
| dbo | Item | PageProgression | ('') | NO | nvarchar | 10 | |
| dbo | ItemLanguage | | | | | | |
| dbo | ItemLanguage | ItemLanguageID | | NO | int | 0 | PRIMARY KEY |
| dbo | ItemLanguage | ImportStatusID | | NO | int | 0 | FOREIGN KEY |
| dbo | ItemLanguage | ImportSourceID | | YES | int | 0 | FOREIGN KEY |
| dbo | ItemLanguage | BarCode | | NO | nvarchar | 40 | |
| dbo | ItemLanguage | LanguageCode | ('') | NO | nvarchar | 10 | |
| dbo | ItemLanguage | ProductionDate | | YES | datetime | 0 | |
| dbo | ItemLanguage | CreatedDate | (getdate()) | NO | datetime | 0 | |
| dbo | ItemLanguage | LastModifiedDate | (getdate()) | NO | datetime | 0 | |
| dbo | MarcCountryCode | | | | | | |
| dbo | MarcCountryCode | CountryCode | | NO | nvarchar | 3 | PRIMARY KEY |
| dbo | MarcCountryCode | CountryName | ('') | NO | nvarchar | 200 | |
| dbo | OAIFormat | | | | | | |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| dbo | OAIFormat | FormatID | | NO | int | 0 | PRIMARY KEY |
| dbo | OAIFormat | Prefix | ('') | NO | nvarchar | 20 | |
| dbo | OAIFormat | AssemblyName | ('') | NO | nvarchar | 100 | |
| dbo | OAIFormat | CreationDate | (getdate()) | NO | datetime | 0 | |
| dbo | OAIFormat | LastModifiedDate | (getdate()) | NO | datetime | 0 | |
| | | | | | | | |
| dbo | OAIHarvestLog | | | | | | |
| dbo | OAIHarvestLog | HarvestLogID | | NO | int | 0 | PRIMARY KEY |
| dbo | OAIHarvestLog | HarvestSetID | | NO | int | 0 | FOREIGN KEY |
| dbo | OAIHarvestLog | HarvestStartDateTime | | YES | datetime | 0 | |
| dbo | OAIHarvestLog | FromDateTime | | YES | datetime | 0 | |
| dbo | OAIHarvestLog | UntilDateTime | | YES | datetime | 0 | |
| dbo | OAIHarvestLog | ResponseDateTime | | YES | datetime | 0 | |
| dbo | OAIHarvestLog | Result | ('') | NO | nvarchar | 200 | |
| dbo | OAIHarvestLog | NumberHarvested | ((0)) | NO | int | 0 | |
| dbo | OAIHarvestLog | CreationDate | (getdate()) | NO | datetime | 0 | |
| dbo | OAIHarvestLog | LastModifiedDate | (getdate()) | NO | datetime | 0 | |
| | | | | | | | |
| dbo | OAIHarvestSet | | | | | | |
| dbo | OAIHarvestSet | HarvestSetID | | NO | int | 0 | PRIMARY KEY |
| dbo | OAIHarvestSet | HarvestSetName | ('') | NO | nvarchar | 150 | |
| dbo | OAIHarvestSet | SetID | | YES | int | 0 | FOREIGN KEY |
| dbo | OAIHarvestSet | RepositoryFormatID | | NO | int | 0 | FOREIGN KEY |
| dbo | OAIHarvestSet | DefaultRecordType | ('') | NO | nvarchar | 20 | |
| dbo | OAIHarvestSet | IsActive | ((1)) | NO | smallint | 0 | |
| dbo | OAIHarvestSet | CreationDate | (getdate()) | NO | datetime | 0 | |
| dbo | OAIHarvestSet | LastModifiedDate | (getdate()) | NO | datetime | 0 | |
| | | | | | | | |
| dbo | OAIPublishError | | | | | | |
| dbo | OAIPublishError | OAIPublishErrorID | | NO | int | 0 | PRIMARY KEY |
| dbo | OAIPublishError | OAIRecordID | | YES | int | 0 | |
| dbo | OAIPublishError | ErrorDate | (getdate()) | NO | datetime | 0 | |
| dbo | OAIPublishError | Number | | YES | int | 0 | |
| dbo | OAIPublishError | Severity | | YES | int | 0 | |
| dbo | OAIPublishError | State | | YES | int | 0 | |
| dbo | OAIPublishError | Procedure | | YES | nvarchar | 126 | |
| dbo | OAIPublishError | Line | | YES | int | 0 | |
| dbo | OAIPublishError | Message | | YES | nvarchar | 4000 | |
| | | | | | | | |
| dbo | OAIPublishLog | | | | | | |
| dbo | OAIPublishLog | OAIPublishLogID | | NO | int | 0 | PRIMARY KEY |
| dbo | OAIPublishLog | PublishDate | (getdate()) | NO | datetime | 0 | |
| dbo | OAIPublishLog | HarvestLogID | | YES | int | 0 | |
| dbo | OAIPublishLog | PublishResult | ('') | NO | nvarchar | 50 | |
| dbo | OAIPublishLog | TotalInsert | ((0)) | NO | int | 0 | |
| dbo | OAIPublishLog | TotalUpdate | ((0)) | NO | int | 0 | |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| dbo | OAIPublishLog | TotalDelete | ((0)) | NO | int | 0 | |
| | | | | | | | |
| dbo | OAIRecord | | | | | | |
| dbo | OAIRecord | OAIRecordID | | NO | int | 0 | PRIMARY KEY |
| dbo | OAIRecord | HarvestLogID | | NO | int | 0 | FOREIGN KEY |
| dbo | OAIRecord | OAIIdentifier | ('') | NO | nvarchar | 100 | |
| dbo | OAIRecord | OAIDateStamp | ('') | NO | nvarchar | 30 | |
| dbo | OAIRecord | OAIStatus | ('') | NO | nvarchar | 20 | |
| dbo | OAIRecord | RecordType | ('') | NO | nvarchar | 20 | |
| dbo | OAIRecord | Title | ('') | NO | nvarchar | 2000 | |
| dbo | OAIRecord | ContainerTitle | ('') | NO | nvarchar | 2000 | |
| dbo | OAIRecord | Contributor | ('') | NO | nvarchar | 200 | |
| dbo | OAIRecord | Date | ('') | NO | nvarchar | 20 | |
| dbo | OAIRecord | Language | ('') | NO | nvarchar | 30 | |
| dbo | OAIRecord | Publisher | ('') | NO | nvarchar | 250 | |
| dbo | OAIRecord | PublicationPlace | ('') | NO | nvarchar | 150 | |
| dbo | OAIRecord | PublicationDate | ('') | NO | nvarchar | 100 | |
| dbo | OAIRecord | Edition | ('') | NO | nvarchar | 450 | |
| dbo | OAIRecord | Volume | ('') | NO | nvarchar | 100 | |
| dbo | OAIRecord | Issue | ('') | NO | nvarchar | 100 | |
| dbo | OAIRecord | StartPage | ('') | NO | nvarchar | 20 | |
| dbo | OAIRecord | EndPage | ('') | NO | nvarchar | 20 | |
| dbo | OAIRecord | CallNumber | ('') | NO | nvarchar | 100 | |
| dbo | OAIRecord | Issn | ('') | NO | nvarchar | 125 | |
| dbo | OAIRecord | Isbn | ('') | NO | nvarchar | 125 | |
| dbo | OAIRecord | Lccn | ('') | NO | nvarchar | 125 | |
| dbo | OAIRecord | Doi | ('') | NO | nvarchar | 50 | |
| dbo | OAIRecord | Url | ('') | NO | nvarchar | 200 | |
| dbo | OAIRecord | OAIRecordStatusID | | NO | int | 0 | FOREIGN KEY |
| dbo | OAIRecord | ProductionTitleID | | YES | int | 0 | |
| dbo | OAIRecord | ProductionItemID | | YES | int | 0 | |
| dbo | OAIRecord | ProductionSegmentID | | YES | int | 0 | |
| dbo | OAIRecord | CreationDate | (getdate()) | NO | datetime | 0 | |
| dbo | OAIRecord | LastModifiedDate | (getdate()) | NO | datetime | 0 | |
| | | | | | | | |
| dbo | OAIRecordCreator | | | | | | |
| dbo | OAIRecordCreator | OAIRecordCreatorID | | NO | int | 0 | PRIMARY KEY |
| dbo | OAIRecordCreator | OAIRecordID | | NO | int | 0 | FOREIGN KEY |
| dbo | OAIRecordCreator | CreatorType | ('') | NO | nvarchar | 50 | |
| dbo | OAIRecordCreator | FullName | ('') | NO | nvarchar | 300 | |
| dbo | OAIRecordCreator | Dates | ('') | NO | nvarchar | 50 | |
| dbo | OAIRecordCreator | StartDate | ('') | NO | nvarchar | 25 | |
| dbo | OAIRecordCreator | EndDate | ('') | NO | nvarchar | 25 | |
| dbo | OAIRecordCreator | ProductionAuthorID | | YES | int | 0 | |
| dbo | OAIRecordCreator | CreationDate | (getdate()) | NO | datetime | 0 | |
| dbo | OAIRecordCreator | LastModifiedDate | (getdate()) | NO | datetime | 0 | |
| | | | | | | | |
| dbo | OAIRecordDCType | | | | | | |
| dbo | OAIRecordDCType | OAIRecordDCTypeID | | NO | int | 0 | PRIMARY KEY |
| dbo | OAIRecordDCType | OAIRecordID | | NO | int | 0 | FOREIGN KEY |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| dbo | OAIRecordDCType | DCType | ('') | NO | nvarchar | 300 | |
| dbo | OAIRecordDCType | CreationDate | (getdate()) | NO | datetime | 0 | |
| dbo | OAIRecordDCType | LastModifiedDate | (getdate()) | NO | datetime | 0 | |
| dbo | OAIRecordLanguage | | | | | | |
| dbo | OAIRecordLanguage | OAILanguage | | NO | nvarchar | 50 | PRIMARY KEY |
| dbo | OAIRecordLanguage | BHLLanguageCode | | YES | nvarchar | 10 | |
| dbo | OAIRecordRelatedTitle | | | | | | |
| dbo | OAIRecordRelatedTitle | OAIRecordRelatedTitleID | | NO | int | 0 | PRIMARY KEY |
| dbo | OAIRecordRelatedTitle | OAIRecordID | | NO | int | 0 | FOREIGN KEY |
| dbo | OAIRecordRelatedTitle | TitleType | ('') | NO | nvarchar | 50 | |
| dbo | OAIRecordRelatedTitle | Title | ('') | NO | nvarchar | 300 | |
| dbo | OAIRecordRelatedTitle | ProductionEntityType | | YES | nvarchar | 15 | |
| dbo | OAIRecordRelatedTitle | ProductionEntityID | | YES | int | 0 | |
| dbo | OAIRecordRelatedTitle | CreationDate | (getdate()) | NO | datetime | 0 | |
| dbo | OAIRecordRelatedTitle | LastModifiedDate | (getdate()) | NO | datetime | 0 | |
| dbo | OAIRecordRelatedTitleTypeAssociation | | | | | | |
| dbo | OAIRecordRelatedTitleTypeAssociation | TitleType | | NO | nvarchar | 50 | PRIMARY KEY |
| dbo | OAIRecordRelatedTitleTypeAssociation | BHLTitleAssociationTypeID | | NO | int | 0 | |
| dbo | OAIRecordRelatedTitleTypeVariant | | | | | | |
| dbo | OAIRecordRelatedTitleTypeVariant | TitleType | | NO | nvarchar | 50 | PRIMARY KEY |
| dbo | OAIRecordRelatedTitleTypeVariant | BHLTitleVariantTypeID | | NO | int | 0 | |
| dbo | OAIRecordRight | | | | | | |
| dbo | OAIRecordRight | OAIRecordRightID | | NO | int | 0 | PRIMARY KEY |
| dbo | OAIRecordRight | OAIRecordID | | NO | int | 0 | FOREIGN KEY |
| dbo | OAIRecordRight | Right | ('') | NO | nvarchar | -1 | |
| dbo | OAIRecordRight | CreationDate | (getdate()) | NO | datetime | 0 | |
| dbo | OAIRecordRight | LastModifiedDate | (getdate()) | NO | datetime | 0 | |
| dbo | OAIRecordStatus | | | | | | |
| dbo | OAIRecordStatus | OAIRecordStatusID | | NO | int | 0 | PRIMARY KEY |
| dbo | OAIRecordStatus | RecordStatus | ('') | NO | nvarchar | 30 | |
| dbo | OAIRecordStatus | StatusDescription | ('') | NO | nvarchar | 400 | |
| dbo | OAIRecordSubject | | | | | | |
| dbo | OAIRecordSubject | OAIRecordSubjectID | | NO | int | 0 | PRIMARY KEY |
| dbo | OAIRecordSubject | OAIRecordID | | NO | int | 0 | FOREIGN KEY |
| dbo | OAIRecordSubject | Keyword | ('') | NO | nvarchar | 50 | |
| dbo | OAIRecordSubject | ProductionKeywordID | | YES | int | 0 | |
| dbo | OAIRecordSubject | CreationDate | (getdate()) | NO | datetime | 0 | |
| dbo | OAIRecordSubject | LastModifiedDate | (getdate()) | NO | datetime | 0 | |
| dbo | OAIRepository | | | | | | |
| dbo | OAIRepository | RepositoryID | | NO | int | 0 | PRIMARY KEY |
| dbo | OAIRepository | ImportSourceID | | NO | int | 0 | FOREIGN KEY |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| dbo | OAIRepository | BHLInstitutionCode | ('UNKNOWN | NO | nvarchar | 10 | |
| dbo | OAIRepository | RepositoryName | ('') | NO | nvarchar | 100 | |
| dbo | OAIRepository | BaseUrl | ('') | NO | nvarchar | 150 | |
| dbo | OAIRepository | ProtocolVersion | ('') | NO | nvarchar | 10 | |
| dbo | OAIRepository | EarliestDateStamp | | YES | datetime | 0 | |
| dbo | OAIRepository | DeletedRecord | ('') | NO | nvarchar | 20 | |
| dbo | OAIRepository | Granularity | ('') | NO | nvarchar | 20 | |
| dbo | OAIRepository | CreationDate | (getdate()) | NO | datetime | 0 | |
| dbo | OAIRepository | LastModifiedDate | (getdate()) | NO | datetime | 0 | |
| dbo | OAIRepositoryFormat | | | | | | |
| dbo | OAIRepositoryFormat | RepositoryFormatID | | NO | int | 0 | PRIMARY KEY |
| dbo | OAIRepositoryFormat | RepositoryID | | NO | int | 0 | FOREIGN KEY |
| dbo | OAIRepositoryFormat | FormatID | | NO | int | 0 | FOREIGN KEY |
| dbo | OAIRepositoryFormat | Schema | ('') | NO | nvarchar | 150 | |
| dbo | OAIRepositoryFormat | Namespace | ('') | NO | nvarchar | 150 | |
| dbo | OAIRepositoryFormat | CreationDate | (getdate()) | NO | datetime | 0 | |
| dbo | OAIRepositoryFormat | LastModifiedDate | (getdate()) | NO | datetime | 0 | |
| dbo | OAISet | | | | | | |
| dbo | OAISet | SetID | | NO | int | 0 | PRIMARY KEY |
| dbo | OAISet | RepositoryID | | NO | int | 0 | FOREIGN KEY |
| dbo | OAISet | SetName | ('') | NO | nvarchar | 100 | |
| dbo | OAISet | SetSpec | ('') | NO | nvarchar | 50 | |
| dbo | OAISet | CreationDate | (getdate()) | NO | datetime | 0 | |
| dbo | OAISet | LastModifiedDate | (getdate()) | NO | datetime | 0 | |
| dbo | Page | | | | | | |
| dbo | Page | PageID | | NO | int | 0 | PRIMARY KEY |
| dbo | Page | ImportStatusID | | NO | int | 0 | FOREIGN KEY |
| dbo | Page | ImportSourceID | | YES | int | 0 | FOREIGN KEY |
| dbo | Page | BarCode | | NO | nvarchar | 40 | |
| dbo | Page | FileNamePrefix | | NO | nvarchar | 50 | |
| dbo | Page | SequenceOrder | | YES | int | 0 | |
| dbo | Page | PageDescription | | YES | nvarchar | 255 | |
| dbo | Page | Note | | YES | nvarchar | 255 | |
| dbo | Page | FileSize_Temp | | YES | int | 0 | |
| dbo | Page | FileExtension | | YES | nvarchar | 5 | |
| dbo | Page | Active | ((1)) | NO | bit | 0 | |
| dbo | Page | Year | | YES | nvarchar | 20 | |
| dbo | Page | Series | | YES | nvarchar | 20 | |
| dbo | Page | Volume | | YES | nvarchar | 20 | |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| dbo | Page | Issue | | YES | nvarchar | 20 | |
| dbo | Page | ExternalURL | | YES | nvarchar | 500 | |
| dbo | Page | IssuePrefix | | YES | nvarchar | 20 | |
| dbo | Page | LastPageNameLookupDate | | YES | datetime | 0 | |
| dbo | Page | PaginationUserID | | YES | int | 0 | |
| dbo | Page | PaginationDate | | YES | datetime | 0 | |
| dbo | Page | ExternalCreationDate | | YES | datetime | 0 | |
| dbo | Page | ExternalLastModifiedDate | | YES | datetime | 0 | |
| dbo | Page | ExternalCreationUser | ((1)) | YES | int | 0 | |
| dbo | Page | ExternalLastModifiedUser | ((1)) | YES | int | 0 | |
| dbo | Page | ProductionDate | | YES | datetime | 0 | |
| dbo | Page | CreatedDate | (getdate()) | NO | datetime | 0 | |
| dbo | Page | LastModifiedDate | (getdate()) | NO | datetime | 0 | |
| dbo | Page | Illustration | ((0)) | YES | bit | 0 | |
| dbo | Page | AltExternalURL | | YES | nvarchar | 500 | |
| | | | | | | | |
| dbo | Page_PageType | | | | | | |
| dbo | Page_PageType | PagePageTypeID | | NO | int | 0 | PRIMARY KEY |
| dbo | Page_PageType | BarCode | | NO | nvarchar | 40 | |
| dbo | Page_PageType | FileNamePrefix | | NO | nvarchar | 50 | |
| dbo | Page_PageType | SequenceOrder | | YES | int | 0 | |
| dbo | Page_PageType | PageTypeID | | NO | int | 0 | |
| dbo | Page_PageType | ImportStatusID | | NO | int | 0 | FOREIGN KEY |
| dbo | Page_PageType | ImportSourceID | | YES | int | 0 | FOREIGN KEY |
| dbo | Page_PageType | Verified | ((0)) | NO | bit | 0 | |
| dbo | Page_PageType | ExternalCreationDate | | YES | datetime | 0 | |
| dbo | Page_PageType | ExternalLastModifiedDate | | YES | datetime | 0 | |
| dbo | Page_PageType | ExternalCreationUser | ((1)) | YES | int | 0 | |
| Identifier of t | Page_PageType | ExternalLastModifiedUser | ((1)) | YES | int | 0 | |
| dbo | Page_PageType | ProductionDate | | YES | datetime | 0 | |
| dbo | Page_PageType | CreatedDate | (getdate()) | NO | datetime | 0 | |
| dbo | Page_PageType | LastModifiedDate | (getdate()) | NO | datetime | 0 | |
| | | | | | | | |
| dbo | PageFlickrNote | | | | | | |
| dbo | PageFlickrNote | PageFlickrNoteID | | NO | int | 0 | PRIMARY KEY |
| dbo | PageFlickrNote | PageID | | NO | int | 0 | |
| dbo | PageFlickrNote | PhotoID | ('') | NO | nvarchar | 50 | |
| dbo | PageFlickrNote | FlickrNoteID | ('') | NO | nvarchar | 100 | |
| dbo | PageFlickrNote | FlickrAuthorID | ('') | NO | nvarchar | 100 | |
| dbo | PageFlickrNote | FlickrAuthorName | ('') | NO | nvarchar | 150 | |
| dbo | PageFlickrNote | FlickrAuthorRealName | ('') | NO | nvarchar | 150 | |
| dbo | PageFlickrNote | AuthorIsPro | ((0)) | NO | smallint | 0 | |
| dbo | PageFlickrNote | XCoord | | YES | int | 0 | |
| dbo | PageFlickrNote | YCoord | | YES | int | 0 | |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| dbo | PageFlickrNote | Width | | YES | int | 0 | |
| dbo | PageFlickrNote | Height | | YES | int | 0 | |
| dbo | PageFlickrNote | NoteValue | ('') | NO | nvarchar | -1 | |
| dbo | PageFlickrNote | IsActive | ((1)) | NO | tinyint | 0 | |
| dbo | PageFlickrNote | CreationDate | (getdate()) | NO | datetime | 0 | |
| dbo | PageFlickrNote | LastModifiedDate | (getdate()) | NO | datetime | 0 | |
| dbo | PageFlickrNote | DeleteDate | | YES | datetime | 0 | |
| | | | | | | | |
| dbo | PageFlickrTag | | | | | | |
| dbo | PageFlickrTag | PageFlickrTagID | | NO | int | 0 | PRIMARY KEY |
| dbo | PageFlickrTag | PageID | | NO | int | 0 | |
| dbo | PageFlickrTag | PhotoID | ('') | NO | nvarchar | 50 | |
| dbo | PageFlickrTag | IsMachineTag | ((0)) | NO | smallint | 0 | |
| dbo | PageFlickrTag | TagValue | ('') | NO | nvarchar | 1000 | |
| dbo | PageFlickrTag | FlickrAuthorID | ('') | NO | nvarchar | 100 | |
| dbo | PageFlickrTag | FlickrAuthorName | ('') | NO | nvarchar | 150 | |
| dbo | PageFlickrTag | IsActive | ((1)) | NO | tinyint | 0 | |
| dbo | PageFlickrTag | CreationDate | (getdate()) | NO | datetime | 0 | |
| dbo | PageFlickrTag | LastModifiedDate | (getdate()) | NO | datetime | 0 | |
| dbo | PageFlickrTag | DeleteDate | | YES | datetime | 0 | |
| | | | | | | | |
| dbo | Title | | | | | | |
| dbo | Title | TitleID | | NO | int | 0 | PRIMARY KEY |
| dbo | Title | ImportKey | ('') | NO | nvarchar | 50 | |
| dbo | Title | ImportStatusID | | NO | int | 0 | FOREIGN KEY |
| dbo | Title | ImportSourceID | | YES | int | 0 | FOREIGN KEY |
| dbo | Title | MARCBibID | | NO | nvarchar | 50 | |
| dbo | Title | MARCLeader | | YES | nvarchar | 24 | |
| dbo | Title | FullTitle | | YES | ntext | -1 | |
| dbo | Title | ShortTitle | | YES | nvarchar | 255 | |
| dbo | Title | UniformTitle | | YES | nvarchar | 255 | |
| dbo | Title | SortTitle | | YES | nvarchar | 60 | |
| dbo | Title | CallNumber | | YES | nvarchar | 100 | |
| dbo | Title | PublicationDetails | | YES | nvarchar | 255 | |
| dbo | Title | StartYear | | YES | smallint | 0 | |
| dbo | Title | EndYear | | YES | smallint | 0 | |
| dbo | Title | Datafield_260_a | | YES | nvarchar | 150 | |

| dbo | Title | Datafield_260_b | | YES | nvarchar | 255 | |
|-----|-------|-----------------|---|-----|----------|-----|---|
| dbo | Title | Datafield_260_c | | YES | nvarchar | 100 | |
| dbo | Title | InstitutionCode | ('MO') | YES | nvarchar | 10 | |
| dbo | Title | LanguageCode | | YES | nvarchar | 10 | |
| dbo | Title | TitleDescription | | YES | ntext | -1 | |
| dbo | Title | TL2Author | | YES | nvarchar | 100 | |
| dbo | Title | PublishReady | ((0)) | YES | bit | 0 | |
| dbo | Title | Note | | YES | nvarchar | 255 | |
| dbo | Title | ExternalCreationDate | (getdate()) | YES | datetime | 0 | |
| dbo | Title | ExternalLastModifiedDate | (getdate()) | YES | datetime | 0 | |
| dbo | Title | ExternalCreationUser | ((1)) | YES | int | 0 | |
| dbo | Title | ExternalLastModifiedUser | ((1)) | YES | int | 0 | |
| dbo | Title | ProductionDate | | YES | datetime | 0 | |
| dbo | Title | CreatedDate | (getdate()) | NO | datetime | 0 | |
| dbo | Title | LastModifiedDate | (getdate()) | NO | datetime | 0 | |
| dbo | Title | RareBooks | ((0)) | YES | bit | 0 | |
| dbo | Title | OriginalCatalogingSource | | YES | nvarchar | 100 | |
| dbo | Title | EditionStatement | | YES | nvarchar | 450 | |
| dbo | Title | CurrentPublicationFrequency | | YES | nvarchar | 100 | |
| dbo | Title | ProductionTitleID | | YES | int | 0 | |
| dbo | Title | PartNumber | | YES | nvarchar | 255 | |
| dbo | Title | PartName | | YES | nvarchar | 255 | |
| | | | | | | | |
| dbo | Title_Creator | | | | | | |
| dbo | Title_Creator | TitleCreatorID | | NO | int | 0 | PRIMARY KEY |
| dbo | Title_Creator | CreatorName | | NO | nvarchar | 255 | |
| dbo | Title_Creator | CreatorRoleTypeID | | NO | int | 0 | |
| dbo | Title_Creator | ImportKey | ('') | NO | nvarchar | 50 | |
| dbo | Title_Creator | ImportStatusID | | NO | int | 0 | FOREIGN KEY |
| dbo | Title_Creator | ImportSourceID | | YES | int | 0 | FOREIGN KEY |
| dbo | Title_Creator | ExternalCreationDate | | YES | datetime | 0 | |
| dbo | Title_Creator | ExternalLastModifiedDate | | YES | datetime | 0 | |
| dbo | Title_Creator | ExternalCreationUser | ((1)) | YES | int | 0 | |
| dbo | Title_Creator | ExternalLastModifiedUser | ((1)) | YES | int | 0 | |
| dbo | Title_Creator | ProductionDate | | YES | datetime | 0 | |
| dbo | Title_Creator | CreatedDate | (getdate()) | NO | datetime | 0 | |
| dbo | Title_Creator | LastModifiedDate | (getdate()) | NO | datetime | 0 | |
| dbo | Title_Creator | MARCCreator_a | | YES | nvarchar | 450 | |
| dbo | Title_Creator | MARCCreator_b | | YES | nvarchar | 450 | |
| dbo | Title_Creator | MARCCreator_c | | YES | nvarchar | 450 | |
| dbo | Title_Creator | MARCCreator_d | | YES | nvarchar | 450 | |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| dbo | Title_Creator | MARCCreator_e | | YES | nvarchar | 450 | |
| dbo | Title_Creator | MARCCreator_q | | YES | nvarchar | 450 | |
| dbo | Title_Creator | MARCCreator_t | | YES | nvarchar | 450 | |
| | | | | | | | |
| dbo | Title_TitleIdentifier | | | | | | |
| | | | | | | | |
| dbo | Title_TitleIdentifier | Title_TitleIdentifierID | | NO | int | 0 | PRIMARY KEY |
| dbo | Title_TitleIdentifier | ImportKey | ('') | NO | nvarchar | 50 | |
| dbo | Title_TitleIdentifier | ImportStatusID | | NO | int | 0 | FOREIGN KEY |
| dbo | Title_TitleIdentifier | ImportSourceID | | YES | int | 0 | FOREIGN KEY |
| dbo | Title_TitleIdentifier | IdentifierName | | NO | nvarchar | 40 | |
| dbo | Title_TitleIdentifier | IdentifierValue | ('') | NO | nvarchar | 125 | |
| dbo | Title_TitleIdentifier | ExternalCreationDate | | YES | datetime | 0 | |
| dbo | Title_TitleIdentifier | ExternalLastModifiedDate | | YES | datetime | 0 | |
| dbo | Title_TitleIdentifier | ProductionDate | | YES | datetime | 0 | |
| dbo | Title_TitleIdentifier | CreatedDate | (getdate()) | NO | datetime | 0 | |
| dbo | Title_TitleIdentifier | LastModifiedDate | (getdate()) | NO | datetime | 0 | |
| | | | | | | | |
| dbo | TitleAssociation | | | | | | |
| | | | | | | | |
| dbo | TitleAssociation | TitleAssociationID | | NO | int | 0 | PRIMARY KEY |
| dbo | TitleAssociation | ImportKey | ('') | NO | nvarchar | 50 | |
| dbo | TitleAssociation | ImportStatusID | | NO | int | 0 | FOREIGN KEY |
| dbo | TitleAssociation | ImportSourceID | | NO | int | 0 | FOREIGN KEY |
| dbo | TitleAssociation | MARCTag | | NO | nvarchar | 20 | |
| dbo | TitleAssociation | MARCIndicator2 | ('') | NO | nchar | 1 | |
| dbo | TitleAssociation | Title | ('') | NO | nvarchar | 500 | |
| dbo | TitleAssociation | Section | ('') | NO | nvarchar | 500 | |
| dbo | TitleAssociation | Volume | ('') | NO | nvarchar | 500 | |
| dbo | TitleAssociation | Active | ((1)) | NO | bit | 0 | |
| dbo | TitleAssociation | ProductionDate | | YES | datetime | 0 | |
| dbo | TitleAssociation | CreatedDate | (getdate()) | NO | datetime | 0 | |
| dbo | TitleAssociation | LastModifiedDate | (getdate()) | NO | datetime | 0 | |
| dbo | TitleAssociation | Heading | ('') | NO | nvarchar | 500 | |
| dbo | TitleAssociation | Publication | ('') | NO | nvarchar | 500 | |
| dbo | TitleAssociation | Relationship | ('') | NO | nvarchar | 500 | |
| | | | | | | | |
| dbo | TitleAssociation_TitleIdentifier | | | | | | |
| | | | | | | | |
| dbo | TitleAssociation_TitleIdentifier | TitleAssociation_TitleIdentifierID | | NO | int | 0 | PRIMARY KEY |
| dbo | TitleAssociation_TitleIdentifier | ImportKey | ('') | NO | nvarchar | 50 | |
| dbo | TitleAssociation_TitleIdentifier | ImportStatusID | | NO | int | 0 | FOREIGN KEY |
| dbo | TitleAssociation_TitleIdentifier | ImportSourceID | | NO | int | 0 | FOREIGN KEY |
| dbo | TitleAssociation_TitleIdentifier | MARCTag | | NO | nvarchar | 20 | |
| dbo | TitleAssociation_TitleIdentifier | MARCIndicator2 | ('') | NO | nchar | 1 | |
| dbo | TitleAssociation_TitleIdentifier | Title | ('') | NO | nvarchar | 500 | |
| dbo | TitleAssociation_TitleIdentifier | Section | ('') | NO | nvarchar | 500 | |
| dbo | TitleAssociation_TitleIdentifier | Volume | ('') | NO | nvarchar | 500 | |
| dbo | TitleAssociation_TitleIdentifier | IdentifierName | | NO | nvarchar | 40 | |
| dbo | TitleAssociation_TitleIdentifier | IdentifierValue | | NO | nvarchar | 125 | |
| dbo | TitleAssociation_TitleIdentifier | ProductionDate | | YES | datetime | 0 | |
| dbo | TitleAssociation_TitleIdentifier | CreatedDate | (getdate()) | NO | datetime | 0 | |
| dbo | TitleAssociation_TitleIdentifier | LastModifiedDate | (getdate()) | NO | datetime | 0 | |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| dbo | TitleAssociation_TitleIdentifier | Heading | ('') | NO | nvarchar | 500 | |
| dbo | TitleAssociation_TitleIdentifier | Publication | ('') | NO | nvarchar | 500 | |
| dbo | TitleAssociation_TitleIdentifier | Relationship | ('') | NO | nvarchar | 500 | |
| | | | | | | | |
| dbo | TitleLanguage | | | | | | |
| | | | | | | | |
| dbo | TitleLanguage | TitleLanguageID | | NO | int | 0 | PRIMARY KEY |
| dbo | TitleLanguage | ImportKey | ('') | NO | nvarchar | 50 | |
| dbo | TitleLanguage | ImportStatusID | | NO | int | 0 | FOREIGN KEY |
| dbo | TitleLanguage | ImportSourceID | | YES | int | 0 | FOREIGN KEY |
| dbo | TitleLanguage | LanguageCode | ('') | NO | nvarchar | 10 | |
| dbo | TitleLanguage | ProductionDate | | YES | datetime | 0 | |
| dbo | TitleLanguage | CreatedDate | (getdate()) | NO | datetime | 0 | |
| dbo | TitleLanguage | LastModifiedDate | (getdate()) | NO | datetime | 0 | |
| | | | | | | | |
| dbo | TitleNote | | | | | | |
| | | | | | | | |
| dbo | TitleNote | TitleNoteID | | NO | int | 0 | PRIMARY KEY |
| dbo | TitleNote | NoteText | ('') | NO | nvarchar | -1 | |
| dbo | TitleNote | ImportKey | | NO | nvarchar | 50 | |
| dbo | TitleNote | ImportStatusID | | NO | int | 0 | FOREIGN KEY |
| dbo | TitleNote | ImportSourceID | | YES | int | 0 | FOREIGN KEY |
| dbo | TitleNote | MarcDataFieldTag | | YES | nvarchar | 5 | |
| dbo | TitleNote | MarcIndicator1 | | YES | nvarchar | 5 | |
| dbo | TitleNote | NoteSequence | | YES | smallint | 0 | |
| | | | | | | | |
| dbo | TitleNote | ExternalCreationDate | | YES | datetime | 0 | |
| dbo | TitleNote | ExternalLastModifiedDate | | YES | datetime | 0 | |
| dbo | TitleNote | ProductionDate | | YES | datetime | 0 | |
| dbo | TitleNote | CreatedDate | (getdate()) | NO | datetime | 0 | |
| dbo | TitleNote | LastModifiedDate | (getdate()) | NO | datetime | 0 | |
| | | | | | | | |
| dbo | TitleTag | | | | | | |
| | | | | | | | |
| dbo | TitleTag | TitleTagID | | NO | int | 0 | PRIMARY KEY |
| dbo | TitleTag | TagText | | NO | nvarchar | 50 | |
| dbo | TitleTag | ImportKey | ('') | NO | nvarchar | 50 | |
| dbo | TitleTag | ImportStatusID | | NO | int | 0 | FOREIGN KEY |
| dbo | TitleTag | ImportSourceID | | YES | int | 0 | FOREIGN KEY |
| dbo | TitleTag | MarcDataFieldTag | | YES | nvarchar | 50 | |
| dbo | TitleTag | MarcSubFieldCode | | YES | nvarchar | 50 | |
| dbo | TitleTag | ExternalCreationDate | | YES | datetime | 0 | |
| dbo | TitleTag | ExternalLastModifiedDate | | YES | datetime | 0 | |
| dbo | TitleTag | ProductionDate | | YES | datetime | 0 | |
| dbo | TitleTag | CreatedDate | (getdate()) | NO | datetime | 0 | |
| dbo | TitleTag | LastModifiedDate | (getdate()) | NO | datetime | 0 | |
| | | | | | | | |
| dbo | TitleVariant | | | | | | |
| | | | | | | | |
| dbo | TitleVariant | TitleVariantID | | NO | int | 0 | PRIMARY KEY |
| dbo | TitleVariant | ImportKey | ('') | NO | nvarchar | 50 | |
| dbo | TitleVariant | ImportStatusID | | NO | int | 0 | FOREIGN KEY |
| dbo | TitleVariant | ImportSourceID | | NO | int | 0 | FOREIGN KEY |

| dbo | TitleVariant | MARCTag | ('') | NO | nvarchar | 20 | |
|-----|--------------|---------|------|-----|----------|-----|---|
| dbo | TitleVariant | MARCIndicator2 | ('') | NO | nvarchar | 20 | |
| dbo | TitleVariant | Title | ('') | NO | nvarchar | -1 | |
| dbo | TitleVariant | TitleRemainder | ('') | NO | nvarchar | -1 | |
| dbo | TitleVariant | PartNumber | ('') | NO | nvarchar | 255 | |
| dbo | TitleVariant | PartName | ('') | NO | nvarchar | 255 | |
| dbo | TitleVariant | ProductionDate | | YES | datetime | 0 | |
| dbo | TitleVariant | CreatedDate | (getdate()) | NO | datetime | 0 | |
| dbo | TitleVariant | LastModifiedDate | (getdate()) | NO | datetime | 0 | |

| DESCRIPTION | |
|---|---|
| Items associated with segments ingested from BioStor | |
| | |
| PRIMARY KEY | |
| identifler of the related production record | |
| Identifier of the item status. | |
| Datestamp of record creation. | |
| Datestamp of the last update. | |
| | |
| Ingest status of items ingested from BioStor | |
| PRIMARY KEY | |
| Name of the status. | |
| Description of the status and its purpose. | |
| Datestamp of record creation. | |
| Datestamp of the last update. | |
| | |
| Segment metadata ingested from BioStor | |
| PRIMARY KEY | |
| Identifier of the BS Item. | |
| Identifier of the article in the BioStor system | |
| Position of the segment within an Item. For example, a value of 1 indicates the first segment. A value of 10 indicates the tenth segment. | |
| Segment genre ("article", "thesis", "proceeding", etc) | |
| Complete title of the segment. | |
| Title of the container of the segment. For example, if the segment type is Article, the container would be the journal in which the article appears. | |
| Publisher of the segment. | |
| Place of publication of the segment. | |
| Volume of the container. | |
| Series of the container. | |
| Issue of the container. | |
| Year of segment publication | |
| Date of segment publication | |
| ISSN identifier of the container | |
| DOI assigned to the segment | |
| OCLC identifier of the container | |
| JSTOR identifier assigned to the segment | |
| First page number in the container on which the part appears. | |
| Last page number in the container on which the part appears. | |
| BHL identifier of the first page of the segment. | |
| Datestamp of record creation within BioStor | |
| Datestamp of last update within BioStor | |
| Production identifier of the segment | |
| Datestamp of record creation. | |

| Description | |
|---|---|
| Datestamp of the last update. | |
| Name of institution contributing the article metadata | |
| | |
| Authors associated with segments ingested from BioStor | |
| PRIMARY KEY | |
| Identifier of the import source | |
| Identifier of a segment ingested from BioStor | |
| Identifier assigned by BioStor | |
| Last name | |
| First name | |
| Position of the author within a segment.  For example, a value of 1 indicates the first author.  A value of 10 indicates the tenth author. | |
| VIAF identifier assigned to the author | |
| identifIer of the related production record | |
| Datestamp of record creation. | |
| Datestamp of the last update. | |
| | |
| Pages associated with segments ingested from BioStor | |
| PRIMARY KEY | |
| Identifier of the BS segment. | |
| identifIer of the related production record | |
| Sequence order of the page.  Each segment's associated pages are numbered 1 to N.  Used to order the pages within a segment. | |
| Datestamp of record creation. | |
| | |
| Author metadata prepared for publication to production. May be persons, corporations, meetings, etc. | |
| PRIMARY KEY | |
| Identifier of the item status. | |
| Identifier of the import source. | |
| Author name (subfield a value) | |
| Not used | |
| Not used | |
| Exact value depends on the author type.  Example values are dates of birth and conference start dates. | |
| Exact value depends on the author type.  Example values are dates of death and conference end dates. | |
| Not used | |
| Not used | |
| MARC data field containing the author information | |
| Value of MARC 1XX/7XX subfield a (personal name) | |
| Value of MARC 1XX/7XX subfield b (numeration) | |
| Value of MARC 1XX/7XX subfield c (titles associated with name) | |

| Description | |
|---|---|
| Value of MARC 1XX/7XX subfield d (dates) | |
| Full name (combination of subfields a, b, c, d, q) | |
| Not used | |
| Not used | |
| Date record moved into production | |
| Datestamp of record creation. | |
| Datestamp of the last update. | |
| Value of MARC 1XX/7XX subfield q (fuller form) | |
| | |
| Log of harvests from the IAAnalysis database | |
| PRIMARY KEY | |
| Date of harvest from IAAnalysis database (non-"biodiversity" collection material) | |
| 1 if harvest successful, 0 if not | |
| Number of items harvested | |
| | |
| Dublin Core item metadata from Internet Archive. | |
| PRIMARY KEY | |
| Identifier of the IA Item. | |
| Dublin Core element name | |
| Element value | |
| "DC" if this value came from the _dc.xml file.  "META" if this value came from the _meta.xml file. | |
| Datestamp of record creation. | |
| Datestamp of the last update. | |
| | |
| Files that make up items at Internet Archive. | |
| PRIMARY KEY | |
| Identifier of the IA Item. | |
| Name of file at Internet Archive | |
| Name of file stored locally | |
| IA-assigned values: "derivative", "metadata", or "original". | |
| Format name assigned by IA.  Examples: "Djvu XML", "Text PDF" | |
| Name of original file, if Source value is "derivative" | |
| Date file was last modified at IA. | |
| Datestamp of record creation. | |
| Datestamp of the last update. | |
| | |
| Formats of files to be downloaded from IA. | |
| PRIMARY KEY | |
| Format name found in IA files. | |
| 1 to download files in this format, 0 to NOT download. | |
| Datestamp of record creation. | |
| Datestamp of the last update. | |
| | |
| Items ingested from Internet Archive | |
| PRIMARY KEY | |
| Identifier of the item status. | |
| Not used | |

| | |
|---|---|
| Internet Archive identifier for the item | |
| Name of the institution that sponsered the scanning of the item. | |
| Name of the institution that sponsered the scanning of the item. | |
| Internet Archive scanning center | |
| Call number assigned by the contributor of the item. | |
| Number of images (pages) associated with this item | |
| Internet Archive URL for the item | |
| Free-text volume (and year, in some cases) for the volume scanned, as extracted from the contributing library's catalogue or applied during scanning. | |
| Scanning notes | |
| Identifier of the user performing the scanning operation. | |
| Date the item was scanned. | |
| Status assigned to the item by IA.  Not always assigned. | |
| Value derived from the MARC leader.  Can be used to identify the original production Title record. | |
| Identifier assigned to the production Item record.  Same as the IAIdentifier. | |
| Date item was last updated at Internet Archive. | |
| Date item was added to Internet Archive. | |
| Not used | |
| Date XML metadata files were last downloaded for this item. | |
| Date this item was moved into production | |
| Datestamp of record creation. | |
| Datestamp of the last update. | |
| Short version of the title associated with this item in production. | |
| Not used by BHL | |
| Not used | |
| Publication date of this item. | |
| Local institution identfiier of the item.  Harvested from IA source files, but not used. | |
| String used to query the contributing library's catalogue to return bibliographic information about the volume during scanning. | |
| URL to the license (ex. Creative Commons) that applies to the item's content. | |
| Rights statement of the item.  Often included with the copyright status instead of in this field. | |
| Due diligence statement about the item. | |
| Copyright status of the item. | |
| Region in which copyright was issued.  Rarely applied. Can probably be disregarded. | |

| | |
|---|---|
| Additional comment about the copyright, entered by the scanning technician. Not used. | |
| Evidence that supports the listed copyright status, entered by the scanning technician. Not used. | |
| Name or identifier of the user providing the copyright evidence. Not used. | |
| Datestamp that the copyright evidence was added to the item. Not used. | |
| Location of temporary folder used during data ingest. | |
| 1 to allow ingest without a MARC record, 0 to prevent ingest. | |
| Identifier of the institution performing the scanning | |
| Identifier of the institution that holds the rights to the item | |
| Copy-specific information about the item. | |
| When the volume contains material from a range of years, this is the last year in the range. Should be formatted as YYYY or YYYY-MM or YYYY-MM-DD. | |
| The volume designation (generally numeric) of the item. If the item contains material from multiple volumes, this is the designation of the first volume. For example, "1" for an item that contains Volume 1 or Volumes 1-3. | |
| When the item contains material from multiple volumes, this field contains the volume designation (generally numeric) of the last volume. For example "3" for an item that contains Volumes 1-3. | |
| The issue designation (generally numeric) of the item. If the item contains material from multiple issues, this is the designation of the first issue. For example, "1" for an item that contains Issue 1 or Issues 1-3. | |
| When the item contains material from multiple issues, this field contains the issue designation (generally numeric) of the last issue. For example "3" for an item that contains Issues 1-3. | |
| The number designation (generally numeric) of the item. If the item contains material from multiple Numbers, this is the designation of the first number. For example, "1" for an item that contains Number 1 or Numbers 1-3. | |
| When the item contains material from multiple Numbers, this field contains the number designation (generally numeric) of the last number. For example "3" for an item that contains Numbers 1-3. | |

| | |
|---|---|
| The series designation (generally numeric) of the item. If the item contains material from multiple series, this is the designation of the first series.  For example, "1" for an item that contains Series 1 or Series 1-3. | |
| When the item contains material from multiple series, this field contains the series designation (generally numeric) of the last series. For example "3" for an item that contains Series 1-3. | |
| The part designation (generally numeric) of the item.  If the item contains material from multiple parts, this is the designation of the first part.  For example, "1" for an item that contains Part 1 or Parts 1-3. | |
| When the item contains material from multiple parts, this field contains the part designation (generally numeric) of the last part. For example "3" for an item that contains Parts 1-3. | |
| Indicates the reading direction for this item.  Possible values are "lr" for Left-to-Right and "rl" for Right-to-Left. | |
| | |
| Log of errors occuring during ingest of data from IA files or during move of data to Import tables | |
| PRIMARY KEY | |
| Identifier of the IA Item | |
| Date error occurred | |
| SQL Server error number | |
| SQL Server severity value | |
| SQL Server state value | |
| Name of SQL Server stored procedure or C# method that threw the error | |
| Stored procedure line number from which the error originated | |
| Error message | |
| | |
| Sets associated with each IA item. | |
| PRIMARY KEY | |
| PRIMARY KEY | |
| Datestamp of record creation. | |
| | |
| Status of item ingested from Internet Archive. | |
| PRIMARY KEY | |
| Name of the status. | |
| Description of the status and its purpose. | |
| Datestamp of record creation. | |
| Datestamp of the last update. | |
| | |
| Marc records that have been imported from Internet Archive. | |
| PRIMARY KEY | |
| Identifier of the IA Item. | |

| | |
|---|---|
| MARC leader value.  See MARC documentation for more information. | |
| Datestamp of record creation. | |
| Datestamp of the last update. | |
| | |
| Control elements of MARC records imported from Internet Archive. | |
| PRIMARY KEY | |
| Identifier of the MARC. | |
| MARC tag of this element (ex. 001, 008) | |
| Value of the control element. | |
| Datestamp of record creation. | |
| Datestamp of the last update. | |
| | |
| Data fields of MARC records imported from Internet Archive. | |
| PRIMARY KEY | |
| Identifier of the MARC. | |
| MARC tag of this data field (ex. 245, 650, 700) | |
| First indicator value of this field.  See MARC documentation for more information. | |
| Second indicator value of this field.  See MARC documentation for more information. | |
| Datestamp of record creation. | |
| Datestamp of the last update. | |
| | |
| Data subfields of MARC records imported from Internet Archive. | |
| PRIMARY KEY | |
| Identifier of the MARC data field. | |
| Subfield code (ex. a, c, z) | |
| Value assigned to this subfield.  Might be a title, author name, keyword, or other value.  Meaning of the value depends on the MARC data field and subfield. | |
| Datestamp of record creation. | |
| Datestamp of the last update. | |
| | |
| Page metadata ingested from Internet Archive. | |
| PRIMARY KEY | |
| Identifier of the IA Item | |
| Name of local OCR file for the page | |
| Position of the page within an Item.  For example, a value of 1 indicates the first page.  A value of 10 indicates the tenth page.  This is NOT the assigned page number, but rather an indication of the order of the pages within an Item. | |
| Not used | |
| Datestamp of record creation. | |
| Datestamp of the last update. | |
| | |
| Mapping of IA institution names to BHL institution names | |

| | |
|---|---|
| Scanning center name extracted from _meta.xml file. | |
| Production identifier of an institution | |
| Sponsor value extracted from _meta.xml file | |
| Sponsor name value extracted from _meta.xml file | |
| | |
| Pagination metadata ingested from Internet Archive. | |
| PRIMARY KEY | |
| Identifier of the IA Item | |
| Position of the page within an Item.  For example, a value of 1 indicates the first page.  A value of 10 indicates the tenth page.  This is NOT the assigned page number, but rather an indication of the order of the pages within an Item. | |
| Page type name | |
| Page number | |
| Datestamp of record creation. | |
| Datestamp of the last update. | |
| Year the page was published | |
| Volume in which the page was published. | |
| Issue in which the page was published. | |
| Prefix of the issue in which the page was published (ex. No, Part) | |
| | |
| Pagination metadata ingested from Internet Archive. | |
| PRIMARY KEY | |
| Identifier of the scandata | |
| Position of the page within an Item.  For example, a value of 1 indicates the first page.  A value of 10 indicates the tenth page.  This is NOT the assigned page number, but rather an indication of the order of the pages within an Item. | |
| Page prefix (i.e. "Pl.", "Page") | |
| Page number | |
| Indicates whether this page indicator is implied or explitly printed on the page.  (1 = implied, 0 = explicit) | |
| Datestamp of record creation. | |
| Datestamp of the last update. | |
| | |
| Page metadata ingested from Internet Archive. | |
| PRIMARY KEY | |
| Identifier of the scandata | |
| Page type name | |
| Datestamp of record creation. | |
| Datestamp of the last update. | |
| | |
| Mapping of IA page types to BHL page types | |
| Page type extracted from IA _scandata.xml file | |
| BHL page type name | |

| | |
|---|---|
| BHL production page type identifier | |
| | |
| Sets defined by Internet Archive to group individual items | |
| PRIMARY KEY | |
| Internet archive set name (examples: "mediatype: collection", "collection: biodiversity") | |
| 1 if BHL downloads all contents of the set, 0 otherwise | |
| Date of last download of this set into BHL | |
| Datestamp of record creation. | |
| Datestamp of the last update. | |
| Not used | |
| | |
| Log of errors occuring during move of data to production | |
| PRIMARY KEY | |
| Not used | |
| Identifier (barcode) of the item being processed when the error occurred | |
| Date the error occurred | |
| SQL Server error number | |
| SQL Server severity value | |
| SQL Server state value | |
| Name of SQL Server stored procedure that threw the error | |
| Stored procedure line number from which the error originated | |
| Error message | |
| | |
| Log of moves of data into production | |
| PRIMARY KEY | |
| Date of import | |
| Identifier of the import source | |
| Identifier of the item being imported | |
| "Success" if the import was successful, "Error" if not | |
| Number of inserted title records | |
| Number of updated title records | |
| Number of inserted author records | |
| Number of updated author records | |
| Number of inserted titleauthor records | |
| Number of updated titleauthor records | |
| Number of inserted titlekeyword records | |
| Number of updated titlekeyword records | |
| Number of inserted item records | |
| Number of updated item records | |
| Number of inserted page records | |
| Number of updated page records | |
| Number of inserted indicatedpage records | |
| Number of updated indicatdpage records | |
| Number of inserted pagepagetype records | |
| Number of updated pagepagetype records | |

| | |
|---|---|
| Number of inserted pagename records | |
| Number of updated pagename records | |
| Number of inserted titleidentifier records | |
| Number of updated titleidentifier records | |
| Number of inserted titleassociation records | |
| Number of updated titleassociation records | |
| Number of inserted titleitem records | |
| Number of updated titleitem records | |
| | |
| Source of imported data | |
| PRIMARY KEY | |
| Name of the import source. | |
| Datestamp of record creation. | |
| Datestamp of the last update. | |
| | |
| Mapping of ingest data sources to production BHL item sources | |
| PRIMARY KEY | |
| PRIMARY KEY | |
| | |
| Status of import records | |
| PRIMARY KEY | |
| Name of the status. | |
| Description of the status and its purpose. | |
| Datestamp of record creation. | |
| Datestamp of the last update. | |
| | |
| Page metadata prepared for publication to production. | |
| PRIMARY KEY | |
| Identifier of the related item | |
| Name (exluding extension) of the OCR file for this page. | |
| Position of the page within an Item.  For example, a value of 1 indicates the first page.  A value of 10 indicates the tenth page.  This is NOT the assigned page number, but rather an indication of the order of the pages within an Item. | |
| Sequence order of the page indicator.  Each pages's indicators are numbered 1 to N.  Used to order the indicators within a page. | |
| Identifier of the import status | |
| Identifier of the import source | |
| The prefix of the indicator (i.e. Page, Plate) | |
| The numeric indicator. | |
| Indicates whether this page indicator is implied or explictly printed on the page.  (1 = implied, 0 = explicit) | |
| Not used | |
| Not used | |
| Not used | |
| Not used | |
| Date record moved into production | |

| Description | |
|---|---|
| Datestamp of record creation. | |
| Datestamp of the last update. | |
| | |
| Items (from Internet Archive) prepared for publication to production. | |
| PRIMARY KEY | |
| Identifier of the related IA item | |
| Identifier of the import status | |
| Identifier of the import source | |
| Value derived from the MARC leader.  Used as a portion of the file path to the item OCR text files. | |
| Identifier assigned to the item | |
| Position of item within a title.  Always set to 10000 (to place the new item at the end of the list of title volumes). | |
| Redundant with Barcode.  No longer needed. | |
| Call number assigned by the contributor of the item. | |
| Free-text volume (and year, in some cases) for the volume scanned, as extracted from the contributing library's catalogue or applied during scanning. | |
| Identifier of the institution that holds the item in their collection | |
| Identifier of the language of the item. | |
| Name of the institution that sponsered the scanning of the item. | |
| Copy-specific information about the item. | |
| Identifier of the user performing the scanning operation.  Not used. | |
| Size of the associated PDF file.  Not used. | |
| Identifier of the vault (file system location) where OCR files are stored. | |
| Not used | |
| Not used | |
| Identifier of the item status | |
| Name or identifier of the scanning technician. | |
| Date the item was scanned. | |
| Not used | |
| Not used | |
| Not used | |
| Not used | |
| Not used | |
| Not used | |
| Not used | |
| Not used | |
| Not used | |
| Not used | |
| Date record moved into production | |
| Datestamp of record creation. | |
| Datestamp of the last update. | |

| | |
|---|---|
| Year that applies to the material contained in the volume. If the volume contains material from a range of years, this is the first year in the range. Should be formatted as YYYY or YYYY-MM or YYYY-MM-DD. Initial value is extracted from the contributing library's catalogue or applied during scanning. | |
| Local institution identfiier of the item. Harvested from IA source files, but not used. | |
| String used to query the contributing library's catalogue to return bibliographic information about the volume during scanning. | |
| URL to the license (ex. Creative Commons) that applies to the item's content. | |
| Rights statement of the item. Often included with the copyright status instead of in this field. | |
| Due diligence statement about the item. | |
| Copyright status of the item. | |
| Region in which copyright was issued. Rarely applied. Can probably be disregarded. | |
| Additional comment about the copyright, entered by the scanning technician. Not used. | |
| Evidence that supports the listed copyright status, entered by the scanning technician. Not used. | |
| Name or identifier of the user providing the copyright evidence. Not used. | |
| Datestamp that the copyright evidence was added to the item. Not used. | |
| Identifier of the institution performing the scanning | |
| Identifier of the institution that holds the rights to the item | |
| When the volume contains material from a range of years, this is the last year in the range. Should be formatted as YYYY or YYYY-MM or YYYY-MM-DD. | |
| The volume designation (generally numeric) of the item. If the item contains material from multiple volumes, this is the designation of the first volume. For example, "1" for an item that contains Volume 1 or Volumes 1-3. | |
| When the item contains material from multiple volumes, this field contains the volume designation (generally numeric) of the last volume. For example "3" for an item that contains Volumes 1-3. | |
| The issue designation (generally numeric) of the item. If the item contains material from multiple issues, this is the designation of the first issue. For example, "1" for an item that contains Issue 1 or Issues 1-3. | |

| | |
|---|---|
| When the item contains material from multiple issues, this field contains the issue designation (generally numeric) of the last issue. For example "3" for an item that contains Issues 1-3. | |
| The number designation (generally numeric) of the item. If the item contains material from multiple Numbers, this is the designation of the first number. For example, "1" for an item that contains Number 1 or Numbers 1-3. | |
| When the item contains material from multiple Numbers, this field contains the number designation (generally numeric) of the last number. For example "3" for an item that contains Numbers 1-3. | |
| The series designation (generally numeric) of the item. If the item contains material from multiple series, this is the designation of the first series. For example, "1" for an item that contains Series 1 or Series 1-3. | |
| When the item contains material from multiple series, this field contains the series designation (generally numeric) of the last series. For example "3" for an item that contains Series 1-3. | |
| The part designation (generally numeric) of the item. If the item contains material from multiple parts, this is the designation of the first part. For example, "1" for an item that contains Part 1 or Parts 1-3. | |
| When the item contains material from multiple parts, this field contains the part designation (generally numeric) of the last part. For example "3" for an item that contains Parts 1-3. | |
| Indicates the reading direction for this item. Possible values are "lr" for Left-to-Right and "rl" for Right-to-Left. | |
| | |
| Item languages prepared for publication to production. | |
| PRIMARY KEY | |
| Identifier of the import status | |
| Identifier of the import source | |
| Identifier of the related item | |
| Identifier of the language | |
| Date record moved into production | |
| Datestamp of record creation. | |
| Datestamp of the last update. | |
| | |
| Country codes used within MARC | |
| PRIMARY KEY | |
| Name of the country associated with the code | |
| | |
| OAI record formats | |

| | |
|---|---|
| PRIMARY KEY | |
| OAI  prefix that identifies the format (oai_dc, mods, mets, and so on) | |
| Code module used to process records with this format | |
| Datestamp of record creation. | |
| Datestamp of the last update. | |
| | |
| Log of OAI harvests | |
| PRIMARY KEY | |
| Identifier of the harvest set | |
| Datestamp of the start of the harvest | |
| "from" harvest argument | |
| "until" harvest argument | |
| Datestamp of the repostory response | |
| Result of the harvest.  "ok" or an error message. | |
| Number of records harvested. | |
| Datestamp of record creation. | |
| Datestamp of the last update. | |
| | |
| OAI sets to be harvested | |
| PRIMARY KEY | |
| Name of the harvest set | |
| Identifier of the set to harvest | |
| Format of the set to harvest | |
| Default record type of the set (BookJournal, Segment) | |
| 1 if the set is currently being harvested, 0 if not | |
| Datestamp of record creation. | |
| Datestamp of the last update. | |
| | |
| Errors resulting from publication of OAI records to production BHL | |
| PRIMARY KEY | |
| Identifier of OAI record | |
| Datestamp of error | |
| SQL Server error number | |
| SQL Server severity value | |
| SQL Server state value | |
| Name of SQL Server stored procedure that threw the error | |
| Stored procedure line number from which the error originated | |
| Error message | |
| | |
| Log of results of publication of OAI records to production BHL | |
| PRIMARY KEY | |
| Datestamp of publication | |
| Not used | |
| Reslt of publication (ok, Error) | |
| Number of production records inserted | |
| Number of production records updated | |

| | |
|---|---|
| Number of production records deleted | |
| | |
| OAI records harvested from an OAI repository | |
| PRIMARY KEY | |
| Identifier of the harvest log entry | |
| OAI identifier of the record | |
| OAI datestamp of the record | |
| Not used | |
| Type of publication represented by the OAI record (Segment, BookJournal, Unknown) | |
| Title of the publication | |
| Title of the publication container | |
| Contributor (often the author name) of the publication | |
| Date of the publication | |
| Language of the publication | |
| Publisher name of the publication | |
| Place of publication | |
| Date of publication | |
| Edition of the publication | |
| Volume of the publication | |
| Issue of the publication | |
| Start page of the publication | |
| End page of the publication | |
| Call number of the publication | |
| ISSN assigned to the publication | |
| ISBN assigned to the publication | |
| Library of Congress ID assigned to the publication | |
| DOI assigned to the publication | |
| URL to the publication | |
| Identifier of the OAI record status | |
| identifler of the related production record | |
| identifler of the related production record | |
| identifler of the related production record | |
| Datestamp of record creation. | |
| Datestamp of the last update. | |
| | |
| Authors related to an OAI record | |
| PRIMARY KEY | |
| Identifier of the OAI record | |
| Type of creator (i.e. personal) | |
| Full author name | |
| Not used | |
| Not used | |
| Not used | |
| identifler of the related production record | |
| Datestamp of record creation. | |
| Datestamp of the last update. | |
| | |
| Dublic Core type assigned to an OAI record | |
| PRIMARY KEY | |
| Identifier of the OAI record | |

| Description | |
|---|---|
| Dublin Core type (book, journal, journal article) | |
| Datestamp of record creation. | |
| Datestamp of the last update. | |
| | |
| Mapping of OAI language codes to production Languages | |
| OAI language code | |
| Identifier of a production BHL language record | |
| | |
| Titles related to an OAI record | |
| PRIMARY KEY | |
| Identifier of the OAI record | |
| Type of related record (series, host, alternative) | |
| Name of related title | |
| Type of production entity (Association, Variant) | |
| Identifier of the related production record | |
| Datestamp of record creation. | |
| Datestamp of the last update. | |
| | |
| Mapping of OAI title types to production Title Association types | |
| Name of the title association type | |
| Identifier of the production Title Association Type | |
| | |
| Mapping of OAI title types to production Title Variant types | |
| Name of the title variant type | |
| Identifier of the production Title Variant Type | |
| | |
| Rights statements that apply to the OAI record. | |
| PRIMARY KEY | |
| Identifier of the OAI record | |
| Rights statement | |
| Datestamp of record creation. | |
| Datestamp of the last update. | |
| | |
| Status of OAI records. | |
| PRIMARY KEY | |
| Name of the status. | |
| Description of the status and its purpose. | |
| | |
| Keywords/subjects that apply to the OAI record. | |
| PRIMARY KEY | |
| Identifier of the OAI record | |
| The keyword | |
| identifIer of the related production record | |
| Datestamp of record creation. | |
| Datestamp of the last update. | |
| | |
| Repositories of data made available via OAI endpoints. | |
| PRIMARY KEY | |
| Identifier of the import source | |

| Description | |
|---|---|
| Identifier of a production BHL institution record. | |
| Name of the repository | |
| URL of the OAI endpoint for the respository | |
| Version of the OAI protocol supported by the repository | |
| Datestamp of the earliest item published by the repository | |
| OAI indicator of how the repository supports record deletion | |
| Indicates if the respository supports harvesting by date, or by date and time. | |
| Datestamp of record creation. | |
| Datestamp of the last update. | |
| | |
| OAI record formats supported by each repository. | |
| PRIMARY KEY | |
| Identifier of the OAI repository | |
| Identifier of the OAI format | |
| URL of the format schema. | |
| URL of the format namespace. | |
| Datestamp of record creation. | |
| Datestamp of the last update. | |
| | |
| Data sets available in each OAI repository. | |
| PRIMARY KEY | |
| Identifier of the OAI repository | |
| Name of the set | |
| Identifier used to request set contents | |
| Datestamp of record creation. | |
| Datestamp of the last update. | |
| | |
| Metadata about scanned pages prepared for publication to production. | |
| PRIMARY KEY | |
| Identifier of the import status | |
| Identifier of the import source | |
| Identifier of the related item | |
| Name (exluding extension) of the OCR file for this page. | |
| Position of the page within an Item.  For example, a value of 1 indicates the first page.  A value of 10 indicates the tenth page.  This is NOT the assigned page number, but rather an indication of the order of the pages within an Item. | |
| Additional information about the page.  Not used. | |
| Additional information about the page.  Not used. | |
| Not used | |
| Not used | |
| Not used | |
| Year the page was published | |
| Not used | |
| Volume in which the page was published. | |

| Description | |
|---|---|
| Issue in which the page was published. | |
| Originally the URL to a thumbnail image of the page. No longer used. | |
| Prefix of the issue in which the page was published (ex. No, Part) | |
| Not used | |
| Not used | |
| Not used | |
| Not used | |
| Not used | |
| Not used | |
| Not used | |
| Date record moved into production | |
| Datestamp of record creation. | |
| Datestamp of the last update. | |
| Not used | |
| URL of the image of the item. No longer used by the BHL user interface. | |
| | |
| Page types assigned to each page prepared for publication to production. | |
| PRIMARY KEY | |
| Identifier of the related item | |
| Name (exluding extension) of the OCR file for this page. | |
| Position of the page within an Item. For example, a value of 1 indicates the first page. A value of 10 indicates the tenth page. This is NOT the assigned page number, but rather an indication of the order of the pages within an Item. | |
| Identifier of the page type | |
| Identifier of the import status | |
| Identifier of the import source | |
| Not used | |
| Not used | |
| Not used | |
| Not used | |
| Not used | |
| Date record moved into production | |
| Datestamp of record creation. | |
| Datestamp of the last update. | |
| | |
| Notes associated with BHL images in Flickr. | |
| PRIMARY KEY | |
| Identifier of production BHL page record. | |
| Flickr identifier of the image | |
| Identifer of the Flickr note. | |
| Identifier of the Flickr author. | |
| Username of the Flickr author. | |
| Full name of the Flickr author. | |
| 1 if the user is a Flickr Pro author, 0 if not. | |
| X-coordinate of the bounding box of the note. | |
| Y-coordinate of the bounding box of the note. | |

| | |
|---|---|
| Width of the bounding box of the note. | |
| Height of the bounding box of the note. | |
| The text of the note. | |
| 1 if the user is a Flickr Active is, 0 if not. | |
| Datestamp of record creation. | |
| Datestamp of the last update. | |
| D-coorddaate of the bounddag box of the note. | |
| | |
| Tags associated with BHL images in Flickr. | |
| PRIMARY KEY | |
| Identifier of production BHL page record. | |
| Flickr identifier of the image | |
| 1 if the tag is a machine tag, 0 if not. | |
| The text of the tag | |
| Identifier of the Flickr author. | |
| Username of the Flickr author. | |
| 1 if the tag is active, 0 if not. | |
| Datestamp of record creation. | |
| Datestamp of the last update. | |
| Date the tag was made inactive in BHL | |
| | |
| Bibliographic metadata about the journals and monographs prepared for publication to production. | |
| PRIMARY KEY | |
| Identifier of the related item | |
| Identifier of the import status | |
| Identifier of the import source | |
| Identifier extracted from the MARC record and used to group items into titles. | |
| The MARC Leader field for this title. | |
| Complete title of this entity. Created by concatenating the MARC 245a and 245b fields. | |
| Short version of the title of this entity. | |
| Uniform title of this entity. | |
| Sort title of this entity. This is a shortened version of the full title, with all initial articles (A, The, Of) removed. | |
| An alphanumeric code which identifies the shelf location of the title in the contributing institution. | |
| Full publication details (place, name, date) of the title. | |
| Starting year of the publication. Where possible, extracted from MARC 008/07-10 (http://www.loc.gov/marc/bibliographic/concise/bd008.html). | |
| Ending year of the publication. Where possible, extracted from MARC 008/11-14 (http://www.loc.gov/marc/bibliographic/concise/bd008.html). | |
| Place of publication of the title, as extracted from the MARC 260a field. | |

| Description | |
|---|---|
| Publisher of the title, as extracted from the MARC 260b field. | |
| Years of publication of the title, as extracted from the MARC 260c field. | |
| Identifier of the institution of the holding institution that contributed this item | |
| Identifier of the language of this title | |
| Additional information about the title.  Not used. | |
| TL2 author of the title.  Not used. | |
| Not used | |
| Additional information about the title. | |
| Not used | |
| Not used | |
| Not used | |
| Not used | |
| Date record moved into production | |
| Datestamp of record creation. | |
| Datestamp of the last update. | |
| Not used | |
| Original cataloguing source for the title, as shown in the MARC 040a field. | |
| Edition statement for the title, as shown in the MARC 250 field. | |
| Publication frequency of the title, as shown in the MARC 310a field. | |
| identifIer of the related production record | |
| Additional title information that designates the number of a work. (ex. Part 1) | |
| Additional title information that designates the name of a work. (ex. Supplement) | |
| | |
| TitleAuthor metadata prepared for publication to production. | |
| PRIMARY KEY | |
| Full author name | |
| Identifier of the author role (personal name, corporate name, meeting name, etc) | |
| Identifier of the related title | |
| Identifier of the import status | |
| Identifier of the import source | |
| Not used | |
| Not used | |
| Not used | |
| Not used | |
| Date record moved into production | |
| Datestamp of record creation. | |
| Datestamp of the last update. | |
| Value of MARC 1XX/7XX subfield a (personal name) | |
| Value of MARC 1XX/7XX subfield b (numeration) | |
| Value of MARC 1XX/7XX subfield c (titles associated with name) | |
| Value of MARC 1XX/7XX subfield d (dates) | |

| | |
|---|---|
| Value of MARC 1XX/7XX subfield e (relator term) | |
| Value of MARC 1XX/7XX subfield q (fuller form) | |
| Value of MARC 1XX/7XX subfield t (title of work) | |
| | |
| TitleIdentifier metadata prepared for publication to production. | |
| PRIMARY KEY | |
| Identifier of the related title | |
| Identifier of the import status | |
| Identifier of the import source | |
| Name of the identifier | |
| Value of the identifier. | |
| Not used | |
| Not used | |
| Date record moved into production | |
| Datestamp of record creation. | |
| Datestamp of the last update. | |
| | |
| TitleAssociation metadata prepared for publication to production. | |
| PRIMARY KEY | |
| Identifier of the related title | |
| Identifier of the import status | |
| Identifier of the import source | |
| MARC data field that is the source of this data | |
| MARC indicator value from the source data field | |
| Title of the associated title. | |
| Section of the associated title. | |
| Volume of the associaed title. | |
| Not used | |
| Date record moved into production | |
| Datestamp of record creation. | |
| Datestamp of the last update. | |
| Heading of the associated title. | |
| Publication information for the associated title. | |
| Relationship of the associated title. | |
| | |
| TitleAssociation Identifier metadata prepared for publication to production. | |
| PRIMARY KEY | |
| Identifier of the related title | |
| Identifier of the import status | |
| Identifier of the import source | |
| MARC data field that is the source of this data | |
| MARC indicator value from the source data field | |
| Title of the associated title. | |
| Section of the associated title. | |
| Volume of the associaed title. | |
| Name of the identifier | |
| Value of the identifier. | |
| Date record moved into production | |
| Datestamp of record creation. | |
| Datestamp of the last update. | |

| Description |  |
| --- | --- |
| Heading of the associated title. |  |
| Publication information for the associated title. |  |
| Relationship of the associated title. |  |
|  |  |
| TitleLanguage metadata prepared for publication to production. |  |
| PRIMARY KEY |  |
| Identifier of the related title |  |
| Identifier of the import status |  |
| Identifier of the import source |  |
| Identifier of the language |  |
| Date record moved into production |  |
| Datestamp of record creation. |  |
| Datestamp of the last update. |  |
|  |  |
| Title Note metadata prepared for publication to production. |  |
| PRIMARY KEY |  |
| Text of the note. |  |
| Identifier of the related title |  |
| Identifier of the import status |  |
| Identifier of the import source |  |
| MARC data field that is the source of this data |  |
| MARC indicator from the source data field |  |
| Position at which the note should be displayed, when all notes are displayed in a list. |  |
| Not used |  |
| Not used |  |
| Date record moved into production |  |
| Datestamp of record creation. |  |
| Datestamp of the last update. |  |
|  |  |
| Title Keyword metadata prepared for publication to production. |  |
| PRIMARY KEY |  |
| Keyword associated with a title |  |
| Identifier of the related title |  |
| Identifier of the import status |  |
| Identifier of the import source |  |
| MARC data field that is the source of this data |  |
| Subfield code from the MARC source of this data |  |
| Not used |  |
| Not used |  |
| Date record moved into production |  |
| Datestamp of record creation. |  |
| Datestamp of the last update. |  |
|  |  |
| Title Variant metadata prepared for publication to production. |  |
| PRIMARY KEY |  |
| Identifier of the related title |  |
| Identifier of the import status |  |
| Identifier of the import source |  |

| | |
|---|---|
| MARC data field that is the source of this data | |
| MARC indicator value from the source data field | |
| Title variant. | |
| Additional parts of the variant. | |
| Variant part number. The part number is additional title information that designates the number of a work. (ex. Part 1) | |
| Variant part name. The part name is additional title information that designates the name of a work. (ex. Supplement) | |
| Date record moved into production | |
| Datestamp of record creation. | |
| Datestamp of the last update. | |