


Biodiversité et Santé

Florence Fouque

Université des Sciences Appliquées du Sud de la Suisse (SUPSI)



Les dimensions des relations entre biodiversité et santé



Niveau individuel

Niveau communautés



Niveau Global



WHO to host first global workshop on biodiversity, traditional knowledge, health and well-being



Health Topics ▾

Countries ▾

Newsroom ▾

Emergencies ▾

Data ▾

About WHO ▾

[Home](#) / [News](#) / WHO to host first global workshop on biodiversity, traditional knowledge, health and well-being





Les services de la biodiversité pour la santé


- Eau potable, nourriture, médicaments
- Régulation et protection contre les maladies
- Espaces pour activités physiques et culturelles
- Dépollution



Biodiversité et dilution, amplification anthropisation




Biodiversité et maladies vectorielles: le cas du paludisme



WHO: World Health Organization.

* Malaysia has a significant number of indigenous malaria cases caused by *Plasmodium knowlesi* infection.

* Countries and areas with zero indigenous cases for at least 3 consecutive years are considered to have eliminated malaria. In 2024, Malaysia reported zero indigenous cases caused by human *Plasmodium* species for the seventh consecutive year, Saudi Arabia reported zero indigenous cases for the fourth consecutive year, and Bhutan reported zero indigenous cases for the third consecutive year, ending the malaria epidemic. Timor-Leste and Suriname were both certified malaria free in 2025.



Biodiversité et zoonoses: le cas des hantavirus




Figure 1: Hantavirus transmission from rodents to humans

Transmission mainly occurs via inhalation of aerosolised viral particles shed in rodent urine, faeces, and saliva. Organ and organ system involvement differs in magnitude according to the infecting virus. Andes virus, Hantaan virus, and their rodent host species shown in the figure are representative of pathogenic hantaviruses and rodent hosts present throughout the Americas, Europe, and Asia.





Figure 2: Mean annual number of reported hantavirus cases in different regions and countries (2000-20)
Unrecognised cases exceed reported cases for Puumala, Seoul, and Choclo virus. 8,123,18,20-41



Biodiversité des comportements:

Exemple de la résistance aux insecticides

Conséquence d'une pression exercée par l'humain, qui peut évoluer vers la spéciation si les populations sont isolées




Figure 2. WHO insecticide susceptibility bioassay results across different study sites.

<https://doi.org/10.46471/gigabyte.172>

Comment prévenir et mieux contrôler



NEWS | 26 MAY 2026

Global initiative expands access to unique disease vector information through data papers

Collaborative sponsorship and support programme enables mobilization of more than 750,000 vector records to GBIF over four years

Following three rounds of calls launched by [TDR—the Special Programme for Research and Training in Tropical Diseases](#) hosted at the [World Health Organization \(WHO\)](#)—together with [GigaScience Press](#) and GBIF, the final data papers from the initiative has now been published in [GigaByte Journal](#). The programme responds to a growing call for greater access to data on vector-borne diseases and the urgent need for new vector control strategies, approaches and tools as approved by the [World Health Assembly in 2017](#).

Authors received publication fee waivers and access to technical support to publish metadata and datasets related to vector-borne diseases, helping to reduce financial and logistical barriers to publication. Through the programme, [31 data papers and one editorial](#) were published in [GigaByte Journal](#) (including in-language publishing support for Portuguese, Spanish and French), mobilizing more than [750,000 occurrences](#) to GBIF.



31 Publications avec séries de données

750 000 Occurrences

**Plus de 30 maladies vectorielles et zoonotiques à virus,
bactéries et parasites**

Data Release



Spatial temporal distribution of *Anopheles* mosquitoes in different ecological zones of Ghana

Anisa Abdulai, Christopher Mfum Owusu-Asenso, Abdul Rahim Mohammed Sabtiu, Isaac Kwame Sraku, Yaw Akuamoah-Boateng, Abena Ahema Ebuako, Lourees Esi Awotwe, Richard Tettey Doe, Emmanuel Nana Boadu, Akua Aboagyewaa Appiah, Grace Arhin Danquah, Dhikrullahi Bunkunmi Shittu, Gabriel Akosah-Brempong, Cosmos Manwovor-Anbon Pambit Zong, Daniel Kodjo Halou, Osei Kwaku Akuoko, Akua Obeng Forson, Yaw Asare Afrane

Page 0, 26 March, 2026, © The Author(s) 2026.

10.46471/gigabyte.175

Published online : March 2026



Data Release



Distribution of flies of medical importance in Thailand: a dataset

Hassan Niyomdech, Gerard Duvallet, Watthanasak Lertlumnaphakul, Ratchadawan Ngan-Klan, John Aerol Nobleza, Chauwat Charoenwiryapap, Sylvie Manguin, Theeraphap Chareonviriyaphap


Page 0, 9 September, 2025, © The Author(s) 2025.

10.46471/gigabyte.164

Published online : September 2025



Data Release



Triatomines outside the Americas: a comprehensive dataset for the global surveillance of Chagas disease vectors

Soledad Ceccarelli, Maria Eugenia Vicente, Qin Liu, Xiao-Nong Zhou, Di Wu, Agustin Balsalobre, Emiliano A. Bruno, S. Emilia Barboza, Romina Valente, Gerardo A. Marti
Page 0, 26 August, 2025, © The Author(s) 2025.

[10.46471/gigabyte.163](https://doi.org/10.46471/gigabyte.163)

Published online : August 2025



Data Release



Snail intermediate host occurrence recorded by citizen scientists in rural Uganda and the Democratic Republic of the Congo

Noelia Valderrama-Bhraunxs, Larissa Bonifacio, Julius Tumusiime, Germain Kapour, Daisy Namirembe, Casim Umba-Tolo, Grace Kagoro-Rugunda, Patrick Mitashi-Mulopo, Joule Mandinga, Liesbet Jacobs, Tine Huyse

Page 0, 11 August, 2025, © The Author(s) 2025.

[10.46471/gigabyte.162](https://doi.org/10.46471/gigabyte.162)

Published online : August 2025



Data Release



Occurrence records and metadata for sand flies (Diptera, Psychodidae, Phlebotominae) collected in the lands of indigenous people in the Brazilian Amazon

Paloma Helena Fernandes Shimabukuro, Daniel Rocha Cangussu Alves, Jéssica Adalia Costa Barros, Luiz Otavio Cordeiro Nascimento, Luke Anthony Baton, Maíra Posteraro Freire, Manoel Edson Medeiros da Silva, Mauro Diego Gobira Guimarães de Assis, Sofia Ferreira Morais, Tiago Silva da Costa, Veracilda Ribeiro Alves, Eduardo Stramandinoli Moreno

Pages 1-12, 31 May, 2022, © The Author(s) 2022.

[10.46471/gigabyte.61](https://doi.org/10.46471/gigabyte.61)

Published online : May 2022



Emergence du virus Oroupouche à Cuba




Figure 2. Species distribution by province (Havana, Cienfuegos, and Santiago de Cuba) during the collection period May–October 2024.


Développer des indicateurs et les utiliser

Indicateur	Surveillance	Utilisation
Densité des vecteurs	Collectes à intervalles réguliers (semaines, mois)	Estimer les risques et l'impact des interventions
Distribution des hôtes animaux	Collectes et systèmes d'information géographique	Cartographie des risques
Longévité des vecteurs	Estimations en conditions naturelles	Estimer les risques de transmission

Modéliser : Exemple des cas de West Nile Virus dans la population de la Macédoine, Grèce





Principales espèces d'oiseaux réservoirs du West Nile Virus, Moineau domestique male (A) -femelle (B) ; Corvidé (C) ; Tourterelle (D) et Haron (E) (Komar, 2000)




Angelou et al., 2025

Biodiversité et changement climatique:

Exemple des tsétsés en Afrique





Perte de Biodiversité et Émergence épidémique



Carlson et al., 2025

Règlementation et Normes



**Merci pour votre
attention**

