

Hardening Kubernetes Clusters

Reducing Attack Surface in Kubernetes by means of Rootless Containers, Network Policies and Role Based Access Control

Bachelor Thesis

Submitted in partial fulfillment of the requirements for the degree of

Bachelor of Science in Engineering

to the University of Applied Sciences FH Campus Wien Bachelor Degree Program: Computer Science and Digital Communications

Author:

Guntram Björn Klaus

Student identification number:

c2110475170

Supervisor:

BSc. MSc. Bernhard Taufner

Date:

dd.mm.yyyy

Declaration of authorship: I declare that this Bacheler Thesis has been written by myself. I have not used any other				
I declare that this Bachelor Thesis has been written by myself. I have not used any other than the listed sources, nor have I received any unauthorized help.				
I hereby certify that I have not submitted this Bachelor Thesis in any form (to a reviewer for assessment) either in Austria or abroad.				
Furthermore, I assure that the (printed and electronic) copies I have submitted are identical.				
Date: Signature:				

Student i

Abstract

(E.g. "This thesis investigates...")

Kurzfassung

(Z.B. "Diese Arbeit untersucht...")

List of Abbreviations

ARP Address Resolution Protocol GPRS General Packet Radio Service

GSM Global System for Mobile communication

WLAN Wireless Local Area Network

Key Terms

GSM

Mobilfunk

Zugriffsverfahren

Student v

Contents

1	Intr	oduction	1		
	1.1	Background: Enterprises and Cloud	2		
	1.2	Research Objectives	2		
	1.3	Methodology	3		
	1.4	Structure	3		
2	Con	ncepts	4		
_	2.1	Containervirtualization	4		
		2.1.1 Linux Kernel	5		
		2.1.2 Container Images	6		
		2.1.3 Container Runtimes	7		
	2.2	Kubernetes	8		
		2.2.1 Components	8		
		2.2.2 Cluster Architecture	9		
		2.2.3 Cluster Objects	10		
		2.2.19 Craster Objects 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-0		
3	Lite	erature Review	11		
	3.1	State of the Art	11		
	3.2	CVE Numbers	12		
	3.3	Incident Reports	13		
4	Hardening Measures 14				
•	4.1	Securing Containers	14		
	1.1	4.1.1 Linux File Permissions	14		
		4.1.2 Root versus Rootless	15		
		4.1.3 Rootless Policy Enforcement	16		
	4.2	Securing the Network	17		
	4.2	4.2.1 Network Policies	17		
		4.2.2 Service Mesh	18		
	4.3	Authentication and Authorization	19		
	1.0	4.3.1 Role Based Access Control	19		
		4.3.2 Kubeconfig Keys and Certificates	20		
		4.3.3 Service Accounts	21		
		1.0.0 Betvice recouns	-1		
5	Disc	cussion	22		
	5.1	Implications for businesses	22		
	5.2	Tradeoffs and Difficulties	23		
	5.3	Complexity	23		
6	Con	nclusion	24		
			25		
7	7 Outlook / Future work				
Bi	Sibliography 26				

List of Figures	27
List of Tables	28
Appendix	29

1 Introduction

- 1.1 Background: Enterprises and Cloud
- 1.2 Research Objectives

1 Introduction

1.3 Methodology

1.4 Structure

2 Concepts

2.1 Containervirtualization

2 Concepts

2.1.1 Linux Kernel

2.1.2 Container Images

2.1.3 Container Runtimes

2.2 Kubernetes

2.2.1 Components

2.2.2 Cluster Architecture

2.2.3 Cluster Objects

3 Literature Review

3.1 State of the Art

3.2 CVE Numbers

3.3 Incident Reports

- 4.1 Securing Containers
- 4.1.1 Linux File Permissions

4.1.2 Root versus Rootless

4.1.3 Rootless Policy Enforcement

4.2 Securing the Network

4.2.1 Network Policies

4.2.2 Service Mesh

4.3 Authentication and Authorization

4.3.1 Role Based Access Control

4.3.2 Kubeconfig Keys and Certificates

4.3.3 Service Accounts

5 Discussion

5.1 Implications for businesses

5.2 Tradeoffs and Difficulties

5.3 Complexity

6 Conclusion

7 Outlook / Future work

Bibliography

List of Figures

List of Tables

Appendix

(Hier können Schaltpläne, Programme usw. eingefügt werden.)