Size test 1: Office and offset printing

Planning limits used: 0.15 mm lines, 0.20 mm gaps. Print at 100%. Sizes are logo widths.

Primary minimum 1.5 in



smaller 1.12 in



minimum 1.50 in



larger 1.88 in

Stacked minimum 1 in



smaller 0.75 in



minimum 1.00 in



larger 1.25 in

Horizontal minimum 1 in



smaller 0.75 in



minimum 1.00 in



larger 1.25 in

Wordmark minimum 0.8 in



smaller 0.60 in



minimum 0.80 in



larger 1.00 in

Icon minimum 0.3 in



smaller 0.22 in



minimum 0.30 in



larger 0.38 in

What to check

- Print this page at 100% (no 'fit to page') on the printer you normally use.
- At the minimum size, NINETY SIX in the primary logo should be readable.
- The C and A in WILDCATS and the 9 and 6 in the box should not touch.
- If the minimum fails on your printer, use the 25% larger size as your minimum.

Size test 2: Screen printing

Planning limits used: 0.5 mm lines, 0.75 mm gaps. Print at 100%. Sizes are logo widths.

Primary minimum 4.5 in



smaller 3.60 in



minimum 4.50 in



larger 5.40 in

Horizontal minimum 3.75 in



smaller 3.00 in



minimum 3.75 in



larger 4.50 in

Size test 2: Screen printing (continued)

Wordmark minimum 3 in

WILDCATS

smaller 2.40 in

WILDCATS

minimum 3.00 in

WILDCATS

larger 3.60 in

Icon minimum 0.75 in



smaller 0.60 in



minimum 0.75 in



larger 0.90 in

What to check

- Send this page to the printer as the test file; ask for a one-color test print or proof.
- Check that the gap between C and A and between 9 and 6 stays open after ink spread.
- Check that the rails and NINETY SIX in the primary logo hold their full length and weight.
- Record the smallest size that passes; that becomes the screen-printing minimum.

Size test 3: Vinyl and heat-transfer cutting

Planning limits used: 1.0 mm lines and gaps. Print at 100%. Sizes are logo widths.

Stacked minimum 4.25 in

NINETY SIX
WILDCATS

smaller 3.40 in

NINETY SIX
WILDCATS

minimum 4.25 in

NINETY SIX
WILDCATS

larger 5.10 in

Size test 3: Vinyl and heat-transfer cutting (continued)

Horizontal minimum 5 in

96 WILDCATS

smaller 4.00 in

96 WILDCATS

minimum 5.00 in

96 WILDCATS

larger 6.00 in

Wordmark minimum 4 in

WILDCATS

smaller 3.20 in

WILDCATS

minimum 4.00 in

WILDCATS

larger 4.80 in

Size test 3: Vinyl and heat-transfer cutting (continued)

Icon minimum 1 in



smaller 0.80 in



minimum 1.00 in



larger 1.20 in

What to check

- Cut each size once in the vinyl you will use.
- Check that the counters in 9 and 6 and the C-A gap weed cleanly without tearing.
- Check that small pieces (the inside of the A, the counters) stay attached to the transfer.
- Record the smallest size that passes.

Size test 4: Embroidery

Planning limits used: 1.0 mm satin stitches, 1.2 mm gaps. Print at 100%. Sizes are logo widths.

Horizontal minimum 6 in



smaller 4.80 in



minimum 6.00 in



larger 7.20 in

Size test 4: Embroidery (continued)

Wordmark minimum 4.75 in

WILDCATS

smaller 3.80 in

WILDCATS

minimum 4.75 in

WILDCATS

larger 5.70 in

Icon minimum 1.25 in



smaller 1.00 in



minimum 1.25 in



larger 1.50 in

What to check

- Ask the embroiderer for a sew-out of each size on the garment you will use.
- Digitizers may widen gaps slightly; check the result still matches the artwork.
- Check that the 96 inside the box reads clearly and the box edges stay straight.
- For left-chest logos (about 3.5 in wide), test the icon and the wordmark first.
- Record the smallest size that passes.