
USER GUIDE

Potential Source Contribution Factor

Author: Samuël WEBER
Date: July 2016

Contents

1	Run the GUI	1
2	Calcul the back-trajectories	1
3	PSCF computation	3
4	Plot manipulation	5
5	Add or modify a station	6



The author wish to thank Jean-Eudes Petit for its original script.

1 Run the GUI

The GUI is written in python 3 and needs the modules `os`, `sys`, `json`, `shutil`, `datetime`, `re`, `calendar`, `Tkinter`, `multiprocessing` (should be included in any standard installation) and `scipy`, `numpy`, `matplotlib` and `Basemap`.

For Windows users, we recommend to use a software with pre-packaged python distributions like `anaconda`, `miniconda` or `canopy` which provides this modules. For the Debian-like linux, you could simply enter

```
apt-get install python3-numpy python3-matplotlib python3-scipy python3-  
mpltoolkits.basemap
```

in a terminal in order to install them.

There are 2 ways to start the script.

From the terminal Open a terminal window and navigate to the directory where the `GUI.pyw` file is. Then type `python GUI.pyw`.

Graphically Simply double-click or right-click then “open with python” the `GUI.pyw` file.

If it doesn’t start, ensure that you are running python 3 and not python 2.

2 Calcul the back-trajectories

2.1 Hysplit

The back-trajectories have to be computed before running the PSCF script. We use here the Hysplit program from the NOAA. As Hysplit is a relatively big software with many option and configuration, we develop a tool to compute the back trajectory in a easy way. However, you still need the Hysplit program. You can found it at <http://ready.arl.noaa.gov/HYSPLIT.php>.

2.2 GUI description

Once the script starts, you should see the window presented in figure 1. Navigate to the *Back-trajectory* tab on the top if it is not already open. This window presents the different parameters use to compute the back-trajectories. Let’s describe each of its field.

Button frame

Run Back-traj Save the parameters show in this tab in `parameters/localParamBackTraj.json` then compute the back-trajectories with theses parameters.

Save BackTraj Save the parameters in the `parameters/localParamBackTraj.json` file without running the computation.

Exit Quit the GUI without saving the parameters.




Figure 1: GUI of the back-trajectory calculator script

Meteo (GDAS) directory Select the path to the GDAS files. GDAS is a file format uses to store meteorological data and are freely available from the NOAA website¹ or ftp².

Hysplit directory Select the root path of the Hysplit directory's installation. It should contain the subdirectories `working`, `exec`, `script` etc.

Output directory Select where the back-trajectories files will be save.

Station frame

Station Select the desired reference point. If the station is not in the list you have to add yourself the station in the `parameters/locationStation.json` file (see section 5).

Longitude/Latitude Enter the longitude/latitude of the station. It should be updated automatically with the selection of the station.

¹site information: <http://ready.arl.noaa.gov/archives.php>

²ftp: <ftp://arlftp.arlhq.noaa.gov/pub/archives/gdas1/>

Altitude Enter the altitude (in meter from the surface) of the back-trajectory starting point.

Date frame Enter from when to when the back-trajectories will be computed.

Back-traj parameters frame

Time for the back-trajectory [h] Enter for how long the back-trajectory will be computed (i.e. up to when in the past in hours).

Step between 2 end-points [h] Enter the time between 2 saves in the output file. Minimum is 1 hour.

CPU frame As the program is parallelizable, enter how many core should compute the back-trajectories. By default is your number of CPU minus 1. Beware! As the computation may take a long time, choosing your exact number of CPU is not recommended! Otherwise you won't be able to do anything else during the computation.

3 PSCF computation

Navigate to the *PSCF* tab, you should see the window presented in figure 2. This window present the different parameters use to compute the PSCF. Let's describe each of its field.

Button

Run PSCF Save the parameters in `parameters/localParamPSCF.json` then run the PSCF with theses parameters. It will print the desired plot.

Save PSCF Save the parameters in the `parameters/localParamPSCF.json` file without running the PSCF.

Exit Quit the program without saving the parameters.

Back-trajectory directory Select the directory where the back-trajectories are stored. The path is red if it doesn't exist (as you can see in the screenshot).

Concentration file Select the concentration file. It must be a coma separated value file (CSV), with the delimiter “;”. The first raw must contain the name of each specie. The path is red if it doesn't exist (as you can see in the screenshot).

Station frame Select the studied station. If your station is not listed you have to complete the `parameters/locationStation.json` file (explain in section 5 hereafter). The back-trajectory prefix and latitude/longitude should update automatically. If the back-trajectories are save with another prefix, edit the “Back-traj prefix” field.




Figure 2: GUI of the PSCF script

Back Trajectory frame

Back-trajectory [h] Specify how long the back-trajectory have to be (in hour).

Add hour Add back-trajectory for each observation. For example if an acquisition starts at 00:00 and ends at 23h59 you may want to take into account the back-trajectories at 00h, but also 03h, 06h, 09h, ... 18h and 24h. To do so, simply add the hours you want. It must be an array (i.e. start with a "[" and end with a "]", each value separated by a coma).

Rain Check the "Cut when it's raining" box if you want to cut the back-trajectory with the rain.

Weighting function frame Check the box if you want to use a weighting function.

User defined Let the user defined the weighting function. "d" means the logarithm of back-trajectory density. Select the desired threshold and the associated weighting value.

Auto A continuous weighting function is used and is defined as follows:

$$WF_{ij} = \frac{\log(N_{ij})}{\log(\max(N))} \quad (1)$$

Species frame

Specie(s) to study Enter the name of the specie(s) you want to study. It must match the first line of the concentration file. Multiple species can be indicated, delimited by “;”.

Use of the percentile or an arbitrary threshold Select the way you want to define the threshold to keep a back-trajectory in the M matrix. If you want the X^{th} percentil of the specie check the box and enter the desired percentil. If you prefer an arbitrary threshold uncheck the box and enter a threshold. Both of the percentil or the arbitrary threshold must be an array (i.e. starts with a “[” and ends with a “]”, each value separated by a coma). You can enter several threshold or percentil. In this case the first percentil/threshold is used for the first specie, the second for the second specie, etc. If only one percentil/threshold is specified it is used for all the species.

Date frame Choose from when to when the PSCF will be computed. It may be useful to select a subset of the concentration file without creating a new file.

Miscellaneous frame

Longitude/Latitude Enter the min/max latitude and longitude for the plot part.

Plot back-traj Plot the N matrix, i.e. all the back-trajectory, in a other figure.

Plot polar plot Plot a polar plot indicated the number of cell of M there are in the N, NW, W, SW, S, SE, E, NE quarters, in a other figure.

Smooth the result Use a gaussian filter to smooth the result.

Background resolution Select the resolution of the map background. Higher resolution dataset is much slower to draw. Coastline or lake with an area respectively smaller than 10000, 1000, 100, 10, 1 km² for resolution crude, low, intermediate, high, full will not be plotted. See the matplotlib Basemap module ³ for details.

4 Plot manipulation

4.1 See trajectories

A **left-click** on the map will print all the back-trajectories that passed through this grid-cell. A **right-click** clear all the previous plotted back-trajectories. If you start the script from a terminal, it will also print in the terminal the associated concentrations and days as shown in figure 3.

³site: http://matplotlib.org/basemap/api/basemap_api.html#module-mpl_toolkits.basemap




Figure 3: A left-click on the map near the “Massif Central” at $45^{\circ}00'$ N/ $2^{\circ}00'$ E highlights 10 back-trajectories that passed through the selected grid-cell.

4.2 Save plot

As the script uses the matplotlib module, you can save the figure in the same way as all matplotlib figures by clicking the diskette icon. You can choose the format you want (pdf, png, svg, etc.).

5 Add or modify a station

If you want to change the list of the stations (add, remove or modify an existing one), you have to edit the `parameters/locationStation.json` file.

Manually You can manually open the `parameters/locationStation.json` with a text editor (NotePad, WordPad, Gedit, VIM, etc.) and add your station between the two brackets as follow:

```

{
    'STATION_NAME_1': ['latitude', 'longitude', 'altitude'],
    'STATION_NAME_2': ['latitude', 'longitude', 'altitude'],
    ...
    'STATION_NAME_n': ['latitude', 'longitude', 'altitude']
}

```

Be *sure* that all lines terminate with a coma but not the last one! Otherwith an error will be raised. The longitude/latitude are in degree.

Using the GUI Navigate to the *Stations param.* tab. You should see the GUI as in figure 4.

To modify an already existing station, select it, modify the latitude/longitude and the default altitude for the back-trajectory computation then click on “Save”.

To delete an already existing station, select it and click on “Delete”. Beware, this is unrecoverable.

To add a station, fill the Station name, the latitude/longitude and the default altitude for the back-trajectory computation then click on “Save”.




Figure 4: GUI to edit, delete or add a station.