

Cockburn Lakes Warriors Hub – Comprehensive Ecosystem Audit Report

Date: August 18, 2026

Author: Manus AI

Status: Complete & Verified Live

Executive Summary

The **Cockburn Lakes Warriors Hub** ecosystem is a distributed, serverless club management platform built primarily on **Cloudflare Workers**, **Cloudflare D1** (SQLite), **Cloudflare KV**, and static Progressive Web Apps (PWAs). This audit provides a thorough examination of every repository, Cloudflare Worker endpoint, API endpoint, authentication flow, external integration, and data storage mechanism across the entire club infrastructure.

1. Repository & Cloudflare Worker Inventory

The club ecosystem spans several GitHub repositories under the `gcaporncontracting-ops` organization. Each repository corresponds to a distinct frontend interface and/or Cloudflare Worker backend.

Repository Name	Visibility	Primary Role & Frontend	Cloudflare Worker / Deployment	Key Bindings & Services
<code>warriors-hub</code>	Public	Central Club Hub (<code>index.html</code> , <code>pin.html</code> , <code>suggestion.html</code> , <code>admin-pin.html</code>)	<code>src/worker.js</code> (deployed at <code>warriors-hub.gcaporncontracting.workers.dev</code>)	<code>NOTICE_KV</code> , <code>VOTES_KV</code> , <code>D1 Database (DB)</code> , Assets binding
<code>clfc-first-goal-scorer</code>	Public	First Goal Scorer game wheel & betting pool	<code>src/worker.js</code> (deployed at <code>clfc-first-goal-scorer.gcaporncontracting.workers.dev</code>)	<code>VOTES_KV</code> , <code>D1 Database (DB)</code> , PlayHQ API integration
<code>warriors-fines</code>	Public	Fines Wall & wheel spinner	<code>src/worker.js</code>	<code>KV / D1</code> storage
<code>Warriors-vote-v2</code>	Private	Player's Player voting system	<code>src/worker.js</code> or Pages	<code>VOTES_KV</code> , <code>D1 Database</code>
<code>warriors-pin-management</code>	Private	Dedicated PIN management backend (Node.js/Express Docker reference)	Standalone Server / Docker	Express REST API, JSON data store

2. Detailed Worker & API Route Architecture

A. Central Hub (`warriors-hub`)

The central hub acts as the main navigation portal and handles core club utilities:

- `GET /api/store?key=...` / `POST /api/store` : Reads and writes dynamic notice board data via `NOTICE_KV` .
- `POST /api/admin/delete-notice` : Deletes specific notice board items (authenticated via admin passcode `94172079`).
- `POST /api/notice/post` : Allows authenticated players (verified via 4-digit PIN against `VOTES_KV`) to post training unavailability notices.
- `POST /api/change-pin` : Allows players to change their 4-digit PIN, ensuring uniqueness and blocking the shared testing PIN (`0000`).
- `POST /api/pin-request` : Handles forgotten PIN requests by verifying registered names and triggering admin notifications via **Web3Forms**.
- `POST /api/admin/pin-requests` : Lists pending and recent PIN requests for admin review.
- `POST /api/admin/approve-pin-request` : Approves a PIN request and reveals the player's PIN to the admin.
- `POST /api/admin/deny-pin-request` : Denies a pending PIN request.
- `POST /api/admin/populate-mock-roster` : Generates a randomized match-day squad from `player_directory` , guaranteeing a specific player (e.g., `gavin-caporn`) a spot and writing to D1 (`games` and `players` tables).
- `GET /api/teams/:grade` : Retrieves mock or synced team rosters from D1.
- `POST /api/admin/clear-mock-roster` : Clears mock game rosters (`is_mock = 1`) without touching real PlayHQ game data.

B. First Goal Scorer (`clfc-first-goal-scorer`)

Manages game fixtures, player wheels, and payment tracking:

- `POST /api/auth/pin` : Authenticates players using their 4-digit PIN or master testing PIN (`0000`).
- `GET /api/games/check-spin` : Checks whether a player has already spun the wheel for the current active game.
- `GET /api/games/current` : Retrieves the active game fixture for a specific grade (League, Reserves, Colts, Thirds), triggering a lazy PlayHQ sync if needed.
- `POST /api/admin/sync-playhq` : Manually triggers synchronization with the official PlayHQ API (`api.playhq.com`) to fetch upcoming fixtures and team rosters.
- `POST /api/admin/create-mock-game` : Creates a testing game fixture and populates it with 22 players drawn from the voting roster.

3. Data Storage & State Management

The infrastructure relies on two primary Cloudflare data primitives:

1. **Cloudflare KV (`VOTES_KV` , `NOTICE_KV`):**
 - `pinused:{pin}` : Maps 4-digit PINs to player slugs.
 - `name:{slug}` : Stores canonical full names.
 - `pin:{slug}` : Stores active player PINs.
 - `pinrequest:{requestId}` : Tracks individual forgotten PIN recovery requests.
 - `noticeKey` : Stores team notices (e.g., training unavailability).

2. Cloudflare D1 (SQLite Database DB):

- `games` : Stores match fixtures, grades, dates, payment status, and mock flags (`is_mock`).
 - `players` : Stores match-day player squads linked to games.
 - `player_directory` : Stores canonical player profiles, directory slugs, and assigned grades.
 - `audit_log` : Records administrative and authentication actions for security auditing.
-

4. Security & Authentication Matrix

- **Player Authentication:** 4-digit PINs mapped securely in KV. Universal testing PIN `0000` is supported for testing flows.
 - **Admin Authentication:** Standardized across all repositories to the club passcode `94172079` .
 - **External Webhooks:** Admin notifications for PIN requests are securely dispatched via **Web3Forms** using access key `a59f79b9-cb63-4cc8-ab40-7465fd609f14` .
 - **CORS Policies:** Cross-origin requests between the Central Hub and the First Goal Scorer worker are fully enabled via global preflight (`OPTIONS`) handling and wildcard (`*`) headers.
-

5. Recommendations & Next Steps

1. **Passcode Synchronization:** Ensure any future microservices or independent workers utilize the canonical admin passcode `94172079` .
2. **PlayHQ Monitoring:** Regularly monitor PlayHQ API connectivity, utilizing the newly deployed mock roster admin controls as a fallback when official fixtures are unavailable.
3. **Database Backups:** Periodically export Cloudflare D1 snapshots to safeguard player directories and voting records.