

## ABSTRACT

- Covid has affected XX people
- Forecasts useful for public health resource planning, intervention planning (vaccine trials), and disease burden
- Basic Mechanistic Models unable to capture complexities of real world disease epidemics due to
  - Complexities of interventions
  - Issues with testing and reporting
- We propose a novel forecasting algorithm to overcome
  - Under-reporting of cases
  - Time-varying interventions
- Bayesian end to end estimation using both cases and deaths in numpyro

## MECHANISTIC BAYESIAN FORECASTS OF COVID19

GRAHAM GIBSON

### 1. INTRODUCTION

- Emergence and spread of covid
- Forecasts useful for public health
  - Resource allocation
  - Intervention Planning
  - Disease burden
- Cite Flu Forecasting
- Describe COVID-HUB
  - Number of participating teams as evidence of importance
  - Soliciting forecasts for incident and cumulative deaths
- Mechanistic models have been around since K&K
- Demonstrated success in modeling infectious disease
- Since they were developed around the last pandemic their usefulness as applied forecasting models has gone untested
- Extensions to basic model needed
  - Observations on cases and deaths
  - Time-varying detection probability for varied testing
  - Non-parametric model of interventions
  - Full Bayesian fitting due to unidentifiability of parameters given only a time series of cases and deaths.
- MechBayes outperforms in two settings
  - COVID-HUB relative to baseline model
  - Ablation test relative to basic SEIR model




FIGURE 1. Deaths by state.

- We show improvements in MAE and WIS relative to baseline model in both experimental setups

## 2. DATA

- We use cases/deaths from JHU
- Under-reporting issues
- Batch reporting issues
- Revision Issues
- Weekly cycle issues
- High variability in incident data
- Ref Figure 1

## 3. COMPARTMENTAL MODEL

- Basic SEIR model description
- Definition of compartmental model (description of diff eq as flow between compartments)




FIGURE 2. Compartmental model parameters

- Ref Figure 2
- Interpretation of parameters in basic SEIR model
  - Sigma
  - Gamma
  - beta

### 3.1. Observations on cases and deaths.

- Bayesian model has observations on both cases and deaths
- We can weight likelihood of one over the other
- Explain how cases inform deaths on average 10 days later

### 3.2. Time-varying beta parameter.

- Non-parametrically models time-varying transmissibility through a random walk
- Makes forecasts conditional on current level of interventions
- Requires no external intervention data to make forecasts
- 

### 3.3. Time-varying detection probability.

- Non-parametrically models time varying testing and overall detection of case issues
- Allows for "data dumps"
- Logistic random walk
- Fixed detection probability on deaths

### 3.4. Seeding Epidemic.

- Because of detection probability we cannot seed using initial reported data, since this is an underestimate