Guidance – Content Scan SmartSheet

At-A-Glance

Process Name: Content Scan SmartSheet User Guide
Process Owner: Maddie Johnson
Primary Team(s): Marketing & Digital
Applies To: Content Scan SmartSheet and Sitemap Automation
Effective Date: 04/21/2026
Last Updated: 04/21/2026
Related Documents / Links: SOP – Website Content Scan

Purpose

The Content Scan SmartSheet is used to track website content scans and prioritize which pages should be reviewed next.

Scope

This user guide should assist in maintaining the Content Scan SmartSheet and Sitemap Automation.

Overview

Each row represents a page. The sheet tracks:

- Page status (e.g. issues, tickets, not reviewed)
- Time since last review or update
- Assigned review frequency

These inputs are used to automatically calculate **Review Priority**, which determines the order in which pages should be reviewed.

How the Sheet Works

The sheet is designed so users do not need to manually decide what to review next.

- The **Review Priority** column automatically ranks pages
- Pages should be sorted so the most urgent items appear at the top
- Users work from the top down

Priority is determined in this order:

1. Pages with known issues or submitted tickets
    - The reviewer should check if these tickets have been resolved and mark the page as OK once the issue has been resolved.
2. Pages that have never been reviewed
3. Pages overdue for review
4. Pages not yet due for review

Within each group, pages that are more overdue (longest time since its review cycle is up) are prioritized first.

Using the Sheet

Step Name	Step Description
1. Sort the Sheet	Sort by Review Priority (ascending). This surfaces the pages that need attention first.
2. Open and Review a Page	Click the URL column to open the page. Follow the Website Content Scan SOP (link)
3. Update the Row	After reviewing a page, update the yellow-highlighted fields: • **Last Checked:** enter the date the page was reviewed (today) • **Checked By:** Enter your name • **Page Status:** Select the appropriate status based on the SOP (be. OK at Last Check, Needs Review—Style, Ticket Submitted) • **Review Cycle:** Select how often the page should be reviewed going forward • **Notes:** Add a brief note if needed, or use comments for more detail

Columns

User-Editable Columns (Yellow)

These are the only columns users should update:

- Last Checked
- Checked By
- Page Status
- Review Cycle (see section below)
- Notes

Auto-Generated Columns

These columns are managed by formulas or automation:

- **URL:** Clickable link to the page
- **Site / Page / Sub-Page:** Identifies the page structure
- **Last Updated:** Pulled from the website sitemap
- **Review Window:** Shows the number of days
    - Negative: days overdue
    - Positive: days until next review is due
    - This is a helper column and can be hidden.
- **Review Priority:** A calculated score used to sort the sheet.

Review Cycle

The Review Cycle determines how often a page should be reviewed.
Options: Monthly (30 days), Quarterly (90 days), Semi-Annually (180 days, default), Annually (360 days)
This value is used to calculate when a page is due for review.

Best Practices

- Update fields immediately after reviewing a page.
- Keep Notes brief and actionable.
- Use SmartSheet comments for longer explanations or discussion.
- Do not edit formula-driven columns.
- If a page has an issue, stop and follow the Website Content Scan SOP before continuing.

How to Interpret Review Priority

The numeric value in Review Priority is used for sorting.

- Lower numbers = higher priority
- Higher numbers = lower priority

The exact value is not important for daily use.
Users should simply sort by Review Priority and work from the top down.

More Details (How the number is generated)
The Review Priority value is structured to reflect both *page status* and *review timing*.
Users to not need to interpret the number in practice—sorting the column produces an optimized order automatically.

	Value	Meaning
Whole Number = Page Status The first digit determines the priority group. This ensures: • Pages with known issues are reviewed first. • Pages that have never been reviewed come next. • Pages already reviewed are handled after	0.x	Needs Review—Style Highest priority. An issue has been identified but a ticket has not yet been created.
	1.x	Ticket submitted Follow-up required to update the sheet when the ticket has been resolved.
	2.x	Not Started This page has never been reviewed.
	3.x	OK at Last Check. Page has been scanned before and there were no issues identified at the time.
	1.1x	Ticket Submitted—Functionality

Ticket Submitted Breakdown (Within 1.x) Within the 1.x group, tickets are further prioritized. This ensures: • Functional issues are followed up on first • Major content issues next • Style issues after		As functionality affects the user whether the user can use the site, this is the highest priority among the known issues with tickets.
	1.2x	Ticket Submitted—Major Issue Substantive content changes that require parts of the page be written.
	1.3x	Ticket Submitted—Style Stylistic issues that do not affect the usability of the site of material content.
Decimal = Review Window The remaining decimal portion is used to sort within each group. • It is based on the Review Window (time since or until review) • Values are normalized between 0.1 and 0.9 • Pages that are more overdue appear higher within their group	[x.x1 - x.x5)	Values between x.x1 and x.x5 are overdue to be reviewed.
	x.x5	Around due date Values that are exactly x.x5 are due for review today.
	(x.x5 - x.x9]	Not due yet (lowest priority within group) Values near x.x9 are

Examples:

- 1.11 > Functionality ticket, very overdue
- 1.38 > Style ticket, not yet due
- 2.02 > Not started, very overdue
- 3.06 > Okay at Last Check, not yet due for a review

Troubleshooting or Maintaining This Sheet

I (Gabe Citeli, Intern 2026) recommend this guide be used alongside AI tools to help troubleshoot issues, understand formulas, or make updates.

If you have a question:

- Download this guide in its entirety and upload it to an AI agent.
    - An appendix to this user guide includes prompts to assist an AI agent in understanding more details about how the SmartSheet works.
- You may also download the SmartSheet as a spreadsheet and upload it along with this guide.
- Include your question and any relevant context (e.g., the column having issue, or a screenshot)

AI can help explain how the system works, debug formulas, or assist in making improvements.

How New Pages (Rows) Are Added

New pages are added to this sheet automatically.

- A GitHub automation scans the sitemaps of our websites on a weekly basis.
- Any new pages found are added as new rows in this SmartSheet
- Key fields such as URL, Site, Page, Sub-Page, and Last Updated are populated automatically.

Users generally do **not** need to manually add new pages.

If a page is missing or needs to be tracked manually, a new row can be added by entering the Site, Page, and Sub-Page. The URL column has a formula which automatically generates the link once these fields are populated.

For details on how the automation works or how to maintain it, refer to the Website Content Scan GitHub Automation User Guide

Guide Governance

SOP Owner: John Appleseed
Review Cadence (e.g., Annually, Quarterly): Annually
Next Review Date: 01/01/2027
This guide was generated with the assistance of AI and reviewed for accuracy.

Appendix — Content Scan SmartSheet Logic & Formulas

Purpose (Technical Reference — Not User-Facing)

This section is intended to be readable by an AI agent for assisting in troubleshooting and maintaining the SmartSheet.
It is not intended for general users of the Content Scan SmartSheet.

It serves as a technical reference for:
- Troubleshooting
- Maintenance
- Future updates to the sheet
- Interpreting how formulas and prioritization logic function

This appendix contains the underlying formulas and system logic that power the SmartSheet. It is written at a more technical level than the main user guide and is not required for day-to-day use.

Users should rely on the main user guide for standard operation.
This section should only be referenced when deeper understanding or modification of the system is required.

Important Note

Changes to the formulas in this appendix can impact:
- Sorting behavior
- Priority logic
- Overall system reliability

Updates should be made carefully and validated before being applied broadly.

Core System Design

The sheet prioritizes pages using a composite scoring model:

Review Priority = Status Band + Normalized Review Window

Priority Order
1. Needs Review—Style
2. Ticket Submitted (Functionality → Major Issue → Style)

3. Not Started
4. OK at Last Check
5. Review Cadence Lapsed (treated as fallback unless explicitly handled)

Within each group, pages are sorted by how overdue they are.

Lower Review Priority values indicate higher urgency.
Sorting ascending produces the correct review order.

Expected Column Types

- Last Checked: Date
- Last Updated: Date
- Review Cycle: Dropdown (Monthly, Quarterly, Semi-Annually, Annually)
- Page Status: Dropdown (see valid values below)
- Review Window: Integer (formula)
- Review Priority: Decimal (formula)

Valid Page Status Values (Exact Match Required)

- OK at Last Check
- Needs Review—Style
- Ticket Submitted—Style
- Ticket Submitted—Functionality
- Ticket Submitted—Major Issue
- Review Cadence Lapsed
- Not Started

Any other value will default to the fallback priority (3.9 band).

Key Concepts

Review Window
- Integer value representing time relative to next review date
- Negative = overdue
- Positive = not yet due

Special cases:

- -365 → no Last Checked and no Last Updated
- Review Cycle blank → defaults to 180 days (Semi-Annually)

Normalized Review Window (Decimal Component)

Used to sort within priority bands.

- ≤ -600 → 0.01
- ≥ 600 → 0.09
- Otherwise:

0.05 + (Review Window / 15000)

This ensures:
- No crossover between priority bands
- Stable ordering within each group

Formulas

URL
```
="https://www." + Site@row + Page@row + IF(ISBLANK([Sub-Page]@row), "", [Sub-Page]@row)
```

Review Window
```
=IF(
  AND(ISBLANK([Last Checked]@row), ISBLANK([Last Updated]@row)),
  -365,
  IF(
    ISBLANK([Last Checked]@row),
    (IF([Review Cycle]@row = "Monthly", 30,
    IF([Review Cycle]@row = "Quarterly", 90,
    IF([Review Cycle]@row = "Annually", 360, 180)))
    + [Last Updated]@row - TODAY(),

    (IF([Review Cycle]@row = "Monthly", 30,
    IF([Review Cycle]@row = "Quarterly", 90,
    IF([Review Cycle]@row = "Annually", 360, 180)))
    + [Last Checked]@row - TODAY()
```

```
   )
)
```

Review Priority

```
=IF([Page Status]@row = "Needs Review—Style",
   0 + IF([Review Window]@row <= -600, 0.01, IF([Review Window]@row >= 600, 0.09, 0.05 +
([Review Window]@row / 15000))),

IF([Page Status]@row = "Ticket Submitted—Functionality",
   1.1 + IF([Review Window]@row <= -600, 0.01, IF([Review Window]@row >= 600, 0.09,
0.05 + ([Review Window]@row / 15000))),

IF([Page Status]@row = "Ticket Submitted—Major Issue",
   1.2 + IF([Review Window]@row <= -600, 0.01, IF([Review Window]@row >= 600, 0.09,
0.05 + ([Review Window]@row / 15000))),

IF([Page Status]@row = "Ticket Submitted—Style",
   1.3 + IF([Review Window]@row <= -600, 0.01, IF([Review Window]@row >= 600, 0.09,
0.05 + ([Review Window]@row / 15000))),

IF([Page Status]@row = "Not Started",
   2 + IF([Review Window]@row <= -600, 0.01, IF([Review Window]@row >= 600, 0.09, 0.05 +
([Review Window]@row / 15000))),

IF([Page Status]@row = "OK at Last Check",
   3 + IF([Review Window]@row <= -600, 0.01, IF([Review Window]@row >= 600, 0.09, 0.05 +
([Review Window]@row / 15000))),

3.9 + IF([Review Window]@row <= -600, 0.01, IF([Review Window]@row >= 600, 0.09, 0.05 +
([Review Window]@row / 15000)))
))))))
```

Expected Behavior

- Lower Review Priority values appear first when sorted ascending
- Pages with issues always rank above pages without issues
- More overdue pages rank higher within each group
- Extreme values in Review Window do not break sorting logic
- Unrecognized Page Status values fall into the 3.9 fallback band

---

Troubleshooting Guidelines

If something appears incorrect:

1. Check Page Status
   Ensure values match expected dropdown options exactly

2. Check Review Window
   Confirm dates in Last Checked / Last Updated
   Verify Review Cycle is set correctly

3. Check for unexpected values
   Blank fields may trigger fallback logic
   Unexpected status values default to 3.9

4. Confirm sorting
   Sheet must be sorted by Review Priority (ascending)

Example Prompts for Troubleshooting

- Explain why this row has a higher Review Priority than another row
- Check this Smartsheet formula for errors
- Modify the Review Window formula to change default behavior
- Why is a Not Started page ranking below an OK page
- How can prioritization be adjusted to weight overdue pages more heavily

Include relevant formulas, values, or screenshots when troubleshooting.

Notes for Future Updates

- All prioritization logic is centralized in:
  - Review Window
  - Review Priority

- Changes to prioritization should be made cautiously to avoid breaking:
  - Status band separation
  - Decimal normalization

Summary

This system is designed to:
- Automatically prioritize pages
- Require minimal manual decision-making
- Scale with new pages added via automation

Last Updated: April 22, 2026