

// REST COUNTRIES • EU / REST / V2 / ALL

REQUEST\_HELPER

CONTINENTS

[COUNTRIES]

• GET CONTINENT NAMES

[CONTINENTS] [COUNTRIES]

• COUNTRIES BY CONTINENT

[CONTINENT COUNTRIES] X NUM OF CONTINENTS

• MODEL CONTINENTS

{ continent: continents  
countries: countries }

THIS • CONTINENTS

↓ PUB

CONTINENTS • CONTINENTS-DATA-READY

⊕ SUB

CONTINENT LIST VIEW

THIS • CONTINENTS

↓  
• RENDER



• FOR EACH

• CONTINENTVIEW (CONTINENT)

~~THIS~~ CONTINENTVIEW (CONTINENT)

↓  
• Render

↓  
DISPLAY AS H2 + <LI>





<header> <H1 LOGOS> </header>

• <SECTION ID="CONTINENTS">

<DIV ID=CONTINENT>

<h2 CONTINENT-NAME>

<UL -COUNTRIES>

<LI> <LI> <LI> <LI>

|| || || ||

X number of countries

</UL>

</DIV> X number of continents

1. The Div 'continent' containing an h2 with the continent name and an unordered list of all the countries in the continent is rendered more than once.
2. The benefit of nesting reusable views is that they only need to be created once and can be used multiple times.