Instant Understrap

Cheat Sheet: The Command Line

Understrap Documentation
https://docs.understrap.com/

NPM Documentation
https://docs.understrap.com/#/understrap-child/npm

Nodejs
http://nodejs.org

NPM
https://www.npmjs.com

NVM
https://github.com/nvm-sh/nvm

Browsersync
https://browsersync.io

Understrap Child theme
https://github.com/understrap/understrap-child

Mac command line cheat sheet:
https://www.makeuseof.com/tag/mac-terminal-commands-cheat-sheet/

Windows command line cheat sheet:
https://www.makeuseof.com/tag/essential-windows-cmd-commands/

Bootstrap Variables
https://getbootstrap.com/docs/4.6/getting-started/introduction/

Command Line

Instant Understrap

Cheat Sheet: The Command Line

-V : Check that you have the software and if you do what version of the software you are running.

node -V : Check which node version is running

nvm: Node Version Manager

npm install: installs dependencies

Command for Installing all of our local dependencies
```
npm install
```

custom-javascript.js – where you can create your own custom JavaScript
located under:
                /src/js/custom-javascript.js

_child_theme_variables.scss – is where you can change custom bootstrap variables from their default to styles of your choosing. It is located under:

                /src/sass/theme/_child_theme_variables.scss

NPM Scripts (also for a complete list and definitions they are in your package.json file)

        npm run watch – starts watcher, watcher runs gulp sass task on changes

        npm run css – runs the css

        npm run js - runs JavaScript

        npm run dist - runs css and JavaScript

Installing Browsersync

```
npm install -g browser-sync
```