

bambooBSC 0.5 Install

author: Bill chen
contact: chen.xin.nien@gmail.com

System required

A. **JDK8** (jdk8 is required)

B. MySQL 5.1 or later

1. DataBase setup

- a. first install **MySQL Server**
- b. config **max_allowed_packet=16M**
- c. config **lower_case_table_names = 1**

example for my.ini (my.cnf)

```
[mysqld]  
max_allowed_packet=16M  
lower_case_table_names = 1
```

- d. import bbcore.sql to DataBase
- ```
mysql -u root -p
MYSQL> create database bbcore;
MYSQL> exit;
mysql bbcore -u root -p < bbcore.sql
```

In **Linux** or **FreeBSD** must be set **lower\_case\_table\_names = 1**

## 2. Config settings file

- modify apache-tomcat-7.0.64\webapps\core-web\WEB-INF\classes\applicationContext\conf\applicationContext-datasource.properties
- modify apache-tomcat-7.0.64\webapps\gsbsc-web\WEB-INF\classes\applicationContext\conf\applicationContext-datasource.properties
- modify apache-tomcat-7.0.64\webapps\qcharts-web\WEB-INF\classes\applicationContext\conf\applicationContext-datasource.properties
- modify apache-tomcat-7.0.64\webapps\gsbsc-mobile-web\WEB-INF\classes\applicationContext\conf\applicationContext-

### datasource.properties

datasource.jdbcUrl= this options modify success database server address

datasource.user= this options modify mysql account

datasource.password= this options modify mysql password

## 3. Start

Windows:

apache-tomcat-7.0.64\bin\catalina.bat run

or

apache-tomcat-7.0.64\bin\startup.bat

Linux / \*BSD:

apache-tomcat-7.0.64/bin/startup.sh

## 4. Open the Web ( If the server IP-Address is 127.0.0.1 and PORT is 8080 )

input url

http://127.0.0.1:8080/core-web/pages/way.jsp

if way.jsp cannot redirect to login page. change 127.0.0.1:8080/core-web/index.action

http://127.0.0.1:8080/core-web/index.action

\*\*\* please use **FireFox** or **Google chrome** . **Not use IE** some functions not support \*\*\*

## 5. Login account

administrator user  
account: **admin**  
password: **admin99**

default user  
account: **tester**  
password: **tester**

## 6. modify Application site settings ( If you do not operate this step may page will like figure 6-3, error for page request )

1. click Application site item for menu
2. Query ( figure 6-1 )
3. click modify icons ( figure 6-1 )


In edit mode, modify Host to correct server **hostname with server-port** , or **IP address with server-port** and click **Save**. ( figure 6-2 )

**After modification, please refresh( click F5 ) the WEB to take effect**


**Need to change the settings, including**

- A. CORE**
- B. BSC**
- C. QCHARTS**


**\*\*\* If the results page ( figure 6-3 ), Step 6 Host ( figure 6-2 ) are usually not set correctly. \*\*\***



( figure 6-1 ) : management Application site page



( figure 6-2 ) : modify Application site page



( figure 6-3 ) : request page fail !