Emergence during training

Mystery of emergence

Train LLMs with more compute and surprising capabilities emerge

Wei et al. (2022), Figure 2: some capabilities appear abruptly once model scale crosses a threshold.



Hidden progress

New capabilities:

- Seem to appear suddenly as we input more compute
- Are often not predicted by the training signal (loss)

But: they involve reorganisation of internal representations that can be detected

Physics analogy: phase transition

- More is different (Andersen):
  - More compute induce novel capabilities
- Intuition: rapid change in macroscopic behaviour driven by continuous change in control parameter (compute)
- Phase transition

Scaling laws

Compute-optimal scaling laws (Chinchilla 2022)



Mirage debate

- Mirage: emergence is in the eye of the metric
- But we do know about genuine phase transitions in models (e.g. grokking)

  Source: Schaeffer et al. (2023), Figure 2



Empirical examples of emergence

Silent alignment in DLNs

Atanasov et al. (2021): Neural Networks as Kernel Learners: The Silent Alignment Effect



(a) Whitened Data MLP Dynamics



(b) Prediction MNIST



(c) Prediction CIFAR-10





Sparse parity learning

- Task: SGD learns parity of a substring of bits
  - (n,k)-sparse parity string: get random n-bits string

$$y = \Pi_{j \in k} x_j$$

- Learner sees (x,y) must figure out k
- If SGD random: $2^{O(n)}$ steps
- But SGD not random: $n^{\Omega(k)}$ steps, polynomial (close to optimal)

Sparse parity learning

Hidden Progress in Deep Learning: SGD Learns Parities Near the Computational Limit

- model: $f(w, x) = \sin(w^\top x + b)$
- progress measure: $p(t) = |wt - w_0|_\infty$



Induction Heads

- During transformer training, a specific circuit forms: induction heads
- Pattern: [A][B] … [A] → predict [B]
- *Catherine Olsson et al., "In-context Learning and Induction Heads"*



Grokking

- Task: learn $(a, b) \mapsto a + b \bmod p$ with p prime
- Model: Transformer (1 or 2 layers), MLP
- Cross-entropy loss

Grokking

- *Alethea Power et al., "Grokking: Generalization Beyond Overfitting on Small Algorithmic Datasets" (Figure 1)*
- Grokking as Delayed generalization





Transition from memorization to generalization

- Empirical LLC detects the transition, but does not predict it
- Lower-loss basins that generalize better also tend to have lower LLC
  Ben Cullen et al., "Grokking as a Phase Transition between Competing Basins: a Singular Learning Theory Approach" (Figure 3)





Emergent misalignment

Jan Betley et al., "Emergent Misalignment: Narrow finetuning can produce broadly misaligned LLMs" (Figure 1)



Emergent misalignment as a phase transition

Edward Turner et al., "Model Organisms for Emergent Misalignment" (Figure 10)

EM as a generalization issue

Anna Soligo et al., "Emergent Misalignment is Easy, Narrow Misalignment is Hard" (Figure 1)



EM as a generalization issue

Anna Soligo et al., "Emergent Misalignment is Easy, Narrow Misalignment is Hard" (Figure 5)



(a) **Efficiency**: The general solution achieves lower finetuning losses with a smaller parameter norm.



(b) **Stability**: The general solution deteriorates less rapidly with orthogonal noise added, over 5 seeds.

Discussion

- Examples of emergent behaviours not captured by the loss but can be seen by progress measure
- Sometimes can be understood lazy to rich transition (silent alignment, grokking)
- For alignment: emergent misalignment is relevant to understand