

TIPO DE PETICIONES HTTP

ÍNDICE

- GET: para recuperar información
- POST: para recuperar información
- DELETE: eliminar un objeto del servidor
- PUT: actualizar información de un objeto del servidor

```
const headers = new Headers({  
  "Content-Type": "application/json",  
  Authorization: "JWT " + localStorage.getItem("token"),  
});
```

AÑADIR HEADERS

Muchas peticiones requieren cabeceras, *headers*, para operaciones como por ejemplo el token de autorización para operaciones de guardado o eliminar un objeto del servidor

PETICIONES GET y POST

GET

```
public obtenerListado(url: string): Observable<any> {  
    return this.httpClient.get(url);  
}
```

```
public obtenerListado(url: string, body: any): Observable<any> {  
    const headers = new HttpHeaders({  
        "Content-Type": "application/json"  
    });  
    return this.httpClient.post(url, body, { headers });  
}
```

POST

PETICIONES DELETE y PUT

DELETE

```
public eliminarEntrada(url: string, id: number): Observable<any> {  
    return this.httpClient.delete(`${ url }/${ id }`);  
}
```

```
public eliminarEntrada(url: string, body: any): Observable<any> {  
  
    const headers = new HttpHeaders({  
        "Content-Type": "application/json"  
    });  
  
    return this.httpClient.put(url, body, { headers });  
}
```

PUT