

• T2 Analysis

sample name:	15N-ScCBM2 (82 uM) + 0.25 mM Gd
Description/Title:	
Origin:	in-house
Date of preparation:	27 Sep 2023
Solvent:	D2O
pH:	7.0
Sample tube:	normal
Tube diameter (mm):	3
Concentration (mM):	10.00
Temperature (K):	308.0
Weight (Daltons):	8900
Correlation time (ns):	4.00
Labelling:	15N
Sequence format:	FASTA file
Sequence file:	???
PDB file:	???


Time = 0.002 s
ppm
110.00
115.00
120.00
125.00
130.00
10.00
9.00
8.00
7.00
6.00
ppm
H/N G84
H/N T30
H/N G43
H/N G70
H/N G62
H/N G44
H/N G29
H/N G50
H/N G49
H/N G59
H/N F85
H/N N68
H/N N53
H/N N13
H/N T90
H/N T65
H/N V74
H/N R72
H/N N72
H/N N27
H/N T46
H/N E31
H/N Q41
H/N T57
H/N V38
H/N V23
H/N R67
H/N D93
H/N V66
H/N E12
HE1/NE1 W40
H/N V25
H/N L48
H/N L56
H/N Y9


T2 histogram
x10-1
3.00
2.00
1.00
25
50
75
residues


Fitted function:	f(t) = Io * exp (-t/T)
Random error estimation of data:	RMS per spectrum (or trace/plane)
Systematic error estimation of data:	worst case per peak scenario
Fit parameter Error estimation method:	from fit using arbitrary y uncertainties
Confidence level:	95%
Used peaks:	peaks from peaklist.xml at spectrum
Used integrals:	peak intensities
Used Time:	all values (including replicates) used


Peak name	F1 [ppm]	F2 [ppm]	Io	error	T2 [s]	error	fitInfo
HE1/NE1 W52	129.736	10.088	1.99e+04	3039	0.0238	0.01092	Done
HE1/NE1 W40	128.766	10.528	2.21e+04	5758	0.0233	0.01826	Done
HE1/NE1 W36	129.614	9.812	1.58e+04	3406	0.0308	0.02026	Done
HE1/NE1 W15	129.736	10.070	2.67e+04	4017	0.0179	0.007923	Done
H/N T2	127.434	7.787	8.83e+03	2122	0.0183	0.01294	Done
H/N G3	111.687	8.468	0.00	0.000	0.00	0.000	Fail
H/N S4	115.563	8.245	1.30e+04	2555	0.0216	0.01266	Done
H/N C5	118.713	8.397	0.00	0.000	0.00	0.000	Fail
H/N M6	124.527	8.673	1.11e+04	2097	0.0265	0.01504	Done
H/N A7	125.617	8.720	1.77e+04	4495	0.0302	0.02337	Done
H/N V8	120.651	8.732	1.71e+04	2400	0.0272	0.01150	Done
H/N Y9	133.612	9.096	1.70e+04	2005	0.0281	0.01005	Done
H/N S10	115.321	8.738	0.00	0.000	0.00	0.000	Fail
H/N V11	122.589	8.444	2.30e+04	3894	0.0346	0.01815	Done
H/N E12	128.282	8.615	1.67e+04	2216	0.0201	0.007925	Done
H/N N13	113.504	7.593	2.84e+04	4238	0.0335	0.01537	Done
H/N S14	117.017	8.509	1.54e+04	5579	0.0224	0.02425	Done
H/N W15	122.468	8.198	2.44e+04	4640	0.0369	0.02186	Done
H/N S16	113.746	8.620	0.00	0.000	0.00	0.000	Fail
H/N G17	119.318	8.937	1.35e+04	2728	0.0223	0.01350	Done
H/N G18	111.202	7.394	3.43e+04	6245	0.0298	0.01650	Done
H/N F19	112.656	7.576	2.44e+04	5556	0.0304	0.02104	Done
H/N Q20	118.470	8.585	1.49e+04	3330	0.0254	0.01703	Done
H/N G21	114.473	8.069	1.69e+04	3227	0.0240	0.01373	Done
H/N S22	115.079	8.386	2.02e+04	6878	0.0354	0.03748	Done
H/N V23	123.558	8.192	1.84e+04	4276	0.0219	0.01524	Done
H/N E24	127.071	8.133	1.85e+04	3673	0.0239	0.01430	Done
H/N V25	129.251	9.102	1.74e+04	3159	0.0242	0.01319	Done
H/N M26	123.073	8.978	1.79e+04	3034	0.0228	0.01158	Done
H/N N27	117.501	7.951	1.26e+04	3696	0.0219	0.01928	Done
H/N H28	123.921	8.726	1.86e+04	3495	0.0347	0.02013	Done
H/N G29	109.143	8.304	2.20e+04	4399	0.0277	0.01674	Done


Peak name	F1 [ppm]	F2 [ppm]	Io	error	T2 [s]	error	fitInfo
H/N T30	106.357	7.576	1.30e+04	3071	0.0138	0.009042	Done
H/N E31	120.408	7.593	2.90e+04	3708	0.0311	0.01214	Done
H/N L33	122.831	8.298	1.30e+04	4785	0.0327	0.03708	Done
H/N N34	123.437	8.838	1.31e+04	1394	0.0199	0.006254	Done
H/N G35	113.141	8.169	1.15e+04	2885	0.0399	0.03159	Done
H/N W36	112.293	7.664	1.75e+04	2693	0.0325	0.01532	Done
H/N A37	120.166	8.491	0.00	0.000	0.00	0.000	Fail
H/N V38	121.983	9.595	1.04e+04	4355	0.0188	0.02320	Done
H/N Q39	124.527	8.568	2.25e+04	2415	0.0303	0.009901	Done
H/N W40	123.921	8.667	1.68e+04	3177	0.0416	0.02508	Done
H/N Q41	120.772	9.360	1.07e+04	3904	0.0328	0.03660	Done
H/N G43	107.447	8.949	1.59e+04	2180	0.0237	0.009745	Done
H/N G44	108.416	8.726	0.00	0.000	0.00	0.000	Fail
H/N G45	114.352	8.896	0.00	0.000	0.00	0.000	Fail
H/N T46	119.318	7.946	2.76e+04	3602	0.0392	0.01613	Done
H/N T47	123.073	8.550	2.09e+04	4656	0.0354	0.02445	Done
H/N L48	130.826	9.278	1.89e+04	1772	0.0278	0.007887	Done
H/N G49	111.566	9.043	1.83e+04	3050	0.0311	0.01582	Done
H/N G50	110.112	7.752	2.14e+04	4203	0.0293	0.01749	Done
H/N V51	120.045	8.128	2.40e+04	3345	0.0329	0.01409	Done
H/N W52	125.133	8.791	2.02e+04	3495	0.0228	0.01184	Done
H/N N53	114.594	9.331	7.89e+03	5379	0.00679	0.008875	Done
H/N S55	115.079	8.679	1.50e+04	3874	0.0258	0.02008	Done
H/N L56	131.552	8.879	1.20e+04	1108	0.0134	0.003413	Done
H/N T57	121.499	9.119	2.04e+04	2181	0.0336	0.01102	Done
H/N S58	119.318	8.615	1.02e+04	3338	0.0187	0.01808	Done
H/N G59	112.656	8.556	1.55e+04	6980	0.0294	0.04021	Done
H/N S60	117.865	8.814	0.00	0.000	0.00	0.000	Fail
H/N D61	119.682	8.098	0.00	0.000	0.00	0.000	Fail
H/N G62	107.326	7.816	1.61e+04	2357	0.0162	0.006846	Done
H/N T63	111.324	7.547	3.67e+04	2272	0.0327	0.006203	Done
H/N V64	117.501	8.556	1.38e+04	5224	0.0417	0.05034	Done
H/N T65	116.290	8.186	2.06e+04	4561	0.0316	0.02136	Done
H/N V66	127.313	9.477	1.01e+04	2962	0.0383	0.03525	Done
H/N R67	125.133	8.327	1.62e+04	4819	0.0156	0.01327	Done
H/N N68	113.262	6.173	1.97e+04	4314	0.0311	0.02075	Done
H/N V69	111.324	7.969	1.32e+04	739.4	0.0227	0.003803	Done
H/N D70	119.197	8.257	1.21e+04	1489	0.0209	0.007641	Done
H/N H71	127.434	7.793	9.51e+03	2588	0.0311	0.02581	Done
H/N N72	117.501	6.725	1.92e+04	3337	0.0281	0.01480	Done
H/N R73	117.501	6.789	2.18e+04	6672	0.0279	0.02589	Done
H/N V74	114.958	7.822	2.11e+04	1627	0.0330	0.007824	Done
H/N V75	125.980	7.717	2.09e+04	2568	0.0389	0.01507	Done
H/N D78	120.772	8.409	1.42e+04	1747	0.0338	0.01285	Done
H/N G79	107.084	8.110	1.66e+04	2543	0.0326	0.01534	Done


Peak name	F1 [ppm]	F2 [ppm]	Io	error	T2 [s]	error	fitInfo
H/N S80	111.081	8.028	3.23e+04	4000	0.0453	0.01829	Done
H/N V81	113.746	8.433	2.09e+04	3726	0.0199	0.01055	Done
H/N T82	113.262	8.010	1.68e+04	5235	0.0336	0.03228	Done
H/N F83	120.408	8.585	2.27e+04	6613	0.0260	0.02288	Done
H/N G84	106.357	7.570	1.22e+04	4335	0.0122	0.01151	Done
H/N F85	112.172	7.212	2.25e+04	5059	0.0227	0.01529	Done
H/N T86	111.687	8.356	1.86e+04	2022	0.0217	0.007038	Done
H/N A87	124.527	8.568	2.25e+04	2415	0.0303	0.009901	Done
H/N T88	114.231	8.468	2.23e+04	4180	0.0309	0.01768	Done
H/N S89	118.107	7.993	2.75e+04	4445	0.0324	0.01601	Done
H/N T90	115.927	9.554	1.17e+04	2808	0.0146	0.009893	Done
H/N G91	109.264	8.333	2.54e+04	6875	0.0282	0.02310	Done
H/N N92	119.924	8.216	1.10e+04	2911	0.0210	0.01656	Done
H/N D93	125.496	7.629	1.34e+04	4729	0.00709	0.004925	Done
H/N F94	118.470	7.852	1.73e+04	1860	0.0405	0.01381	Done
H/N V96	121.499	8.703	1.56e+04	2821	0.0185	0.009867	Done
H/N D97	120.287	8.198	1.98e+04	1983	0.0298	0.009075	Done
H/N S98	115.200	8.110	1.43e+04	4508	0.0249	0.02356	Done
H/N I99	122.104	8.439	2.05e+04	2471	0.0333	0.01233	Done
H/N G100	113.141	8.028	5.60e+03	1772	0.0450	0.04639	Done
H/N C101	119.439	8.926	1.01e+04	3603	0.0240	0.02584	Done
H/N V102	124.163	9.084	1.32e+04	1717	0.0188	0.007213	Done
H/N A103	127.797	8.415	2.10e+04	5807	0.0274	0.02287	Done


Current fit display






fit/HE1/NE1 W52: T2 = 0.0238 s
fit/HE1/NE1 W40: T2 = 0.0233 s
fit/HE1/NE1 W36: T2 = 0.0308 s
fit/HE1/NE1 W15: T2 = 0.0179 s
x10 4
2.00
1.50
1.00
0.50
2.50
0.0100
0.0200
0.0300
0.0400
0.0500
s



fit/H/N T2: T2 = 0.0183 s
x10 4
0.75
0.50
0.25
0.00
0.0100
0.0200
0.0300
0.0400
0.0500
s
H/N G3: fit Failed !
x10 3
2.00
1.00
0.00
-1.00
-2.00
fit/H/N S4: T2 = 0.0216 s
1.25
H/N C5: fit Failed !
1.50
-0.50



fit/H/N M6: T2 = 0.0265 s
fit/H/N A7: T2 = 0.0302 s
fit/H/N V8: T2 = 0.0272 s
fit/H/N Y9: T2 = 0.0281 s
x10^4
0.0100
0.0200
0.0300
0.0400
0.0500
s



H/N S10: fit Failed !
x10 3
0.50
0.00
-0.50
-1.00
-1.50
-2.00
0.0100
0.0200
0.0300
0.0400
0.0500
s
fit/H/N V11: T2 = 0.0346 s
x10 4
2.50
2.00
1.50
1.00
0.50
fit/H/N E12: T2 = 0.0201 s
fit/H/N N13: T2 = 0.0335 s
3.00



fit/H/N S14: T2 = 0.0224 s
x10 4
1.50
1.00
0.50
0.0100
0.0200
0.0300
0.0400
0.0500
s
fit/H/N W15: T2 = 0.0369 s
x10 4
2.50
2.00
1.50
1.00
0.0100
0.0200
0.0300
0.0400
0.0500
s
H/N S16: Fit Failed !
x10 3
0.50
0.00
-0.50
-1.00
-1.50
0.0100
0.0200
0.0300
0.0400
0.0500
s
fit/H/N G17: T2 = 0.0223 s
x10 4
1.50
1.25
1.00
0.75
0.50
0.25
0.0100
0.0200
0.0300
0.0400
0.0500
s



fit/H/N G18: T2 = 0.0298 s
fit/H/N F19: T2 = 0.0304 s
fit/H/N Q20: T2 = 0.0254 s
fit/H/N G21: T2 = 0.0240 s
x10 4
0.0100
0.0200
0.0300
0.0400
0.0500
s



fit/H/N S22: T2 = 0.0354 s
fit/H/N V23: T2 = 0.0219 s
fit/H/N E24: T2 = 0.0239 s
fit/H/N V25: T2 = 0.0242 s
x10 4
2.00
1.50
1.00
0.50
0.0100
0.0200
0.0300
0.0400
0.0500
s



fit/H/N M26: T2 = 0.0228 s
fit/H/N N27: T2 = 0.0219 s
fit/H/N H28: T2 = 0.0347 s
fit/H/N G29: T2 = 0.0277 s
x10 4
0.0100
0.0200
0.0300
0.0400
0.0500
s



fit/H/N T30: T2 = 0.0138 s
x10 4
1.25
1.00
0.75
0.50
0.25
0.00
0.0100
0.0200
0.0300
0.0400
0.0500
s
fit/H/N E31: T2 = 0.0311 s
x10 4
3.00
2.00
1.00
0.0100
0.0200
0.0300
0.0400
0.0500
s
fit/H/N L33: T2 = 0.0327 s
x10 4
1.50
1.00
0.50
0.0100
0.0200
0.0300
0.0400
0.0500
s
fit/H/N N34: T2 = 0.0199 s
x10 4
1.25
1.00
0.75
0.50
0.25
0.0100
0.0200
0.0300
0.0400
0.0500
s



fit/H/N G35: T2 = 0.0399 s
x10 4
1.25
1.00
0.75
0.50
0.25
0.0100
0.0200
0.0300
0.0400
0.0500
s
fit/H/N W36: T2 = 0.0325 s
x10 4
2.00
1.50
1.00
0.50
H/N A37: fit Failed !
x10 3
1.00
0.50
0.00
-0.50
-1.00
fit/H/N V38: T2 = 0.0188 s
x10 4
1.00
0.75
0.50
0.25



fit/H/N Q39: T2 = 0.0303 s
fit/H/N W40: T2 = 0.0416 s
fit/H/N Q41: T2 = 0.0328 s
fit/H/N G43: T2 = 0.0237 s
x10 4
0.0100
0.0200
0.0300
0.0400
0.0500
s



H/N G44: fit Failed !
x10 4
0.75
0.50
0.25
0.00
0.0100
0.0200
0.0300
0.0400
0.0500
s
H/N G45: fit Failed !
x10 3
1.00
0.00
-1.00
-2.00
fit/H/N T46: T2 = 0.0392 s
3.00
2.50
2.00
1.50
1.00
fit/H/N T47: T2 = 0.0354 s



fit/H/N L48: T2 = 0.0278 s
fit/H/N G49: T2 = 0.0311 s
fit/H/N G50: T2 = 0.0293 s
fit/H/N V51: T2 = 0.0329 s
x10 4
2.00
1.50
1.00
0.50
2.50
0.0100
0.0200
0.0300
0.0400
0.0500
s



fit/H/N W52: T2 = 0.0228 s
x10 4
2.00
1.50
1.00
0.50
0.0100
0.0200
0.0300
0.0400
0.0500
s
fit/H/N N53: T2 = 0.00679 s
x10 3
5.00
2.50
fit/H/N S55: T2 = 0.0258 s
fit/H/N L56: T2 = 0.0134 s
0.75
0.25



fit/H/N T57: T2 = 0.0336 s
fit/H/N S58: T2 = 0.0187 s
fit/H/N G59: T2 = 0.0294 s
H/N S60: fit Failed !
x10 4
x10 3
2.00
1.50
1.00
0.50
0.75
0.25
0.00
-0.50
-1.00
-1.50
-2.00
0.0100
0.0200
0.0300
0.0400
0.0500
s



H/N D61: fit Failed !
x10 3
0.50
0.00
-0.50
0.0100
0.0200
0.0300
0.0400
0.0500
s
fit/H/N G62: T2 = 0.0162 s
x10 4
1.50
1.00
0.50
fit/H/N T63: T2 = 0.0327 s
4.00
3.00
2.00
1.00
fit/H/N V64: T2 = 0.0417 s



fit/H/N T65: T2 = 0.0316 s
fit/H/N V66: T2 = 0.0383 s
fit/H/N R67: T2 = 0.0156 s
fit/H/N N68: T2 = 0.0311 s
x10 4
0.0100
0.0200
0.0300
0.0400
0.0500
s



fit/H/N V69: T2 = 0.0227 s
fit/H/N D70: T2 = 0.0209 s
fit/H/N H71: T2 = 0.0311 s
fit/H/N N72: T2 = 0.0281 s
x10^4
0.0100
0.0200
0.0300
0.0400
0.0500
s



fit/H/N R73: T2 = 0.0279 s
fit/H/N V74: T2 = 0.0330 s
fit/H/N V75: T2 = 0.0389 s
fit/H/N D78: T2 = 0.0338 s
x10 4
0.0100
0.0200
0.0300
0.0400
0.0500
s



fit/H/N G79: T2 = 0.0326 s
fit/H/N S80: T2 = 0.0453 s
fit/H/N V81: T2 = 0.0199 s
fit/H/N T82: T2 = 0.0336 s
x10 4
0.0100
0.0200
0.0300
0.0400
0.0500
s


fit/H/N F83: T2 = 0.0260 s
fit/H/N G84: T2 = 0.0122 s
fit/H/N F85: T2 = 0.0227 s
fit/H/N T86: T2 = 0.0217 s
x10 4
0.0100
0.0200
0.0300
0.0400
0.0500
s


fit/H/N A87: T2 = 0.0303 s
fit/H/N T88: T2 = 0.0309 s
fit/H/N S89: T2 = 0.0324 s
fit/H/N T90: T2 = 0.0146 s
x10 4
s


fit/H/N G91: T2 = 0.0282 s
fit/H/N N92: T2 = 0.0210 s
fit/H/N D93: T2 = 0.00709 s
fit/H/N F94: T2 = 0.0405 s
x10 4
0.0100
0.0200
0.0300
0.0400
0.0500
s


fit/H/N V96: T2 = 0.0185 s
fit/H/N D97: T2 = 0.0298 s
fit/H/N S98: T2 = 0.0249 s
fit/H/N I99: T2 = 0.0333 s
x10 4
1.50
1.00
0.50
2.00
0.0100
0.0200
0.0300
0.0400
0.0500
s


fit/H/N G100: T2 = 0.0450 s
x10 3
5.00
2.50
0.0100
0.0200
0.0300
0.0400
0.0500
s
fit/H/N C101: T2 = 0.0240 s
x10 4
1.00
0.75
0.50
0.25
fit/H/N V102: T2 = 0.0188 s
x10 4
1.25
1.00
0.75
0.50
0.25
fit/H/N A103: T2 = 0.0274 s
x10 4
2.00
1.50
1.00
0.50