

sample name:	15N-ScCBM2 (82 uM) + 0.5 mM Gd
Description/Title:	
Origin:	in-house
Date of preparation:	27 Sep 2023
Solvent:	D2O
pH:	7.0
Sample tube:	normal
Tube diameter (mm):	3
Concentration (mM):	10.00
Temperature (K):	308.0
Weight (Daltons):	8900
Correlation time (ns):	4.00
Labelling:	15N
Sequence format:	FASTA file
Sequence file:	???
PDB file:	???


Time = 0.002 s
ppm
110.00
115.00
120.00
125.00
130.00
10.00
9.00
8.00
7.00
6.00
ppm
H/N G84
H/N T30
H/N G43
H/N G70
H/N G62
H/N G44
H/N G29
H/N G50
H/N S80
H/N G49
H/N T85
H/N V69
H/N G18
H/N G59
H/N F85
H/N N68
H/N T84
H/N N13
H/N N58
H/N T90
H/N V74
H/N T65
H/N V64
H/N N27
H/N R73
H/N N72
H/N T46
H/N E31
H/N Q41
H/N T57
H/N V38
H/N V23
H/N R67
H/N D93
H/N V75
H/N V66
H/N E12
HE1/NE1 W40
H/N V25
H/N L48
H/N L56
H/N Y9


T2 histogram
x10-1
1.50
1.00
0.50
25
50
75
residues


Fitted function:	f(t) = Io * exp (-t/T)
Random error estimation of data:	RMS per spectrum (or trace/plane)
Systematic error estimation of data:	worst case per peak scenario
Fit parameter Error estimation method:	from fit using arbitrary y uncertainties
Confidence level:	95%
Used peaks:	peaks from peaklist.xml at spectrum
Used integrals:	peak intensities
Used Time:	all values (including replicates) used


Peak name	F1 [ppm]	F2 [ppm]	Io	error	T2 [s]	error	fitInfo
HE1/NE1 W52	129.736	10.089	1.49e+04	3475	0.0103	0.005899	Done
HE1/NE1 W40	128.766	10.529	2.49e+04	5156	0.0207	0.01276	Done
HE1/NE1 W36	129.614	9.807	1.72e+04	2765	0.0321	0.01583	Done
HE1/NE1 W15	129.736	10.071	1.43e+04	3808	0.0183	0.01431	Done
H/N T2	127.434	7.794	1.21e+04	3314	0.0152	0.01191	Done
H/N G3	111.929	8.439	0.00	0.000	0.00	0.000	Fail
H/N S4	115.442	8.246	1.61e+04	5260	0.0176	0.01688	Done
H/N C5	118.955	8.428	0.00	0.000	0.00	0.000	Fail
H/N M6	124.527	8.668	1.12e+04	1759	0.0458	0.02350	Done
H/N A7	125.617	8.715	1.70e+04	3442	0.0422	0.02743	Done
H/N V8	120.651	8.727	1.54e+04	2510	0.0290	0.01434	Done
H/N Y9	133.612	9.097	1.81e+04	4824	0.0209	0.01664	Done
H/N S10	115.321	8.745	0.00	0.000	0.00	0.000	Fail
H/N V11	122.589	8.439	2.62e+04	3764	0.0251	0.01082	Done
H/N E12	128.282	8.616	1.66e+04	5632	0.0273	0.02796	Done
H/N N13	113.504	7.594	2.99e+04	3963	0.0230	0.009136	Done
H/N S14	117.017	8.510	1.91e+04	5566	0.0185	0.01593	Done
H/N W15	122.468	8.199	2.53e+04	3368	0.0288	0.01164	Done
H/N S16	113.746	8.621	0.00	0.000	0.00	0.000	Fail
H/N G17	119.318	8.932	1.69e+04	2670	0.0177	0.008193	Done
H/N G18	111.202	7.389	3.63e+04	4766	0.0315	0.01265	Done
H/N F19	112.656	7.571	2.57e+04	4149	0.0248	0.01202	Done
H/N Q20	118.470	8.586	1.45e+04	4584	0.0247	0.02347	Done
H/N G21	114.473	8.064	1.58e+04	1875	0.0232	0.008255	Done
H/N S22	115.079	8.381	2.07e+04	5525	0.0338	0.02773	Done
H/N V23	123.558	8.187	1.94e+04	1850	0.0266	0.007645	Done
H/N E24	127.071	8.128	1.81e+04	1737	0.0329	0.009672	Done
H/N V25	129.251	9.097	1.78e+04	2743	0.0210	0.009647	Done
H/N M26	123.073	8.973	1.71e+04	2476	0.0298	0.01314	Done
H/N N27	117.380	7.952	1.38e+04	2315	0.0271	0.01366	Done
H/N H28	123.921	8.721	2.12e+04	3241	0.0295	0.01369	Done
H/N G29	109.143	8.299	2.67e+04	3188	0.0262	0.009430	Done


Peak name	F1 [ppm]	F2 [ppm]	Io	error	T2 [s]	error	fitInfo
H/N T30	106.357	7.571	1.26e+04	2357	0.0182	0.01003	Done
H/N E31	120.408	7.594	3.56e+04	3927	0.0268	0.008944	Done
H/N L33	122.710	8.293	1.44e+04	2881	0.0287	0.01741	Done
H/N N34	123.437	8.839	1.73e+04	2613	0.0178	0.007900	Done
H/N G35	113.019	8.164	1.36e+04	3705	0.0370	0.03142	Done
H/N W36	112.293	7.653	1.94e+04	3558	0.0264	0.01461	Done
H/N A37	120.045	8.481	0.00	0.000	0.00	0.000	Fail
H/N V38	121.983	9.596	1.32e+04	4087	0.0175	0.01585	Done
H/N Q39	124.527	8.563	2.19e+04	1559	0.0286	0.006161	Done
H/N W40	123.921	8.662	1.81e+04	4022	0.0358	0.02467	Done
H/N Q41	120.772	9.355	1.24e+04	3423	0.0235	0.01948	Done
H/N G43	107.447	8.944	1.84e+04	5836	0.0194	0.01823	Done
H/N G44	108.416	8.727	6.76e+03	904.5	0.0200	0.007943	Done
H/N G45	114.594	8.938	0.00	0.000	0.00	0.000	Fail
H/N T46	119.318	7.941	3.16e+04	3436	0.0442	0.01552	Done
H/N T47	123.073	8.551	2.37e+04	1970	0.0302	0.007620	Done
H/N L48	130.826	9.273	2.22e+04	6443	0.0185	0.01578	Done
H/N G49	111.566	9.038	2.25e+04	3313	0.0198	0.008620	Done
H/N G50	110.112	7.753	2.17e+04	846.9	0.0208	0.002421	Done
H/N V51	120.045	8.128	2.25e+04	4639	0.0323	0.02036	Done
H/N W52	125.133	8.792	2.09e+04	3610	0.0158	0.007820	Done
H/N N53	114.594	9.337	8.47e+03	2913	0.00718	0.004910	Done
H/N S55	115.079	8.674	1.76e+04	1920	0.0203	0.006570	Done
H/N L56	131.431	8.880	1.34e+04	5995	0.0113	0.01312	Done
H/N T57	121.499	9.114	2.10e+04	3705	0.0306	0.01649	Done
H/N S58	119.318	8.610	1.02e+04	4136	0.0139	0.01572	Done
H/N G59	112.656	8.551	2.30e+04	3592	0.0173	0.007923	Done
H/N S60	117.986	8.844	0.00	0.000	0.00	0.000	Fail
H/N D61	120.408	8.076	0.00	0.000	0.00	0.000	Fail
H/N G62	107.326	7.812	1.76e+04	3083	0.0215	0.01119	Done
H/N T63	111.324	7.542	4.07e+04	4659	0.0309	0.01081	Done
H/N V64	117.380	8.557	1.57e+04	1819	0.0263	0.009183	Done
H/N T65	116.290	8.181	2.34e+04	3754	0.0248	0.01194	Done
H/N V66	127.313	9.484	1.09e+04	4476	0.0346	0.04410	Done
H/N R67	125.133	8.322	1.59e+04	6464	0.0220	0.02674	Done
H/N N68	113.262	6.174	2.24e+04	4219	0.0301	0.01731	Done
H/N V69	111.324	7.964	1.57e+04	1461	0.0234	0.006547	Done
H/N D70	119.197	8.252	1.41e+04	4104	0.0279	0.02468	Done
H/N H71	127.434	7.794	1.21e+04	3314	0.0152	0.01191	Done
H/N N72	117.501	6.720	2.13e+04	4174	0.0259	0.01528	Done
H/N R73	117.501	6.790	2.60e+04	6449	0.0337	0.02579	Done
H/N V74	114.958	7.817	2.27e+04	4318	0.0311	0.01811	Done
H/N V75	125.980	7.712	2.66e+04	2922	0.0308	0.01033	Done
H/N D78	120.772	8.404	1.64e+04	2898	0.0337	0.01833	Done
H/N G79	107.084	8.105	1.86e+04	1848	0.0364	0.01127	Done


Peak name	F1 [ppm]	F2 [ppm]	Io	error	T2 [s]	error	fitInfo
H/N S80	111.081	8.023	3.48e+04	1096	0.0383	0.003788	Done
H/N V81	113.746	8.428	1.98e+04	1667	0.0310	0.007964	Done
H/N T82	113.383	8.005	1.91e+04	1435	0.0379	0.008948	Done
H/N F83	120.408	8.580	2.32e+04	2635	0.0301	0.01042	Done
H/N G84	106.357	7.571	1.26e+04	2357	0.0182	0.01003	Done
H/N F85	112.172	7.207	2.34e+04	1755	0.0233	0.005227	Done
H/N T86	111.566	8.351	1.52e+04	5074	0.0185	0.01813	Done
H/N A87	124.527	8.569	2.09e+04	1951	0.0254	0.007154	Done
H/N T88	114.231	8.469	2.44e+04	3707	0.0316	0.01465	Done
H/N S89	118.107	7.988	3.06e+04	2638	0.0291	0.007613	Done
H/N T90	115.927	9.554	1.51e+04	2014	0.0160	0.006163	Done
H/N G91	109.264	8.328	3.05e+04	3280	0.0243	0.007832	Done
H/N N92	119.924	8.211	1.23e+04	5018	0.0152	0.01767	Done
H/N D93	125.496	7.641	4.42e+03	2593	0.0135	0.02186	Done
H/N F94	118.349	7.847	1.66e+04	4988	0.0217	0.01946	Done
H/N V96	121.499	8.704	1.50e+04	2961	0.0223	0.01315	Done
H/N D97	120.287	8.199	2.60e+04	1884	0.0312	0.006908	Done
H/N S98	115.200	8.105	1.56e+04	3004	0.0179	0.01009	Done
H/N I99	122.104	8.434	2.21e+04	2388	0.0301	0.009922	Done
H/N G100	113.262	8.017	1.11e+04	3383	0.0322	0.02999	Done
H/N C101	119.439	8.927	1.37e+04	3184	0.0132	0.008443	Done
H/N V102	124.163	9.079	1.41e+04	2930	0.0244	0.01523	Done
H/N A103	127.797	8.410	2.07e+04	3491	0.0279	0.01419	Done


Current fit display






fit/HE1/NE1 W52: T2 = 0.0103 s
fit/HE1/NE1 W40: T2 = 0.0207 s
fit/HE1/NE1 W36: T2 = 0.0321 s
fit/HE1/NE1 W15: T2 = 0.0183 s
x10 4
0.0100
0.0200
0.0300
0.0400
0.0500
s



fit/H/N T2: T2 = 0.0152 s
x10 4
1.25
1.00
0.75
0.50
0.25
0.0100
0.0200
0.0300
0.0400
0.0500
s
H/N G3: fit Failed !
x10 3
0.50
0.00
-0.50
-1.00
fit/H/N S4: T2 = 0.0176 s
1.50
H/N C5: fit Failed !
1.50
1.00
0.50
0.00
-0.50



fit/H/N M6: T2 = 0.0458 s
fit/H/N A7: T2 = 0.0422 s
fit/H/N V8: T2 = 0.0290 s
fit/H/N Y9: T2 = 0.0209 s
x10 4
0.0100
0.0200
0.0300
0.0400
0.0500
s



H/N S10: fit Failed !
x10 3
1.00
0.50
0.00
-0.50
-1.00
-1.50
0.0100
0.0200
0.0300
0.0400
0.0500
s
fit/H/N V11: T2 = 0.0251 s
x10 4
2.50
2.00
1.50
1.00
0.50
fit/H/N E12: T2 = 0.0273 s
fit/H/N N13: T2 = 0.0230 s
3.00



fit/H/N S14: T2 = 0.0185 s
x10 4
2.00
1.50
1.00
0.50
0.0100
0.0200
0.0300
0.0400
0.0500
s
fit/H/N W15: T2 = 0.0288 s
x10 4
2.50
2.00
1.50
1.00
0.50
H/N S16: fit Failed !
x10 3
1.00
0.00
-1.00
-2.00
fit/H/N G17: T2 = 0.0177 s
x10 4
1.50
1.00
0.50



fit/H/N G18: T2 = 0.0315 s
fit/H/N F19: T2 = 0.0248 s
fit/H/N Q20: T2 = 0.0247 s
fit/H/N G21: T2 = 0.0232 s
x10 4
0.0100
0.0200
0.0300
0.0400
0.0500
s



fit/H/N S22: T2 = 0.0338 s
fit/H/N V23: T2 = 0.0266 s
fit/H/N E24: T2 = 0.0329 s
fit/H/N V25: T2 = 0.0210 s
x10 4
2.00
1.50
1.00
0.50
0.0100
0.0200
0.0300
0.0400
0.0500
s



fit/H/N M26: T2 = 0.0298 s
fit/H/N N27: T2 = 0.0271 s
fit/H/N H28: T2 = 0.0295 s
fit/H/N G29: T2 = 0.0262 s
x10 4
0.0100
0.0200
0.0300
0.0400
0.0500
s



fit/H/N T30: T2 = 0.0182 s
fit/H/N E31: T2 = 0.0268 s
fit/H/N L33: T2 = 0.0287 s
fit/H/N N34: T2 = 0.0178 s
x10 4
0.0100
0.0200
0.0300
0.0400
0.0500
s



fit/H/N G35: T2 = 0.0370 s
fit/H/N W36: T2 = 0.0264 s
H/N A37: fit Failed !
fit/H/N V38: T2 = 0.0175 s
s



fit/H/N Q39: T2 = 0.0286 s
fit/H/N W40: T2 = 0.0358 s
fit/H/N Q41: T2 = 0.0235 s
fit/H/N G43: T2 = 0.0194 s
x10 4
0.0100
0.0200
0.0300
0.0400
0.0500
s



fit/H/N G44: T2 = 0.0200 s
x10 3
5.00
2.50
0.00
0.0100
0.0200
0.0300
0.0400
0.0500
s
H/N G45: fit Failed !
x10 3
1.00
0.50
0.00
-0.50
0.0100
0.0200
0.0300
0.0400
0.0500
s
fit/H/N T46: T2 = 0.0442 s
x10 4
3.00
2.00
1.00
0.0100
0.0200
0.0300
0.0400
0.0500
s
fit/H/N T47: T2 = 0.0302 s
x10 4
2.50
2.00
1.50
1.00
0.50
0.0100
0.0200
0.0300
0.0400
0.0500
s



fit/H/N L48: T2 = 0.0185 s
fit/H/N G49: T2 = 0.0198 s
fit/H/N G50: T2 = 0.0208 s
fit/H/N V51: T2 = 0.0323 s
x10 4
2.50
2.00
1.50
1.00
0.50
0.0100
0.0200
0.0300
0.0400
0.0500
s



fit/H/N W52: T2 = 0.0158 s
x10 4
2.00
1.50
1.00
0.50
0.0100
0.0200
0.0300
0.0400
0.0500
s
fit/H/N N53: T2 = 0.00718 s
x10 3
7.50
5.00
2.50
0.00
fit/H/N S55: T2 = 0.0203 s
fit/H/N L56: T2 = 0.0113 s
1.25
0.75
0.25



fit/H/N T57: T2 = 0.0306 s
fit/H/N S58: T2 = 0.0139 s
fit/H/N G59: T2 = 0.0173 s
H/N S60: fit Failed !
x10 4
x10 3
0.0100
0.0200
0.0300
0.0400
0.0500
s



H/N D61: fit Failed !
x10 3
0.50
0.00
-0.50
-1.00
-1.50
-2.00
0.0100
0.0200
0.0300
0.0400
0.0500
s
fit/H/N G62: T2 = 0.0215 s
x10 4
1.50
1.00
0.50
fit/H/N T63: T2 = 0.0309 s
4.00
3.00
2.00
1.00
fit/H/N V64: T2 = 0.0263 s



fit/H/N T65: T2 = 0.0248 s
fit/H/N V66: T2 = 0.0346 s
fit/H/N R67: T2 = 0.0220 s
fit/H/N N68: T2 = 0.0301 s
x10 4
0.0100
0.0200
0.0300
0.0400
0.0500
s



fit/H/N V69: T2 = 0.0234 s
fit/H/N D70: T2 = 0.0279 s
fit/H/N H71: T2 = 0.0152 s
fit/H/N N72: T2 = 0.0259 s
x10 4
0.0100
0.0200
0.0300
0.0400
0.0500
s



fit/H/N R73: T2 = 0.0337 s
fit/H/N V74: T2 = 0.0311 s
fit/H/N V75: T2 = 0.0308 s
fit/H/N D78: T2 = 0.0337 s
x10 4
0.0100
0.0200
0.0300
0.0400
0.0500
s



fit/H/N G79: T2 = 0.0364 s
fit/H/N S80: T2 = 0.0383 s
fit/H/N V81: T2 = 0.0310 s
fit/H/N T82: T2 = 0.0379 s
x10 4
0.0100
0.0200
0.0300
0.0400
0.0500
s


fit/H/N F83: T2 = 0.0301 s
fit/H/N G84: T2 = 0.0182 s
fit/H/N F85: T2 = 0.0233 s
fit/H/N T86: T2 = 0.0185 s
x10 4
0.0100
0.0200
0.0300
0.0400
0.0500
s


fit/H/N A87: T2 = 0.0254 s
x10^4
2.00
1.50
1.00
0.50
0.0100
0.0200
0.0300
0.0400
0.0500
s
fit/H/N T88: T2 = 0.0316 s
x10^4
2.50
2.00
1.50
1.00
0.50
0.0100
0.0200
0.0300
0.0400
0.0500
s
fit/H/N S89: T2 = 0.0291 s
x10^4
3.00
2.00
1.00
0.0100
0.0200
0.0300
0.0400
0.0500
s
fit/H/N T90: T2 = 0.0160 s
x10^4
1.50
1.25
1.00
0.75
0.50
0.25
0.00
0.0100
0.0200
0.0300
0.0400
0.0500
s


fit/H/N G91: T2 = 0.0243 s
x10 4
3.00
2.00
1.00
0.0100
0.0200
0.0300
0.0400
0.0500
s
fit/H/N N92: T2 = 0.0152 s
x10 4
1.25
1.00
0.75
0.50
0.25
0.00
0.0100
0.0200
0.0300
0.0400
0.0500
s
fit/H/N D93: T2 = 0.0135 s
x10 3
4.00
3.00
2.00
1.00
0.0100
0.0200
0.0300
0.0400
0.0500
s
fit/H/N F94: T2 = 0.0217 s
x10 4
1.50
1.00
0.50
0.0100
0.0200
0.0300
0.0400
0.0500
s


fit/H/N V96: T2 = 0.0223 s
fit/H/N D97: T2 = 0.0312 s
fit/H/N S98: T2 = 0.0179 s
fit/H/N I99: T2 = 0.0301 s
x10 4
0.0100
0.0200
0.0300
0.0400
0.0500
s


fit/H/N G100: T2 = 0.0322 s
fit/H/N C101: T2 = 0.0132 s
fit/H/N V102: T2 = 0.0244 s
fit/H/N A103: T2 = 0.0279 s
x10^4
s