

T2 Analysis

sample name:	15N-ScCBM2 (82 uM) + 0.25 mM Gd
Description/Title:	
Origin:	in-house
Date of preparation:	27 Sep 2023
Solvent:	D2O
pH:	7.0
Sample tube:	normal
Tube diameter (mm):	3
Concentration (mM):	10.00
Temperature (K):	308.0
Weight (Daltons):	8900
Correlation time (ns):	4.00
Labelling:	15N
Sequence format:	FASTA file
Sequence file:	???
PDB file:	???


Time = 0.002 s
H/N G29
H/N G91
H/N G3
H/N T86
H/N G59
H/N S16
H/N V81
H/N T88
H/N G45
H/N S10
H/N S55
H/N S22
H/N S4
H/N T65
H/N S14
H/N V64
H/N S60
H/N Q20
ppm
110.00
112.50
115.00
117.50
8.90
8.80
8.70
8.60
8.50
8.40
8.30
ppm


T2 histogram
x10-1
3.00
2.00
1.00
25
50
75
residues


Fitted function:	f(t) = Io * exp (-t/T)
Random error estimation of data:	RMS per spectrum (or trace/plane)
Systematic error estimation of data:	worst case per peak scenario
Fit parameter Error estimation method:	from fit using arbitrary y uncertainties
Confidence level:	95%
Used peaks:	peaks from peaklist.xml at spectrum
Used integrals:	peak intensities
Used Time:	all values (including replicates) used


Peak name	F1 [ppm]	F2 [ppm]	Io	error	T2 [s]	error	fitInfo
HE1/NE1 W52	129.736	10.082	2.25e+04	1938	0.0454	0.01272	Done
HE1/NE1 W40	128.766	10.528	1.64e+04	5528	0.0230	0.02317	Done
HE1/NE1 W36	129.614	9.807	1.63e+04	4111	0.0446	0.03654	Done
HE1/NE1 W15	129.736	10.071	2.79e+04	1336	0.0479	0.007596	Done
H/N T2	127.434	7.794	1.16e+04	2445	0.0120	0.006642	Done
H/N G3	111.687	8.451	0.00	0.000	0.00	0.000	Fail
H/N S4	115.563	8.246	8.00e+03	1889	0.0189	0.01319	Done
H/N C5	118.713	8.410	0.00	0.000	0.00	0.000	Fail
H/N M6	124.527	8.668	9.18e+03	3103	0.0302	0.03102	Done
H/N A7	125.617	8.721	1.71e+04	2419	0.0284	0.01220	Done
H/N V8	120.651	8.733	1.64e+04	1275	0.0231	0.005360	Done
H/N Y9	133.612	9.102	1.38e+04	814.9	0.0258	0.004600	Done
H/N S10	114.594	8.744	0.00	0.000	0.00	0.000	Fail
H/N V11	122.589	8.445	2.06e+04	1490	0.0409	0.009410	Done
H/N E12	128.282	8.621	1.41e+04	1010	0.0215	0.004600	Done
H/N N13	113.504	7.594	2.64e+04	3422	0.0416	0.01719	Done
H/N S14	117.017	8.510	1.03e+04	3970	0.0199	0.02274	Done
H/N W15	122.468	8.199	1.99e+04	2398	0.0407	0.01560	Done
H/N S16	113.625	8.621	0.00	0.000	0.00	0.000	Fail
H/N G17	119.318	8.932	8.01e+03	1583	0.0171	0.009819	Done
H/N G18	111.202	7.389	2.77e+04	2127	0.0410	0.01001	Done
H/N F19	112.656	7.577	2.05e+04	1701	0.0379	0.009864	Done
H/N Q20	118.470	8.586	1.32e+04	5163	0.0213	0.02481	Done
H/N G21	114.473	8.064	1.57e+04	1606	0.0264	0.008163	Done
H/N S22	114.958	8.386	2.02e+04	4974	0.0310	0.02324	Done
H/N V23	123.558	8.187	1.75e+04	6256	0.0249	0.02669	Done
H/N E24	127.071	8.128	1.96e+04	2606	0.0275	0.01105	Done
H/N V25	129.251	9.102	1.89e+04	530.3	0.0257	0.002168	Done
H/N M26	123.073	8.979	1.85e+04	1341	0.0267	0.005847	Done
H/N N27	117.501	7.952	1.32e+04	2944	0.0359	0.02480	Done
H/N H28	123.921	8.721	1.95e+04	4647	0.0173	0.01207	Done
H/N G29	109.143	8.298	1.65e+04	4029	0.0329	0.02469	Done


Peak name	F1 [ppm]	F2 [ppm]	Io	error	T2 [s]	error	fitInfo
H/N T30	106.357	7.594	8.18e+03	2685	0.0107	0.008843	Done
H/N E31	120.408	7.594	2.31e+04	904.8	0.0312	0.003742	Done
H/N L33	122.831	8.298	1.44e+04	1146	0.0235	0.005608	Done
H/N N34	123.437	8.844	7.45e+03	4070	0.0158	0.02478	Done
H/N G35	113.019	8.169	1.17e+04	1757	0.0345	0.01592	Done
H/N W36	112.414	7.670	1.77e+04	4885	0.0322	0.02719	Done
H/N A37	120.287	8.492	0.00	0.000	0.00	0.000	Fail
H/N V38	121.983	9.595	9.60e+03	1573	0.0333	0.01677	Done
H/N Q39	124.527	8.568	1.93e+04	2564	0.0432	0.01843	Done
H/N W40	123.921	8.662	1.84e+04	4166	0.0305	0.02105	Done
H/N Q41	120.772	9.361	9.60e+03	5290	0.0311	0.05228	Done
H/N G43	107.447	8.950	1.17e+04	6322	0.0178	0.02824	Done
H/N G44	108.416	8.727	5.45e+03	2947	0.00432	0.003371	Done
H/N G45	114.473	8.897	0.00	0.000	0.00	0.000	Fail
H/N T46	119.318	7.940	1.98e+04	2880	0.0521	0.02582	Done
H/N T47	123.073	8.551	1.65e+04	5030	0.0329	0.03089	Done
H/N L48	130.826	9.284	1.15e+04	5259	0.0220	0.03018	Done
H/N G49	111.566	9.044	1.69e+04	3968	0.0210	0.01472	Done
H/N G50	110.233	7.753	1.23e+04	6150	0.0336	0.05167	Done
H/N V51	120.045	8.128	2.11e+04	4350	0.0509	0.03537	Done
H/N W52	125.133	8.791	2.01e+04	1432	0.0222	0.004726	Done
H/N N53	114.594	9.331	8.00e+03	2469	0.00525	0.002638	Done
H/N S55	115.079	8.674	1.63e+04	1775	0.0204	0.006602	Done
H/N L56	131.552	8.879	9.23e+03	7015	0.00777	0.01232	Done
H/N T57	121.499	9.120	1.65e+04	2702	0.0358	0.01826	Done
H/N S58	119.318	8.609	6.78e+03	3983	0.0178	0.03062	Done
H/N G59	112.656	8.551	8.71e+03	4449	0.0359	0.05700	Done
H/N S60	117.744	8.821	0.00	0.000	0.00	0.000	Fail
H/N D61	119.924	8.087	0.00	0.000	0.00	0.000	Fail
H/N G62	107.326	7.811	9.32e+03	4231	0.00707	0.006309	Done
H/N T63	111.324	7.547	2.23e+04	1425	0.0334	0.006579	Done
H/N V64	117.501	8.557	1.34e+04	1799	0.0342	0.01414	Done
H/N T65	116.290	8.181	1.87e+04	3087	0.0281	0.01400	Done
H/N V66	127.313	9.484	1.20e+04	3409	0.0238	0.02029	Done
H/N R67	125.133	8.322	1.47e+04	2440	0.0263	0.01315	Done
H/N N68	113.262	6.174	2.14e+04	1660	0.0293	0.006916	Done
H/N V69	111.324	7.970	1.30e+04	3443	0.0242	0.01920	Done
H/N D70	119.318	8.269	6.01e+03	2522	0.0164	0.01994	Done
H/N H71	127.434	7.794	1.16e+04	2445	0.0120	0.006642	Done
H/N N72	117.501	6.720	1.79e+04	3254	0.0261	0.01426	Done
H/N R73	117.501	6.790	1.90e+04	2070	0.0388	0.01329	Done
H/N V74	114.958	7.823	2.06e+04	2814	0.0424	0.01852	Done
H/N V75	125.980	7.711	1.05e+04	4075	0.0355	0.04271	Done
H/N D78	120.772	8.404	1.74e+04	1298	0.0225	0.005031	Done
H/N G79	107.084	8.105	1.45e+04	3431	0.0387	0.02874	Done


Peak name	F1 [ppm]	F2 [ppm]	Io	error	T2 [s]	error	fitInfo
H/N S80	111.081	8.023	3.19e+04	3064	0.0513	0.01665	Done
H/N V81	113.746	8.427	1.88e+04	3432	0.0229	0.01253	Done
H/N T82	113.383	8.005	1.72e+04	1759	0.0428	0.01404	Done
H/N F83	120.408	8.586	2.26e+04	3991	0.0308	0.01665	Done
H/N G84	106.357	7.571	1.21e+04	3097	0.0206	0.01572	Done
H/N F85	112.172	7.213	2.28e+04	2578	0.0254	0.008645	Done
H/N T86	111.687	8.357	1.83e+04	2756	0.0298	0.01367	Done
H/N A87	124.527	8.568	1.93e+04	2564	0.0432	0.01843	Done
H/N T88	114.231	8.469	2.33e+04	5480	0.0312	0.02241	Done
H/N S89	118.107	7.993	2.37e+04	1872	0.0373	0.009210	Done
H/N T90	115.927	9.554	1.28e+04	5379	0.00350	0.001867	Done
H/N G91	109.264	8.334	1.64e+04	5078	0.0217	0.01995	Done
H/N N92	119.924	8.216	5.24e+03	2297	0.0265	0.03511	Done
H/N D93	125.496	7.635	1.33e+04	2698	0.0199	0.01194	Done
H/N F94	118.470	7.852	1.54e+04	3613	0.0363	0.02651	Done
H/N V96	121.499	8.703	1.11e+04	2717	0.0229	0.01678	Done
H/N D97	120.287	8.199	1.28e+04	403.1	0.0527	0.005644	Done
H/N S98	115.200	8.105	8.33e+03	1373	0.0210	0.01030	Done
H/N I99	122.104	8.433	1.31e+04	5123	0.0315	0.03769	Done
H/N G100	113.019	8.028	6.41e+03	4487	0.0174	0.03560	Done
H/N C101	119.439	8.926	7.15e+03	2067	0.00956	0.006548	Done
H/N V102	124.163	9.079	1.08e+04	3570	0.0326	0.03303	Done
H/N A103	127.797	8.416	1.29e+04	4247	0.0271	0.02700	Done


Current fit display






fit/HE1/NE1 W52: T2 = 0.0454 s
fit/HE1/NE1 W40: T2 = 0.0230 s
fit/HE1/NE1 W36: T2 = 0.0446 s
fit/HE1/NE1 W15: T2 = 0.0479 s
x10 4
0.0100
0.0200
0.0300
0.0400
0.0500
s



fit/H/N T2: T2 = 0.0120 s
x10 4
1.00
0.75
0.50
0.25
0.00
0.0100
0.0200
0.0300
0.0400
0.0500
s
H/N G3: fit Failed !
x10 3
2.00
1.00
0.00
-1.00
fit/H/N S4: T2 = 0.0189 s
7.50
5.00
2.50
H/N C5: fit Failed !
0.50
-0.50
-1.00
-1.50



fit/H/N M6: T2 = 0.0302 s
fit/H/N A7: T2 = 0.0284 s
fit/H/N V8: T2 = 0.0231 s
fit/H/N Y9: T2 = 0.0258 s
x10 4
0.0100
0.0200
0.0300
0.0400
0.0500
s



H/N S10: fit Failed !
x10 3
2.00
1.50
1.00
0.50
0.00
-0.50
-1.00
0.0100
0.0200
0.0300
0.0400
0.0500
s
fit/H/N V11: T2 = 0.0409 s
x10 4
2.00
1.50
1.00
0.50
fit/H/N E12: T2 = 0.0215 s
x10 4
1.25
1.00
0.75
0.50
0.25
fit/H/N N13: T2 = 0.0416 s
x10 4
3.00
2.50
2.00
1.50
1.00
0.50



fit/H/N S14: T2 = 0.0199 s
x10 4
1.25
1.00
0.75
0.50
0.25
0.0100
0.0200
0.0300
0.0400
0.0500
s
fit/H/N W15: T2 = 0.0407 s
x10 4
2.00
1.50
1.00
0.50
0.0100
0.0200
0.0300
0.0400
0.0500
s
H/N S16: fit Failed !
x10 3
1.50
1.00
0.50
0.00
0.0100
0.0200
0.0300
0.0400
0.0500
s
fit/H/N G17: T2 = 0.0171 s
x10 3
7.50
5.00
2.50
0.00
0.0100
0.0200
0.0300
0.0400
0.0500
s



fit/H/N G18: T2 = 0.0410 s
fit/H/N F19: T2 = 0.0379 s
fit/H/N Q20: T2 = 0.0213 s
fit/H/N G21: T2 = 0.0264 s
x10 4
0.0100
0.0200
0.0300
0.0400
0.0500
s



fit/H/N S22: T2 = 0.0310 s
fit/H/N V23: T2 = 0.0249 s
fit/H/N E24: T2 = 0.0275 s
fit/H/N V25: T2 = 0.0257 s
x10 4
2.00
1.50
1.00
0.50
0.0100
0.0200
0.0300
0.0400
0.0500
s



fit/H/N M26: T2 = 0.0267 s
fit/H/N N27: T2 = 0.0359 s
fit/H/N H28: T2 = 0.0173 s
fit/H/N G29: T2 = 0.0329 s
x10^4
0.0100
0.0200
0.0300
0.0400
0.0500
s



fit/H/N T30: T2 = 0.0107 s
x10 3
7.50
5.00
2.50
0.0100
0.0200
0.0300
0.0400
0.0500
s
fit/H/N E31: T2 = 0.0312 s
x10 4
2.00
1.50
1.00
0.50
fit/H/N L33: T2 = 0.0235 s
x10 4
1.50
1.25
1.00
0.75
0.50
0.25
fit/H/N N34: T2 = 0.0158 s
x10 3
5.00
2.50
0.00



fit/H/N G35: T2 = 0.0345 s
x10 4
1.25
1.00
0.75
0.50
0.25
0.0100
0.0200
0.0300
0.0400
0.0500
s
fit/H/N W36: T2 = 0.0322 s
x10 4
2.00
1.50
1.00
0.50
H/N A37: fit Failed !
x10 3
3.00
2.00
1.00
0.00
fit/H/N V38: T2 = 0.0333 s
x10 4
1.00
0.75
0.50
0.25



fit/H/N Q39: T2 = 0.0432 s
fit/H/N W40: T2 = 0.0305 s
fit/H/N Q41: T2 = 0.0311 s
fit/H/N G43: T2 = 0.0178 s
x10^4
s
0.0100
0.0200
0.0300
0.0400
0.0500



fit/H/N G44: T2 = 0.00432 s
x10 3
4.00
3.00
2.00
1.00
0.00
0.0100
0.0200
0.0300
0.0400
0.0500
s
H/N G45: fit Failed !
x10 3
0.50
0.00
-0.50
-1.00
-1.50
-2.00
fit/H/N T46: T2 = 0.0521 s
x10 4
2.00
1.50
1.00
0.50
fit/H/N T47: T2 = 0.0329 s
x10 4
2.00
1.50
1.00
0.50



fit/H/N L48: T2 = 0.0220 s
fit/H/N G49: T2 = 0.0210 s
fit/H/N G50: T2 = 0.0336 s
fit/H/N V51: T2 = 0.0509 s
x10 4
0.0100
0.0200
0.0300
0.0400
0.0500
s



fit/H/N W52: T2 = 0.0222 s
x10 4
2.00
1.50
1.00
0.50
0.0100
0.0200
0.0300
0.0400
0.0500
s
fit/H/N N53: T2 = 0.00525 s
x10 3
5.00
2.50
0.00
fit/H/N S55: T2 = 0.0204 s
fit/H/N L56: T2 = 0.00777 s
0.75
0.25



fit/H/N T57: T2 = 0.0358 s
x10 4
1.50
1.00
0.50
0.0100
0.0200
0.0300
0.0400
0.0500
s
fit/H/N S58: T2 = 0.0178 s
x10 3
5.00
2.50
0.00
fit/H/N G59: T2 = 0.0359 s
x10 4
1.00
0.75
0.50
0.25
H/N S60: fit Failed !
x10 3
2.00
1.00
0.00
-1.00



H/N D61: fit Failed !
x10 3
3.00
2.00
1.00
0.00
-1.00
-2.00
0.0100
0.0200
0.0300
0.0400
0.0500
s
fit/H/N G62: T2 = 0.00707 s
x10 3
7.50
5.00
2.50
0.00
fit/H/N T63: T2 = 0.0334 s
x10 4
2.00
1.50
1.00
0.50
fit/H/N V64: T2 = 0.0342 s
x10 4
1.50
1.25
1.00
0.75
0.50



fit/H/N T65: T2 = 0.0281 s
fit/H/N V66: T2 = 0.0238 s
fit/H/N R67: T2 = 0.0263 s
fit/H/N N68: T2 = 0.0293 s
x10 4
0.0100
0.0200
0.0300
0.0400
0.0500
s



fit/H/N V69: T2 = 0.0242 s
x10 4
1.25
1.00
0.75
0.50
0.25
0.00
0.0100
0.0200
0.0300
0.0400
0.0500
s
fit/H/N D70: T2 = 0.0164 s
x10 3
5.00
2.50
fit/H/N H71: T2 = 0.0120 s
fit/H/N N72: T2 = 0.0261 s
2.00
1.50



fit/H/N R73: T2 = 0.0388 s
fit/H/N V74: T2 = 0.0424 s
fit/H/N V75: T2 = 0.0355 s
fit/H/N D78: T2 = 0.0225 s
x10 4
0.0100
0.0200
0.0300
0.0400
0.0500
s



fit/H/N G79: T2 = 0.0387 s
fit/H/N S80: T2 = 0.0513 s
fit/H/N V81: T2 = 0.0229 s
fit/H/N T82: T2 = 0.0428 s
x10 4
1.50
1.00
0.50
3.00
2.00
0.0100
0.0200
0.0300
0.0400
0.0500
s


fit/H/N F83: T2 = 0.0308 s
fit/H/N G84: T2 = 0.0206 s
fit/H/N F85: T2 = 0.0254 s
fit/H/N T86: T2 = 0.0298 s
x10 4
0.0100
0.0200
0.0300
0.0400
0.0500
s


fit/H/N A87: T2 = 0.0432 s
x10 4
2.00
1.50
1.00
0.50
0.0100
0.0200
0.0300
0.0400
0.0500
s
fit/H/N T88: T2 = 0.0312 s
x10 4
2.50
2.00
1.50
1.00
0.50
0.0100
0.0200
0.0300
0.0400
0.0500
s
fit/H/N S89: T2 = 0.0373 s
x10 4
2.50
2.00
1.50
1.00
0.50
0.0100
0.0200
0.0300
0.0400
0.0500
s
fit/H/N T90: T2 = 0.00350 s
x10 3
7.50
5.00
2.50
0.0100
0.0200
0.0300
0.0400
0.0500
s


fit/H/N G91: T2 = 0.0217 s
x10 4
1.50
1.00
0.50
0.0100
0.0200
0.0300
0.0400
0.0500
s
fit/H/N N92: T2 = 0.0265 s
x10 3
5.00
2.50
fit/H/N D93: T2 = 0.0199 s
x10 4
1.25
0.75
0.25
fit/H/N F94: T2 = 0.0363 s


fit/H/N V96: T2 = 0.0229 s
fit/H/N D97: T2 = 0.0527 s
fit/H/N S98: T2 = 0.0210 s
fit/H/N I99: T2 = 0.0315 s
x10 4
0.0100
0.0200
0.0300
0.0400
0.0500
s


fit/H/N G100: T2 = 0.0174 s
x10 3
7.50
5.00
2.50
0.0100
0.0200
0.0300
0.0400
0.0500
s
fit/H/N C101: T2 = 0.00956 s
x10 3
5.00
2.50
0.00
0.0100
0.0200
0.0300
0.0400
0.0500
s
fit/H/N V102: T2 = 0.0326 s
x10 4
1.00
0.75
0.50
0.25
0.0100
0.0200
0.0300
0.0400
0.0500
s
fit/H/N A103: T2 = 0.0271 s
x10 4
1.25
1.00
0.75
0.50
0.25
0.0100
0.0200
0.0300
0.0400
0.0500
s