

• T2 Analysis

sample name:	15N-ScCBM2 (82 uM) + 1 mM Gd
Description/Title:	
Origin:	in-house
Date of preparation:	27 Sep 2023
Solvent:	D2O
pH:	7.0
Sample tube:	normal
Tube diameter (mm):	3
Concentration (mM):	10.00
Temperature (K):	308.0
Weight (Daltons):	8900
Correlation time (ns):	4.00
Labelling:	15N
Sequence format:	FASTA file
Sequence file:	???
PDB file:	???


Time = 0.002 s
H/N G43
H/N G44
H/N G49
H/N N53
H/N T90
H/N Q41
H/N V38
H/N V66
HE1/NE1 W40
H/N L48
H/N L56
H/N Y9
H/N G50
H/N G59
H/N T65
H/N N27
H/N E31
H/N V23
H/N R67
H/N D93
H/N V75
H/N E12
H/N V25
H/N N68
H/N R72
H/N N72
ppm
110.00
115.00
120.00
125.00
130.00
10.00
9.00
8.00
7.00
6.00
ppm


T2 histogram
x10-1
2.50
2.00
1.50
1.00
0.50
25
50
75
residues


Fitted function:	f(t) = Io * exp (-t/T)
Random error estimation of data:	RMS per spectrum (or trace/plane)
Systematic error estimation of data:	worst case per peak scenario
Fit parameter Error estimation method:	from fit using arbitrary y uncertainties
Confidence level:	95%
Used peaks:	peaks from peaklist.xml at spectrum
Used integrals:	peak intensities
Used Time:	all values (including replicates) used


Peak name	F1 [ppm]	F2 [ppm]	Io	error	T2 [s]	error	fitInfo
HE1/NE1 W52	129.736	10.089	6.78e+03	7266	0.00455	0.007274	Done
HE1/NE1 W40	128.766	10.529	2.52e+04	7546	0.0216	0.01936	Done
HE1/NE1 W36	129.614	9.807	1.70e+04	6318	0.0302	0.03425	Done
HE1/NE1 W15	129.614	10.065	8.93e+03	1.053e+04	0.00290	0.003904	Done
H/N T2	127.434	7.794	1.16e+04	2666	0.0130	0.008171	Done
H/N G3	111.929	8.439	0.00	0.000	0.00	0.000	Fail
H/N S4	115.563	8.246	1.31e+04	2620	0.0237	0.01425	Done
H/N C5	119.076	8.410	0.00	0.000	0.00	0.000	Fail
H/N M6	124.527	8.674	1.27e+04	1933	0.0248	0.01130	Done
H/N A7	125.617	8.721	1.65e+04	3793	0.0312	0.02196	Done
H/N V8	120.651	8.727	1.51e+04	4374	0.0228	0.01971	Done
H/N Y9	133.612	9.103	1.69e+04	2512	0.0249	0.01111	Done
H/N S10	114.473	8.750	0.00	0.000	0.00	0.000	Fail
H/N V11	122.589	8.439	2.39e+04	3679	0.0256	0.01186	Done
H/N E12	128.282	8.621	1.75e+04	3848	0.0220	0.01448	Done
H/N N13	113.504	7.594	2.66e+04	1687	0.0287	0.005517	Done
H/N S14	117.017	8.516	1.77e+04	5039	0.00865	0.005502	Done
H/N W15	122.468	8.199	2.38e+04	2104	0.0129	0.003094	Done
H/N S16	113.867	8.627	0.00	0.000	0.00	0.000	Fail
H/N G17	119.318	8.932	1.53e+04	2490	0.0158	0.007430	Done
H/N G18	110.960	7.401	3.78e+04	2515	0.0372	0.007733	Done
H/N F19	112.656	7.571	2.01e+04	3160	0.0259	0.01224	Done
H/N Q20	118.470	8.586	1.38e+04	3235	0.0186	0.01285	Done
H/N G21	114.473	8.064	1.62e+04	3961	0.0214	0.01555	Done
H/N S22	114.958	8.387	2.16e+04	4774	0.0252	0.01683	Done
H/N V23	123.558	8.187	1.77e+04	6978	0.0369	0.04527	Done
H/N E24	127.071	8.128	1.93e+04	3421	0.0193	0.01011	Done
H/N V25	129.251	9.103	1.82e+04	2233	0.0171	0.006101	Done
H/N M26	123.073	8.979	1.82e+04	2969	0.0241	0.01179	Done
H/N N27	117.501	7.946	1.36e+04	4979	0.0186	0.02007	Done
H/N H28	123.800	8.727	2.09e+04	4107	0.0184	0.01067	Done
H/N G29	109.143	8.304	2.70e+04	5848	0.0235	0.01522	Done


Peak name	F1 [ppm]	F2 [ppm]	Io	error	T2 [s]	error	fitInfo
H/N T30	106.478	7.571	1.03e+04	2928	0.0130	0.01009	Done
H/N E31	120.408	7.594	3.44e+04	3773	0.0288	0.009591	Done
H/N L33	122.831	8.299	1.40e+04	3124	0.0309	0.02106	Done
H/N N34	123.316	8.839	1.76e+04	3871	0.0139	0.008525	Done
H/N G35	113.019	8.170	1.38e+04	2192	0.0275	0.01319	Done
H/N W36	112.293	7.653	1.89e+04	6702	0.0209	0.02208	Done
H/N A37	119.924	8.492	0.00	0.000	0.00	0.000	Fail
H/N V38	121.983	9.601	1.05e+04	924.6	0.0148	0.003707	Done
H/N Q39	124.527	8.569	2.10e+04	7044	0.0249	0.02512	Done
H/N W40	123.921	8.662	2.12e+04	7262	0.0234	0.02402	Done
H/N Q41	120.772	9.361	1.39e+04	1328	0.0266	0.007685	Done
H/N G43	107.447	8.950	1.92e+04	2543	0.0183	0.007135	Done
H/N G44	108.416	8.721	7.34e+03	5836	0.00856	0.01510	Done
H/N G45	114.473	8.903	0.00	0.000	0.00	0.000	Fail
H/N T46	119.318	7.941	3.44e+04	5952	0.0354	0.01895	Done
H/N T47	123.073	8.545	2.39e+04	4697	0.0325	0.01956	Done
H/N L48	130.826	9.279	2.61e+04	6669	0.0162	0.01197	Done
H/N G49	111.566	9.044	2.14e+04	3842	0.0171	0.008926	Done
H/N G50	110.112	7.753	1.99e+04	977.8	0.0107	0.001318	Done
H/N V51	120.166	8.128	1.88e+04	2224	0.0279	0.01001	Done
H/N W52	125.133	8.797	1.53e+04	5124	0.0181	0.01786	Done
H/N N53	114.594	9.337	4.42e+03	1469	0.0200	0.01973	Done
H/N S55	114.958	8.674	1.63e+04	3548	0.0239	0.01556	Done
H/N L56	131.431	8.885	1.16e+04	3502	0.0135	0.01119	Done
H/N T57	121.499	9.120	2.09e+04	2929	0.0249	0.01047	Done
H/N S58	119.318	8.610	1.15e+04	7699	0.00560	0.006373	Done
H/N G59	112.656	8.551	2.17e+04	6395	0.0164	0.01404	Done
H/N S60	117.986	8.844	0.00	0.000	0.00	0.000	Fail
H/N D61	120.166	8.035	0.00	0.000	0.00	0.000	Fail
H/N G62	107.326	7.817	1.58e+04	1706	0.0251	0.008146	Done
H/N T63	111.324	7.542	3.91e+04	5677	0.0289	0.01272	Done
H/N V64	117.380	8.557	1.50e+04	4740	0.0331	0.03210	Done
H/N T65	116.290	8.181	2.16e+04	6344	0.0256	0.02259	Done
H/N V66	127.313	9.478	1.31e+04	6541	0.0144	0.02029	Done
H/N R67	125.254	8.322	1.61e+04	2016	0.0215	0.008063	Done
H/N N68	113.262	6.174	2.10e+04	5347	0.0294	0.02275	Done
H/N V69	111.324	7.964	1.38e+04	2185	0.0259	0.01239	Done
H/N D70	119.197	8.258	1.60e+04	1886	0.0211	0.007423	Done
H/N H71	127.434	7.794	1.16e+04	2666	0.0130	0.008171	Done
H/N N72	117.501	6.726	2.30e+04	1764	0.0224	0.005150	Done
H/N R73	117.501	6.790	2.59e+04	5879	0.0311	0.02157	Done
H/N V74	114.958	7.823	2.06e+04	4981	0.0326	0.02416	Done
H/N V75	125.980	7.718	2.61e+04	5172	0.0268	0.01605	Done
H/N D78	120.772	8.404	1.58e+04	4959	0.0286	0.02718	Done
H/N G79	107.084	8.105	1.74e+04	5568	0.0334	0.03290	Done


Peak name	F1 [ppm]	F2 [ppm]	Io	error	T2 [s]	error	fitInfo
H/N S80	111.081	8.023	3.40e+04	4317	0.0359	0.01418	Done
H/N V81	113.746	8.434	2.23e+04	2366	0.0214	0.006770	Done
H/N T82	113.383	8.005	1.49e+04	1793	0.0345	0.01280	Done
H/N F83	120.408	8.580	2.50e+04	3894	0.0251	0.01180	Done
H/N G84	106.357	7.571	8.66e+03	1896	0.0221	0.01445	Done
H/N F85	112.172	7.213	1.96e+04	2503	0.0154	0.005614	Done
H/N T86	111.687	8.357	1.45e+04	3103	0.0211	0.01348	Done
H/N A87	124.527	8.569	2.10e+04	7044	0.0249	0.02512	Done
H/N T88	114.231	8.469	2.50e+04	4250	0.0283	0.01458	Done
H/N S89	118.107	7.993	2.76e+04	3283	0.0338	0.01236	Done
H/N T90	115.927	9.554	1.64e+04	1707	0.0153	0.004527	Done
H/N G91	109.264	8.328	3.21e+04	8202	0.0163	0.01209	Done
H/N N92	119.924	8.216	1.24e+04	4196	0.0218	0.02194	Done
H/N D93	125.617	7.624	4.66e+03	1.088e+04	0.00347	0.01026	Done
H/N F94	118.470	7.853	1.33e+04	4040	0.0171	0.01512	Done
H/N V96	121.499	8.709	1.40e+04	2946	0.0292	0.01866	Done
H/N D97	120.287	8.199	2.46e+04	2918	0.0270	0.009674	Done
H/N S98	115.200	8.105	1.32e+04	1262	0.0184	0.005146	Done
H/N I99	122.104	8.434	2.55e+04	4135	0.0216	0.01046	Done
H/N G100	113.262	8.023	9.02e+03	2562	0.0237	0.02021	Done
H/N C101	119.439	8.927	1.13e+04	2737	0.0189	0.01347	Done
H/N V102	124.163	9.079	1.21e+04	1551	0.0308	0.01205	Done
H/N A103	127.797	8.416	2.29e+04	6859	0.0196	0.01741	Done


Current fit display






fit/HE1/NE1 W52: T2 = 0.00455 s
x10 3
5.00
4.00
3.00
2.00
1.00
0.0100
0.0200
0.0300
0.0400
0.0500
s
fit/HE1/NE1 W40: T2 = 0.0216 s
x10 4
2.50
2.00
1.50
1.00
0.50
fit/HE1/NE1 W36: T2 = 0.0302 s
fit/HE1/NE1 W15: T2 = 0.00290 s



fit/H/N T2: T2 = 0.0130 s
x10 4
1.00
0.75
0.50
0.25
0.0100
0.0200
0.0300
0.0400
0.0500
s
H/N G3: fit Failed !
x10 3
1.00
0.50
0.00
-0.50
-1.00
-1.50
fit/H/N S4: T2 = 0.0237 s
x10 4
1.50
1.25
1.00
0.75
0.50
0.25
H/N C5: fit Failed !
x10 3
1.00
0.00
-0.50
-1.00



fit/H/N M6: T2 = 0.0248 s
fit/H/N A7: T2 = 0.0312 s
fit/H/N V8: T2 = 0.0228 s
fit/H/N Y9: T2 = 0.0249 s
x10 4
0.0100
0.0200
0.0300
0.0400
0.0500
s



H/N S10: fit Failed !
x10 3
1.00
0.50
0.00
-0.50
0.0100
0.0200
0.0300
0.0400
0.0500
s
fit/H/N V11: T2 = 0.0256 s
x10 4
2.50
2.00
1.50
1.00
0.50
fit/H/N E12: T2 = 0.0220 s
fit/H/N N13: T2 = 0.0287 s



fit/H/N S14: T2 = 0.00865 s
x10 4
1.50
1.00
0.50
0.0100
0.0200
0.0300
0.0400
0.0500
s
fit/H/N W15: T2 = 0.0129 s
x10 4
2.00
1.50
1.00
0.50
H/N S16: fit Failed !
x10 3
0.50
0.00
-0.50
-1.00
fit/H/N G17: T2 = 0.0158 s
x10 4
1.50
1.25
1.00
0.75
0.50
0.25
0.00



fit/H/N G18: T2 = 0.0372 s
fit/H/N F19: T2 = 0.0259 s
fit/H/N Q20: T2 = 0.0186 s
fit/H/N G21: T2 = 0.0214 s
x10 4
0.0100
0.0200
0.0300
0.0400
0.0500
s



fit/H/N S22: T2 = 0.0252 s
fit/H/N V23: T2 = 0.0369 s
fit/H/N E24: T2 = 0.0193 s
fit/H/N V25: T2 = 0.0171 s
x10 4
2.00
1.50
1.00
0.50
0.0100
0.0200
0.0300
0.0400
0.0500
s



fit/H/N M26: T2 = 0.0241 s
fit/H/N N27: T2 = 0.0186 s
fit/H/N H28: T2 = 0.0184 s
fit/H/N G29: T2 = 0.0235 s
x10^4
0.0100
0.0200
0.0300
0.0400
0.0500
s



fit/H/N T30: T2 = 0.0130 s
fit/H/N E31: T2 = 0.0288 s
fit/H/N L33: T2 = 0.0309 s
fit/H/N N34: T2 = 0.0139 s
x10^4
s



fit/H/N G35: T2 = 0.0275 s
x10 4
1.50
1.25
1.00
0.75
0.50
0.25
0.0100
0.0200
0.0300
0.0400
0.0500
s
fit/H/N W36: T2 = 0.0209 s
x10 4
2.00
1.50
1.00
0.50
H/N A37: fit Failed !
x10 3
1.00
0.00
-1.00
-2.00
fit/H/N V38: T2 = 0.0148 s
x10 4
1.00
0.75
0.50
0.25



fit/H/N Q39: T2 = 0.0249 s
fit/H/N W40: T2 = 0.0234 s
fit/H/N Q41: T2 = 0.0266 s
fit/H/N G43: T2 = 0.0183 s
x10 4
0.0100
0.0200
0.0300
0.0400
0.0500
s



fit/H/N G44: T2 = 0.00856 s
x10 3
5.00
2.50
0.00
0.0100
0.0200
0.0300
0.0400
0.0500
s
H/N G45: fit Failed !
x10 3
1.00
0.00
-1.00
-2.00
-3.00
-4.00
fit/H/N T46: T2 = 0.0354 s
x10 4
4.00
3.00
2.00
1.00
fit/H/N T47: T2 = 0.0325 s
x10 4
2.50
2.00
1.50
1.00
0.50



fit/H/N L48: T2 = 0.0162 s
fit/H/N G49: T2 = 0.0171 s
fit/H/N G50: T2 = 0.0107 s
fit/H/N V51: T2 = 0.0279 s
x10 4
2.50
2.00
1.50
1.00
0.50
0.0100
0.0200
0.0300
0.0400
0.0500
s



fit/H/N W52: T2 = 0.0181 s
x10 4
1.50
1.00
0.50
0.0100
0.0200
0.0300
0.0400
0.0500
s
fit/H/N N53: T2 = 0.0200 s
x10 3
4.00
3.00
2.00
1.00
0.00
fit/H/N S55: T2 = 0.0239 s
fit/H/N L56: T2 = 0.0135 s
1.25
0.75
0.25



fit/H/N T57: T2 = 0.0249 s
x10 4
2.00
1.50
1.00
0.50
0.0100
0.0200
0.0300
0.0400
0.0500
s
fit/H/N S58: T2 = 0.00560 s
x10 4
0.75
0.50
0.25
fit/H/N G59: T2 = 0.0164 s
H/N S60: fit Failed !
x10 3
0.00
-1.00



H/N D61: fit Failed !
x10 3
0.00
-0.50
-1.00
-1.50
-2.00
0.0100
0.0200
0.0300
0.0400
0.0500
s
fit/H/N G62: T2 = 0.0251 s
x10 4
1.50
1.00
0.50
fit/H/N T63: T2 = 0.0289 s
4.00
3.00
2.00
1.00
fit/H/N V64: T2 = 0.0331 s



fit/H/N T65: T2 = 0.0256 s
fit/H/N V66: T2 = 0.0144 s
fit/H/N R67: T2 = 0.0215 s
fit/H/N N68: T2 = 0.0294 s
x10 4
0.0100
0.0200
0.0300
0.0400
0.0500
s



fit/H/N V69: T2 = 0.0259 s
fit/H/N D70: T2 = 0.0211 s
fit/H/N H71: T2 = 0.0130 s
fit/H/N N72: T2 = 0.0224 s
x10^4
0.0100
0.0200
0.0300
0.0400
0.0500
s



fit/H/N R73: T2 = 0.0311 s
fit/H/N V74: T2 = 0.0326 s
fit/H/N V75: T2 = 0.0268 s
fit/H/N D78: T2 = 0.0286 s
x10 4
0.0100
0.0200
0.0300
0.0400
0.0500
s



fit/H/N G79: T2 = 0.0334 s
fit/H/N S80: T2 = 0.0359 s
fit/H/N V81: T2 = 0.0214 s
fit/H/N T82: T2 = 0.0345 s
x10 4
0.0100
0.0200
0.0300
0.0400
0.0500
s


fit/H/N F83: T2 = 0.0251 s
fit/H/N G84: T2 = 0.0221 s
fit/H/N F85: T2 = 0.0154 s
fit/H/N T86: T2 = 0.0211 s
x10^4
0.0100
0.0200
0.0300
0.0400
0.0500
s


fit/H/N A87: T2 = 0.0249 s
fit/H/N T88: T2 = 0.0283 s
fit/H/N S89: T2 = 0.0338 s
fit/H/N T90: T2 = 0.0153 s
x10 4
0.0100
0.0200
0.0300
0.0400
0.0500
s


fit/H/N G91: T2 = 0.0163 s
x10^4
3.00
2.00
1.00
0.0100
0.0200
0.0300
0.0400
0.0500
s
fit/H/N N92: T2 = 0.0218 s
x10^4
1.25
1.00
0.75
0.50
0.25
fit/H/N D93: T2 = 0.00347 s
x10^3
2.00
1.00
0.00
-1.00
fit/H/N F94: T2 = 0.0171 s
x10^4


fit/H/N V96: T2 = 0.0292 s
fit/H/N D97: T2 = 0.0270 s
fit/H/N S98: T2 = 0.0184 s
fit/H/N I99: T2 = 0.0216 s
x10 4
0.0100
0.0200
0.0300
0.0400
0.0500
s


fit/H/N G100: T2 = 0.0237 s
fit/H/N C101: T2 = 0.0189 s
fit/H/N V102: T2 = 0.0308 s
fit/H/N A103: T2 = 0.0196 s
x10^4
0.0100
0.0200
0.0300
0.0400
0.0500
s