

sample name:	15N-BaCBM2 (107uM) 25 mM NaAc pH 5.0 10 mM NaCl
Description/Title:	0.25 uM Gd
Origin:	in-house
Date of preparation:	18 Jan 2024
Solvent:	D2O
pH:	7.0
Sample tube:	normal
Tube diameter (mm):	3
Concentration (mM):	10.00
Temperature (K):	308.0
Weight (Daltons):	8900
Correlation time (ns):	4.00
Labelling:	15N
Sequence format:	FASTA file
Sequence file:	???
PDB file:	???


Mixing time = 6.000 s
ppm
110.00
115.00
120.00
125.00
130.00
10.00
9.00
8.00
7.00
6.00
ppm
T31
G83
G45
G78
G30
T87
S79
G69
G17
T48
G88
V50
G77
S14
E92
N67
S23
N21
K54
S97
F22
W37
T66
W11
D52
D42
A96
H6
E73
N71
N95
T16
N46
S29
N36
A68
Q49
W70
N15
I24
I74
A85
L93
E40
V12
N101
A91
V94
K27
V25
L39
S56
I98
K35
I26
F10


T1 histogram
x10 1
1.00
0.75
0.50
0.25
25
50
75
residues


Fitted function:	f(t) = Io * [1-exp(-t/T1)]
Random error estimation of data:	RMS per spectrum (or trace/plane)
Systematic error estimation of data:	worst case per peak scenario
Fit parameter Error estimation method:	from fit using arbitrary y uncertainties
Confidence level:	95%
Used peaks:	peaks from C:\Users\susanntr\OneDrive - NTNU\NMR_data\BaCBM2\47\pdata\1\peaklist.xml
Used integrals:	peak intensities
Used Mixing time:	all values (including replicates) used


Peak name	F1 [ppm]	F2 [ppm]	Io	error	T1 [s]	error	fitInfo
H6	119.318	7.986	2.97e+04	4851	0.430	0.2752	Done
H7	118.470	8.450	4.96e+04	6250	0.447	0.2167	Done
A8	125.738	8.379	9.71e+04	2818	0.885	0.07416	Done
T9	116.775	8.567	1.11e+05	5445	1.35	0.1695	Done
F10	131.674	9.218	1.05e+05	4941	1.43	0.1691	Done
S11	121.862	8.438	1.64e+05	1.373e+04	1.91	0.3718	Done
V12	124.648	8.579	1.35e+05	6287	1.47	0.1709	Done
T13	120.287	8.655	1.05e+05	5972	1.60	0.2227	Done
S14	115.321	7.452	1.98e+05	7554	1.46	0.1400	Done
N15	121.862	8.860	1.15e+05	4789	1.00	0.1156	Done
W16	123.800	7.968	1.15e+05	1.236e+04	1.74	0.4465	Done
G17	113.746	8.678	1.41e+05	4749	1.34	0.1159	Done
S18	113.141	7.704	1.71e+05	6155	1.12	0.1089	Done
G19	111.324	6.842	2.38e+05	8365	1.32	0.1198	Done
Y20	112.898	6.853	2.71e+05	3099	1.33	0.03909	Done
N21	116.532	8.678	1.13e+05	9382	1.92	0.3696	Done
F22	117.259	8.444	1.26e+05	1.266e+04	2.09	0.4742	Done
S23	116.290	9.107	1.40e+05	1.230e+04	2.00	0.4011	Done
I24	122.952	8.778	1.14e+05	8122	1.74	0.2967	Done
V25	126.465	8.180	1.19e+05	6571	1.51	0.2078	Done
I26	129.614	9.089	9.87e+04	4928	1.55	0.1912	Done
K27	125.859	8.567	9.53e+04	6255	1.36	0.2281	Done
N28	121.499	8.514	9.73e+04	4478	1.46	0.1686	Done
S29	121.135	9.007	6.65e+04	4061	1.13	0.1853	Done
G30	109.143	8.221	1.31e+05	6918	1.53	0.2005	Done
T31	105.509	8.197	1.13e+05	3150	1.03	0.07928	Done
T32	112.414	7.481	1.57e+05	7220	1.30	0.1541	Done
I34	123.437	8.039	1.19e+05	1.030e+04	1.88	0.3777	Done
K35	128.888	9.676	5.38e+04	3282	1.47	0.2248	Done
N36	121.377	8.397	9.45e+04	8326	1.77	0.3710	Done
W37	117.259	7.640	1.05e+05	1.202e+04	2.21	0.5578	Done
K38	118.955	8.661	1.02e+05	8596	1.88	0.3699	Done
L39	127.434	9.623	1.02e+05	5521	1.74	0.2245	Done
E40	124.769	9.031	1.14e+05	7124	1.58	0.2426	Done


Peak name	F1 [ppm]	F2 [ppm]	Io	error	T1 [s]	error	fitInfo
F41	113.141	7.739	1.87e+05	1.123e+04	1.91	0.2651	Done
D42	119.561	9.242	1.17e+05	8107	1.82	0.2957	Done
N44	128.161	8.667	2.16e+05	1.014e+04	1.67	0.1890	Done
G45	108.295	7.898	7.64e+04	3576	1.91	0.2070	Done
N46	120.651	8.367	9.56e+04	4459	1.13	0.1417	Done
L47	124.042	7.904	1.03e+05	3752	1.29	0.1223	Done
T48	114.473	8.901	9.60e+04	3812	1.44	0.1440	Done
Q49	120.651	7.798	1.67e+05	6688	1.43	0.1444	Done
V50	113.867	8.215	1.39e+05	5521	1.03	0.1131	Done
W51	118.349	8.332	1.25e+05	5704	1.51	0.1710	Done
D52	118.955	9.453	8.52e+04	3543	1.51	0.1566	Done
K54	116.048	8.397	1.23e+05	6977	1.48	0.2102	Done
I55	123.437	8.884	1.03e+05	2633	1.22	0.08222	Done
S56	127.434	9.136	8.65e+04	6482	1.45	0.2741	Done
S57	112.293	7.616	1.59e+05	1.024e+04	1.51	0.2421	Done
I65	128.524	9.752	1.01e+05	9004	1.64	0.3559	Done
T66	118.107	8.984	1.17e+05	5798	1.50	0.1854	Done
N67	115.805	5.985	1.43e+05	8499	1.83	0.2552	Done
A68	121.014	8.027	1.32e+05	7407	2.30	0.2794	Done
G69	112.172	9.025	1.39e+05	7354	2.13	0.2512	Done
W70	121.499	7.540	1.40e+05	3223	1.55	0.08790	Done
N71	118.834	6.595	1.28e+05	1.092e+04	2.32	0.4267	Done
E73	119.561	7.828	1.36e+05	5093	1.84	0.1612	Done
I74	124.042	9.083	1.03e+05	5642	1.84	0.2366	Done
G77	115.200	7.962	1.10e+05	8505	1.98	0.3490	Done
G78	109.386	8.479	1.40e+05	8740	1.82	0.2678	Done
S79	110.960	8.056	1.40e+05	2718	1.53	0.07340	Done
I80	119.076	8.520	1.24e+05	6382	1.55	0.1965	Done
T81	120.408	8.555	9.81e+04	3962	1.24	0.1312	Done
I82	122.468	8.937	1.08e+05	4296	1.62	0.1574	Done
G83	105.752	6.243	6.86e+04	4962	1.78	0.3049	Done
A85	124.042	8.579	1.12e+05	1.099e+04	1.72	0.4036	Done
G86	105.873	8.344	1.24e+05	8622	1.78	0.2942	Done
T87	110.112	8.268	1.10e+05	6833	1.56	0.2386	Done
G88	114.110	8.403	1.20e+05	5522	1.46	0.1682	Done
T89	118.470	8.543	1.68e+05	2507	1.24	0.04862	Done
A91	125.254	7.088	1.56e+05	1.458e+04	1.90	0.4131	Done
E92	116.048	6.842	1.76e+05	1666	1.25	0.03106	Done
L93	124.042	8.344	1.21e+05	3612	1.58	0.1157	Done
V94	126.344	8.907	1.07e+05	9828	1.66	0.3693	Done
N95	120.408	8.978	7.51e+04	2890	1.19	0.1211	Done
A96	119.439	8.362	1.89e+05	6582	1.32	0.1184	Done
S97	117.259	9.418	1.15e+05	2653	1.42	0.08309	Done
I98	127.555	8.549	8.22e+04	1309	1.02	0.04485	Done
S99	122.104	9.025	1.13e+05	5594	1.42	0.1777	Done


Peak name	F1 [ppm]	F2 [ppm]	Io	error	T1 [s]	error	fitInfo
E100	117.986	8.162	1.25e+05	3281	1.22	0.08435	Done
N101	125.375	8.297	1.64e+05	8103	1.49	0.1841	Done


Current fit display






T1 fit / H6, 0.430 s
x10 4
3.00
2.00
1.00
1.00 2.00 3.00 4.00 5.00 s
T1 fit / H7, 0.447 s
x10 4
6.00
5.00
4.00
3.00
2.00
1.00
1.00 2.00 3.00 4.00 5.00 s
T1 fit / A8, 0.885 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit / T9, 1.35 s
x10 5
1.25
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s



T1 fit / F10, 1.43 s
x10 5
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / S11, 1.91 s
x10 5
1.00
0.50
1.00
2.00
3.00
4.00
5.00
s
T1 fit / V12, 1.47 s
x10 5
1.50
1.25
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / T13, 1.60 s
x10 5
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s



T1 fit / S14, 1.46 s
x10 5
2.00
1.50
1.00
0.50
1.00
2.00
3.00
4.00
5.00
s
T1 fit / N15, 1.00 s
x10 5
1.25
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / W16, 1.74 s
x10 5
1.25
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / G17, 1.34 s
x10 5
1.50
1.25
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s



T1 fit / S18, 1.12 s
x10 5
2.00
1.50
1.00
0.50
1.00
2.00
3.00
4.00
5.00
s
T1 fit / G19, 1.32 s
x10 5
2.50
2.00
1.50
1.00
0.50
1.00
2.00
3.00
4.00
5.00
s
T1 fit / Y20, 1.33 s
x10 5
3.00
2.50
2.00
1.50
1.00
0.50
1.00
2.00
3.00
4.00
5.00
s
T1 fit / N21, 1.92 s
x10 5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s



T1 fit / F22, 2.09 s
T1 fit / S23, 2.00 s
T1 fit / I24, 1.74 s
T1 fit / V25, 1.51 s
x10 5
1.00
2.00
3.00
4.00
5.00
s



T1 fit / I26, 1.55 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit / K27, 1.36 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit / N28, 1.46 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit / S29, 1.13 s
x10 4
7.50
5.00
2.50
1.00 2.00 3.00 4.00 5.00 s



T1 fit / G30, 1.53 s
T1 fit / T31, 1.03 s
T1 fit / T32, 1.30 s
T1 fit / I34, 1.88 s
x10 5
1.00
2.00
3.00
4.00
5.00
s
0.25
0.50
0.75
1.00
1.25



T1 fit / K35, 1.47 s
x10 4
6.00
5.00
4.00
3.00
2.00
1.00
1.00 2.00 3.00 4.00 5.00 s
T1 fit / N36, 1.77 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit / W37, 2.21 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit / K38, 1.88 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s



T1 fit / L39, 1.74 s
x10 5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / E40, 1.58 s
x10 5
1.25
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / F41, 1.91 s
x10 5
2.00
1.50
1.00
0.50
1.00
2.00
3.00
4.00
5.00
s
T1 fit / D42, 1.82 s
x10 5
1.25
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s



T1 fit / N44, 1.67 s
x10 5
2.00
1.50
1.00
0.50
1.00 2.00 3.00 4.00 5.00 s
T1 fit / G45, 1.91 s
x10 4
7.50
5.00
2.50
1.00 2.00 3.00 4.00 5.00 s
T1 fit / N46, 1.13 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit / L47, 1.29 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s



T1 fit / T48, 1.44 s
x10 5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / Q49, 1.43 s
x10 5
1.50
1.00
0.50
1.00
2.00
3.00
4.00
5.00
s
T1 fit / V50, 1.03 s
x10 5
1.50
1.25
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / W51, 1.51 s
x10 5
1.25
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s



T1 fit / D52, 1.51 s
T1 fit / K54, 1.48 s
T1 fit / I55, 1.22 s
T1 fit / S56, 1.45 s
x10 5
0.25
0.50
0.75
1.00
1.25
1.00
2.00
3.00
4.00
5.00
s



T1 fit / S57, 1.51 s
x10 5
1.00
0.50
1.00
2.00
3.00
4.00
5.00
s
T1 fit / I65, 1.64 s
x10 5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / T66, 1.50 s
x10 5
1.25
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / N67, 1.83 s
x10 5
1.50
1.25
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s



T1 fit / A68, 2.30 s
T1 fit / G69, 2.13 s
T1 fit / W70, 1.55 s
T1 fit / N71, 2.32 s
x10 5
1.00
2.00
3.00
4.00
5.00
s



T1 fit / E73, 1.84 s
T1 fit / I74, 1.84 s
T1 fit / G77, 1.98 s
T1 fit / G78, 1.82 s
x10 5
1.00
2.00
3.00
4.00
5.00
s



T1 fit / S79, 1.53 s
T1 fit / I80, 1.55 s
T1 fit / T81, 1.24 s
T1 fit / I82, 1.62 s
x10 5
1.00
2.00
3.00
4.00
5.00
s


T1 fit / G83, 1.78 s
x10 4
7.50
5.00
2.50
1.00
2.00
3.00
4.00
5.00
s
T1 fit / A85, 1.72 s
x10 5
1.25
1.00
0.75
0.50
0.25
T1 fit / G86, 1.78 s
T1 fit / T87, 1.56 s


T1 fit / G88, 1.46 s
x10 5
1.25
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / T89, 1.24 s
x10 5
1.50
1.00
0.50
1.00
2.00
3.00
4.00
5.00
s
T1 fit / A91, 1.90 s
x10 5
1.50
1.00
0.50
1.00
2.00
3.00
4.00
5.00
s
T1 fit / E92, 1.25 s
x10 5
2.00
1.50
1.00
0.50
1.00
2.00
3.00
4.00
5.00
s


T1 fit / L93, 1.58 s
x10 5
1.25
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / V94, 1.66 s
x10 5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / N95, 1.19 s
x10 5
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / A96, 1.32 s
x10 5
2.00
1.50
1.00
0.50
1.00
2.00
3.00
4.00
5.00
s


T1 fit / S97, 1.42 s
T1 fit / I98, 1.02 s
T1 fit / S99, 1.42 s
T1 fit / E100, 1.22 s
x10 5
1.25
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s


T1 fit / N101, 1.49 s
x10 5
1.50
1.00
0.50
1.00
2.00
3.00
4.00
5.00
s