

• T1 Analysis

sample name:	15N-BaCBM2 (107uM) 25 mM NaAc pH 5.0 10 mM NaCl
Description/Title:	0.5 mM Gd
Origin:	in-house
Date of preparation:	18 Jan 2024
Solvent:	D2O
pH:	7.0
Sample tube:	normal
Tube diameter (mm):	3
Concentration (mM):	10.00
Temperature (K):	308.0
Weight (Daltons):	8900
Correlation time (ns):	4.00
Labelling:	15N
Sequence format:	FASTA file
Sequence file:	???
PDB file:	???


Mixing time = 6.000 s
ppm
110.00
115.00
120.00
125.00
130.00
10.00
9.00
8.00
7.00
6.00
ppm
T31
G86
G83
G45
G78
G30
T87
S79
G69
G19
T32
Y20
G17
G88
V50
T48
G77
S14
S23
N21
K54
E92
N67
S97
T9
F22
W37
T66
F100
D52
D42
A96
H6
E73
N71
N95
T18
N46
Q49
S29
A68
W70
N15
I24
I74
A85
L93
E40
V12
N101
A91
K27
A8
V94
V25
L39
S56
J98
N44
K35
I26
F10


T1 histogram
x10 1
1.00
0.75
0.50
0.25
25
50
75
residues


Fitted function:	f(t) = Io * [1-exp(-t/T1)]
Random error estimation of data:	RMS per spectrum (or trace/plane)
Systematic error estimation of data:	worst case per peak scenario
Fit parameter Error estimation method:	from fit using arbitrary y uncertainties
Confidence level:	95%
Used peaks:	peaks from C:\Users\susanntr\OneDrive - NTNU\NMR_data\BaCBM2\62\pdata\1\peaklist.xml
Used integrals:	peak intensities
Used Mixing time:	all values (including replicates) used


Peak name	F1 [ppm]	F2 [ppm]	Io	error	T1 [s]	error	fitInfo
H6	119.318	7.984	2.56e+04	1770	0.344	0.1051	Done
H7	118.470	8.447	4.68e+04	4154	0.353	0.1362	Done
A8	125.738	8.383	8.87e+04	2498	0.782	0.06622	Done
T9	116.775	8.565	1.04e+05	5245	1.21	0.1617	Done
F10	131.674	9.216	9.78e+04	1706	1.33	0.05964	Done
S11	121.862	8.436	1.48e+05	1.071e+04	1.69	0.2956	Done
V12	124.648	8.577	1.15e+05	5364	1.23	0.1501	Done
T13	120.287	8.653	9.34e+04	4429	1.42	0.1702	Done
S14	115.321	7.450	1.71e+05	5611	1.27	0.1085	Done
N15	121.862	8.858	9.46e+04	4385	0.777	0.1086	Done
W16	123.921	7.966	9.65e+04	2361	1.27	0.08098	Done
G17	113.746	8.682	1.21e+05	3728	0.936	0.08189	Done
S18	113.141	7.702	1.49e+05	4592	0.890	0.07928	Done
G19	111.324	6.839	2.16e+05	6606	1.13	0.09254	Done
Y20	112.898	6.851	2.20e+05	2595	1.13	0.03591	Done
N21	116.532	8.676	9.34e+04	6135	1.51	0.2468	Done
F22	117.259	8.442	1.11e+05	9265	1.76	0.3508	Done
S23	116.290	9.105	1.26e+05	1.060e+04	1.81	0.3592	Done
I24	122.952	8.776	1.05e+05	5676	1.62	0.2146	Done
V25	126.465	8.177	1.11e+05	6987	1.39	0.2219	Done
I26	129.614	9.093	9.03e+04	3043	1.33	0.1152	Done
K27	125.859	8.565	9.14e+04	4157	1.29	0.1528	Done
N28	121.499	8.512	9.03e+04	5045	1.34	0.1921	Done
S29	121.135	9.011	6.29e+04	895.9	1.04	0.04062	Done
G30	109.143	8.219	1.16e+05	6534	1.26	0.1853	Done
T31	105.509	8.195	9.65e+04	3496	0.886	0.09263	Done
T32	112.414	7.479	1.41e+05	6356	1.06	0.1307	Done
I34	123.437	8.043	1.11e+05	8383	1.68	0.3056	Done
K35	128.888	9.668	5.21e+04	1884	1.33	0.1240	Done
N36	121.377	8.395	9.34e+04	6495	1.71	0.2857	Done
W37	117.259	7.638	1.03e+05	1.536e+04	2.18	0.7195	Done
K38	118.955	8.659	9.12e+04	6157	1.69	0.2745	Done
L39	127.434	9.621	9.64e+04	6734	1.62	0.2758	Done
E40	124.769	9.028	1.06e+05	5377	1.42	0.1827	Done


Peak name	F1 [ppm]	F2 [ppm]	Io	error	T1 [s]	error	fitInfo
F41	113.141	7.737	1.75e+05	1.463e+04	1.78	0.3529	Done
D42	119.561	9.240	1.08e+05	8199	1.66	0.3057	Done
N44	128.161	8.670	2.02e+05	5069	1.44	0.09113	Done
G45	108.295	7.896	6.83e+04	5876	1.54	0.3286	Done
N46	120.530	8.365	8.25e+04	5216	0.977	0.1730	Done
L47	124.042	7.902	9.73e+04	3093	1.22	0.1025	Done
T48	114.473	8.899	8.85e+04	4660	1.37	0.1845	Done
Q49	120.651	7.796	1.49e+05	8169	1.30	0.1854	Done
V50	113.867	8.219	1.24e+05	3506	0.950	0.07573	Done
W51	118.349	8.330	1.00e+05	4669	1.23	0.1505	Done
D52	118.955	9.451	6.00e+04	1623	1.12	0.08182	Done
K54	116.048	8.395	1.14e+05	6625	1.42	0.2086	Done
I55	123.437	8.888	9.61e+04	3951	1.17	0.1283	Done
S56	127.434	9.134	8.55e+04	3719	1.42	0.1563	Done
S57	112.293	7.614	1.43e+05	7726	1.36	0.1892	Done
I65	128.524	9.750	9.84e+04	9057	1.63	0.3658	Done
T66	118.107	8.981	1.08e+05	7460	1.37	0.2406	Done
N67	115.805	5.989	1.29e+05	7343	1.59	0.2224	Done
A68	121.014	8.031	1.16e+05	5602	1.75	0.2011	Done
G69	112.172	9.023	1.21e+05	5966	1.69	0.2005	Done
W70	121.499	7.538	1.19e+05	4531	1.06	0.1109	Done
N71	118.834	6.593	1.10e+05	5721	1.81	0.2215	Done
E73	119.561	7.825	1.29e+05	4273	1.70	0.1356	Done
I74	123.921	9.081	9.58e+04	6334	1.70	0.2709	Done
G77	115.200	7.966	1.02e+05	3609	1.60	0.1380	Done
G78	109.386	8.477	1.29e+05	7753	1.66	0.2408	Done
S79	110.960	8.054	1.06e+05	2358	1.26	0.07336	Done
I80	119.076	8.518	1.12e+05	7049	1.35	0.2177	Done
T81	120.408	8.553	7.52e+04	2949	1.08	0.1154	Done
I82	122.468	8.935	9.75e+04	5722	1.44	0.2127	Done
G83	105.752	6.247	5.68e+04	3765	1.45	0.2419	Done
A85	124.042	8.577	1.08e+05	9090	1.69	0.3427	Done
G86	105.873	8.342	1.17e+05	1.035e+04	1.65	0.3542	Done
T87	110.112	8.266	9.99e+04	5071	1.36	0.1764	Done
G88	114.110	8.406	1.09e+05	2647	1.31	0.08240	Done
T89	118.470	8.541	1.49e+05	1903	1.03	0.03639	Done
A91	125.254	7.086	1.42e+05	9908	1.67	0.2829	Done
E92	116.048	6.839	1.62e+05	3459	1.12	0.06447	Done
L93	124.042	8.342	1.16e+05	5122	1.44	0.1601	Done
V94	126.344	8.911	1.01e+05	4591	1.51	0.1701	Done
N95	120.408	8.976	4.50e+04	1682	1.00	0.1044	Done
A96	119.439	8.365	1.53e+05	5067	1.09	0.09839	Done
S97	117.259	9.416	1.06e+05	5455	1.37	0.1793	Done
I98	127.555	8.547	7.06e+04	2910	0.965	0.1118	Done
S99	122.104	9.028	1.03e+05	4257	1.30	0.1396	Done


Peak name	F1 [ppm]	F2 [ppm]	Io	error	T1 [s]	error	fitInfo
E100	117.986	8.166	1.06e+05	2616	1.09	0.07345	Done
N101	125.375	8.295	1.50e+05	4219	1.33	0.09608	Done


Current fit display






T1 fit / H6, 0.344 s
x10 4
3.00
2.50
2.00
1.50
1.00
0.50
1.00
2.00
3.00
4.00
5.00
s
T1 fit / H7, 0.353 s
x10 4
5.00
4.00
3.00
2.00
1.00
1.00
2.00
3.00
4.00
5.00
s
T1 fit / A8, 0.782 s
x10 5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / T9, 1.21 s
x10 5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s



T1 fit / F10, 1.33 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit / S11, 1.69 s
x10 5
1.50
1.00
0.50
1.00 2.00 3.00 4.00 5.00 s
T1 fit / V12, 1.23 s
x10 5
1.25
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit / T13, 1.42 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s



T1 fit / S14, 1.27 s
x10 5
1.50
1.00
0.50
1.00
2.00
3.00
4.00
5.00
s
T1 fit / N15, 0.777 s
x10 5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / W16, 1.27 s
x10 5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / G17, 0.936 s
x10 5
1.25
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s



T1 fit / S18, 0.890 s
x10 5
1.50
1.00
0.50
1.00 2.00 3.00 4.00 5.00 s
T1 fit / G19, 1.13 s
x10 5
2.50
2.00
1.50
1.00
0.50
1.00 2.00 3.00 4.00 5.00 s
T1 fit / Y20, 1.13 s
x10 5
2.50
2.00
1.50
1.00
0.50
1.00 2.00 3.00 4.00 5.00 s
T1 fit / N21, 1.51 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s



T1 fit / F22, 1.76 s
T1 fit / S23, 1.81 s
T1 fit / I24, 1.62 s
T1 fit / V25, 1.39 s
x10 5
0.25
0.50
0.75
1.00
1.25
1.00
2.00
3.00
4.00
5.00
s



T1 fit / I26, 1.33 s
x10 5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / K27, 1.29 s
x10 5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / N28, 1.34 s
x10 5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / S29, 1.04 s
x10 4
5.00
2.50
1.00
2.00
3.00
4.00
5.00
s



T1 fit / G30, 1.26 s
x10^5
1.25
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / T31, 0.886 s
x10^5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / T32, 1.06 s
x10^5
1.50
1.00
0.50
1.00
2.00
3.00
4.00
5.00
s
T1 fit / I34, 1.68 s
x10^5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s



T1 fit / K35, 1.33 s
x10 4
5.00
4.00
3.00
2.00
1.00
1.00
2.00
3.00
4.00
5.00
s
T1 fit / N36, 1.71 s
x10 5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / W37, 2.18 s
x10 5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / K38, 1.69 s
x10 5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s



T1 fit / L39, 1.62 s
x10 5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / E40, 1.42 s
x10 5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / F41, 1.78 s
x10 5
1.50
1.00
0.50
1.00
2.00
3.00
4.00
5.00
s
T1 fit / D42, 1.66 s
x10 5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s



T1 fit / N44, 1.44 s
x10 5
2.00
1.50
1.00
0.50
1.00 2.00 3.00 4.00 5.00 s
T1 fit / G45, 1.54 s
x10 4
7.50
5.00
2.50
1.00 2.00 3.00 4.00 5.00 s
T1 fit / N46, 0.977 s
x10 5
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit / L47, 1.22 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s



T1 fit / T48, 1.37 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit / Q49, 1.30 s
x10 5
1.50
1.00
0.50
1.00 2.00 3.00 4.00 5.00 s
T1 fit / V50, 0.950 s
x10 5
1.25
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit / W51, 1.23 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s



T1 fit / D52, 1.12 s
x10 4
5.00
2.50
1.00
2.00
3.00
4.00
5.00
s
T1 fit / K54, 1.42 s
x10 5
1.25
1.00
0.75
0.50
0.25
T1 fit / I55, 1.17 s
T1 fit / S56, 1.42 s



T1 fit / S57, 1.36 s
x10 5
1.50
1.25
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / I65, 1.63 s
x10 5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / T66, 1.37 s
x10 5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / N67, 1.59 s
x10 5
1.25
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s



T1 fit / A68, 1.75 s
T1 fit / G69, 1.69 s
T1 fit / W70, 1.06 s
T1 fit / N71, 1.81 s
x10 5
1.25
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s



T1 fit / E73, 1.70 s
T1 fit / I74, 1.70 s
T1 fit / G77, 1.60 s
T1 fit / G78, 1.66 s
x10^5
1.00
2.00
3.00
4.00
5.00
s
0.25
0.50
0.75
1.00
1.25



T1 fit / S79, 1.26 s
T1 fit / I80, 1.35 s
T1 fit / T81, 1.08 s
T1 fit / I82, 1.44 s
x10 5
1.00
2.00
3.00
4.00
5.00
s
0.25
0.50
0.75
1.00
1.25


T1 fit / G83, 1.45 s
x10 4
5.00
2.50
1.00
2.00
3.00
4.00
5.00
s
T1 fit / A85, 1.69 s
x10 5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / G86, 1.65 s
x10 5
1.25
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / T87, 1.36 s
x10 5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s


T1 fit / G88, 1.31 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit / T89, 1.03 s
x10 5
1.50
1.00
0.50
1.00 2.00 3.00 4.00 5.00 s
T1 fit / A91, 1.67 s
x10 5
1.50
1.25
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit / E92, 1.12 s
x10 5
1.50
1.00
0.50
1.00 2.00 3.00 4.00 5.00 s


T1 fit / L93, 1.44 s
x10 5
1.25
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / V94, 1.51 s
x10 5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / N95, 1.00 s
x10 4
5.00
4.00
3.00
2.00
1.00
1.00
2.00
3.00
4.00
5.00
s
T1 fit / A96, 1.09 s
x10 5
1.50
1.00
0.50
1.00
2.00
3.00
4.00
5.00
s


T1 fit / S97, 1.37 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit / I98, 0.965 s
x10 4
7.50
5.00
2.50
1.00 2.00 3.00 4.00 5.00 s
T1 fit / S99, 1.30 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit / E100, 1.09 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s


T1 fit / N101, 1.33 s
x10 5
1.50
1.00
0.50
1.00
2.00
3.00
4.00
5.00
s