

sample name:	15N-BaCBM2 (107uM) 25 mM NaAc pH 5.0 10 mM NaCl
Description/Title:	BHET 0.25 mM Gd
Origin:	in-house
Date of preparation:	18 Jan 2024
Solvent:	D2O
pH:	7.0
Sample tube:	normal
Tube diameter (mm):	3
Concentration (mM):	10.00
Temperature (K):	308.0
Weight (Daltons):	8900
Correlation time (ns):	4.00
Labelling:	15N
Sequence format:	FASTA file
Sequence file:	???
PDB file:	???


Mixing time = 6.000 s
ppm
110.00
115.00
120.00
125.00
130.00
10.00
9.00
8.00
7.00
6.00
ppm


T1 histogram
x10 1
1.00
0.75
0.50
0.25
25
50
75
residues


Fitted function:	f(t) = Io * [1-exp(-t/T1)]
Random error estimation of data:	RMS per spectrum (or trace/plane)
Systematic error estimation of data:	worst case per peak scenario
Fit parameter Error estimation method:	from fit using arbitrary y uncertainties
Confidence level:	95%
Used peaks:	peaks from C:\Users\susanntr\OneDrive - NTNU\NMR_data\BaCBM2\178\pdata\1\peaklist.xml
Used integrals:	peak intensities
Used Mixing time:	all values (including replicates) used


Peak name	F1 [ppm]	F2 [ppm]	Io	error	T1 [s]	error	fitInfo
H6	119.318	7.994	2.45e+04	1673	0.273	0.09323	Done
H7	118.470	8.452	4.80e+04	3715	0.507	0.1417	Done
A8	125.738	8.375	8.46e+04	5736	0.894	0.1744	Done
T9	116.775	8.563	9.83e+04	4161	1.26	0.1393	Done
F10	131.674	9.214	9.18e+04	5306	1.27	0.1914	Done
S11	121.862	8.434	1.37e+05	9145	1.69	0.2721	Done
V12	124.648	8.575	1.11e+05	5375	1.28	0.1616	Done
T13	120.287	8.651	8.47e+04	4809	1.41	0.2031	Done
S14	115.321	7.454	1.59e+05	1.056e+04	1.17	0.2072	Done
N15	121.741	8.851	1.03e+05	4735	0.797	0.1099	Done
W16	123.800	7.953	9.81e+04	6919	1.30	0.2375	Done
G17	113.625	8.669	1.20e+05	3625	1.02	0.08531	Done
S18	113.019	7.694	1.38e+05	4447	0.855	0.08028	Done
G19	111.324	6.832	2.19e+05	6764	1.08	0.09074	Done
Y20	112.898	6.849	2.00e+05	2.603e+04	1.27	0.4295	Done
N21	116.411	8.675	8.61e+04	5732	1.45	0.2428	Done
F22	117.259	8.440	9.86e+04	9024	1.69	0.3729	Done
S23	116.290	9.103	1.11e+05	1.253e+04	1.84	0.4879	Done
I24	122.952	8.774	9.31e+04	6540	1.57	0.2710	Done
V25	126.465	8.176	1.01e+05	6457	1.40	0.2268	Done
I26	129.614	9.091	8.85e+04	6103	1.29	0.2308	Done
K27	125.859	8.563	8.62e+04	5268	1.25	0.2004	Done
N28	121.499	8.510	7.69e+04	7884	1.35	0.3547	Done
S29	121.135	9.003	5.75e+04	3392	0.964	0.1598	Done
G30	109.143	8.217	1.12e+05	5999	1.22	0.1713	Done
T31	105.388	8.193	9.28e+04	2388	0.922	0.06761	Done
T32	112.414	7.477	1.35e+05	7489	1.14	0.1689	Done
I34	123.437	8.041	1.03e+05	1.249e+04	1.72	0.5011	Done
K35	128.888	9.666	4.74e+04	5490	1.34	0.3996	Done
N36	121.377	8.393	8.71e+04	1.124e+04	1.72	0.5313	Done
W37	117.138	7.636	9.00e+04	1.320e+04	1.97	0.6637	Done
K38	118.955	8.663	8.78e+04	1.139e+04	1.59	0.5071	Done
L39	127.434	9.619	8.80e+04	1.015e+04	1.74	0.4789	Done
E40	124.769	9.027	1.02e+05	6092	1.43	0.2156	Done


Peak name	F1 [ppm]	F2 [ppm]	Io	error	T1 [s]	error	fitInfo
F41	113.141	7.736	1.53e+05	1.437e+04	1.71	0.3843	Done
D42	119.561	9.238	1.03e+05	7304	1.61	0.2796	Done
N44	128.161	8.669	2.02e+05	1.234e+04	1.42	0.2197	Done
G45	108.295	7.894	6.50e+04	6279	1.51	0.3632	Done
N46	120.651	8.363	8.34e+04	6327	1.00	0.2114	Done
L47	124.042	7.900	8.52e+04	3544	1.19	0.1312	Done
T48	114.473	8.903	7.84e+04	5407	1.23	0.2233	Done
Q49	120.651	7.794	1.47e+05	5024	1.32	0.1158	Done
V50	113.867	8.211	1.19e+05	4531	1.05	0.1095	Done
W51	118.349	8.328	9.93e+04	5993	1.27	0.1998	Done
D52	118.955	9.449	5.64e+04	4217	1.19	0.2363	Done
K54	116.048	8.399	1.07e+05	6100	1.30	0.1906	Done
I55	123.558	8.880	8.82e+04	2960	1.21	0.1072	Done
S56	127.434	9.126	7.53e+04	6384	1.38	0.2990	Done
S57	112.293	7.612	1.35e+05	8608	1.32	0.2167	Done
I65	128.524	9.748	8.82e+04	9643	1.60	0.4286	Done
T66	118.107	8.980	9.96e+04	5754	1.37	0.2019	Done
N67	115.684	5.987	1.22e+05	8522	1.54	0.2661	Done
A68	121.014	8.029	1.11e+05	1.177e+04	1.72	0.4359	Done
G69	112.172	9.021	1.06e+05	1568	1.54	0.05656	Done
W70	121.499	7.524	1.05e+05	3233	1.07	0.08968	Done
N71	118.834	6.585	9.75e+04	1.061e+04	1.76	0.4560	Done
E73	119.561	7.824	1.23e+05	1.101e+04	1.72	0.3676	Done
I74	123.921	9.079	9.20e+04	6409	1.67	0.2815	Done
G77	115.079	7.964	9.60e+04	1.166e+04	1.49	0.4528	Done
G78	109.386	8.475	1.15e+05	5182	1.54	0.1720	Done
S79	110.960	8.058	1.01e+05	8120	1.16	0.2497	Done
I80	119.076	8.516	9.57e+04	7339	1.37	0.2690	Done
T81	120.408	8.551	7.21e+04	3806	1.09	0.1559	Done
I82	122.468	8.933	9.20e+04	7482	1.41	0.2901	Done
G83	105.752	6.251	5.56e+04	2540	1.52	0.1728	Done
A85	124.042	8.575	9.07e+04	8665	1.39	0.3384	Done
G86	105.873	8.334	1.03e+05	1.193e+04	1.68	0.4694	Done
T87	109.991	8.264	1.03e+05	7078	1.41	0.2465	Done
G88	114.110	8.399	9.82e+04	4960	1.22	0.1624	Done
T89	118.470	8.534	1.43e+05	3383	1.02	0.06679	Done
A91	125.133	7.084	1.35e+05	1.239e+04	1.65	0.3662	Done
E92	116.048	6.838	1.40e+05	1.187e+04	1.16	0.2630	Done
L93	124.042	8.340	1.16e+05	7138	1.35	0.2134	Done
V94	126.344	8.909	9.65e+04	6810	1.51	0.2653	Done
N95	120.408	8.974	4.43e+04	3526	0.966	0.2161	Done
A96	119.439	8.363	1.55e+05	9876	1.13	0.1935	Done
S97	117.259	9.414	1.00e+05	2828	1.32	0.09636	Done
I98	127.555	8.551	6.68e+04	3339	0.919	0.1311	Done
S99	122.104	9.027	9.89e+04	4783	1.25	0.1587	Done


Peak name	F1 [ppm]	F2 [ppm]	Io	error	T1 [s]	error	fitInfo
E100	117.986	8.164	1.04e+05	9679	1.06	0.2705	Done
N101	125.375	8.299	1.43e+05	6441	1.30	0.1523	Done


Current fit display






T1 fit(1) / H6, 0.273 s
x10 4
3.00
2.50
2.00
1.50
1.00
0.50
1.00 2.00 3.00 4.00 5.00 s
T1 fit(1) / H7, 0.507 s
x10 4
5.00
4.00
3.00
2.00
1.00
1.00 2.00 3.00 4.00 5.00 s
T1 fit(1) / A8, 0.894 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit(1) / T9, 1.26 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s



T1 fit(1) / F10, 1.27 s
T1 fit(1) / S11, 1.69 s
T1 fit(1) / V12, 1.28 s
T1 fit(1) / T13, 1.41 s
x10^5
s



T1 fit(1) / S14, 1.17 s
x10 5
1.00
0.50
1.00
2.00
3.00
4.00
5.00
s
T1 fit(1) / N15, 0.797 s
x10 5
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit(1) / W16, 1.30 s
x10 5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit(1) / G17, 1.02 s
x10 5
1.25
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s



T1 fit(1) / S18, 0.855 s
T1 fit(1) / G19, 1.08 s
T1 fit(1) / Y20, 1.27 s
T1 fit(1) / N21, 1.45 s
x10 5
1.00
2.00
3.00
4.00
5.00
s



T1 fit(1) / F22, 1.69 s
T1 fit(1) / S23, 1.84 s
T1 fit(1) / I24, 1.57 s
T1 fit(1) / V25, 1.40 s
x10 5
1.00
2.00
3.00
4.00
5.00
s
0.25
0.50
0.75
1.00
1.25



T1 fit(1) / I26, 1.29 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit(1) / K27, 1.25 s
x10 5
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit(1) / N28, 1.35 s
x10 5
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit(1) / S29, 0.964 s
x10 4
5.00
2.50
1.00 2.00 3.00 4.00 5.00 s



T1 fit(1) / G30, 1.22 s
x10 5
1.25
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit(1) / T31, 0.922 s
x10 5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit(1) / T32, 1.14 s
x10 5
1.50
1.25
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit(1) / I34, 1.72 s
x10 5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s



T1 fit(1) / K35, 1.34 s
x10 4
5.00
4.00
3.00
2.00
1.00
1.00 2.00 3.00 4.00 5.00 s
T1 fit(1) / N36, 1.72 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit(1) / W37, 1.97 s
x10 5
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit(1) / K38, 1.59 s
x10 5
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s



T1 fit(1) / L39, 1.74 s
x10 5
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit(1) / E40, 1.43 s
x10 5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit(1) / F41, 1.71 s
x10 5
1.50
1.00
0.50
1.00
2.00
3.00
4.00
5.00
s
T1 fit(1) / D42, 1.61 s
x10 5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s



T1 fit(1) / N44, 1.42 s
x10 5
2.00
1.50
1.00
0.50
1.00 2.00 3.00 4.00 5.00 s
T1 fit(1) / G45, 1.51 s
x10 4
5.00
2.50
1.00 2.00 3.00 4.00 5.00 s
T1 fit(1) / N46, 1.00 s
x10 5
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit(1) / L47, 1.19 s
x10 5
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s



T1 fit(1) / T48, 1.23 s
x10 5
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit(1) / Q49, 1.32 s
x10 5
1.50
1.00
0.50
1.00
2.00
3.00
4.00
5.00
s
T1 fit(1) / V50, 1.05 s
x10 5
1.25
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit(1) / W51, 1.27 s
x10 5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s



T1 fit(1) / D52, 1.19 s
x10 4
6.00
5.00
4.00
3.00
2.00
1.00
1.00 2.00 3.00 4.00 5.00 s
T1 fit(1) / K54, 1.30 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit(1) / I55, 1.21 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit(1) / S56, 1.38 s
x10 4
7.50
5.00
2.50
1.00 2.00 3.00 4.00 5.00 s



T1 fit(1) / S57, 1.32 s
T1 fit(1) / I65, 1.60 s
T1 fit(1) / T66, 1.37 s
T1 fit(1) / N67, 1.54 s
x10^5
s



T1 fit(1) / A68, 1.72 s
T1 fit(1) / G69, 1.54 s
T1 fit(1) / W70, 1.07 s
T1 fit(1) / N71, 1.76 s
x10 5
1.25
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s



T1 fit(1) / E73, 1.72 s
T1 fit(1) / I74, 1.67 s
T1 fit(1) / G77, 1.49 s
T1 fit(1) / G78, 1.54 s
x10 5
1.25
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s



T1 fit(1) / S79, 1.16 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit(1) / I80, 1.37 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit(1) / T81, 1.09 s
x10 4
7.50
5.00
2.50
1.00 2.00 3.00 4.00 5.00 s
T1 fit(1) / I82, 1.41 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s


T1 fit(1) / G83, 1.52 s
x10 4
6.00
5.00
4.00
3.00
2.00
1.00
1.00 2.00 3.00 4.00 5.00 s
T1 fit(1) / A85, 1.39 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit(1) / G86, 1.68 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit(1) / T87, 1.41 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s


T1 fit(1) / G88, 1.22 s
x10^5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit(1) / T89, 1.02 s
x10^5
1.50
1.00
0.50
1.00 2.00 3.00 4.00 5.00 s
T1 fit(1) / A91, 1.65 s
x10^5
1.50
1.25
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit(1) / E92, 1.16 s
x10^5
1.50
1.00
0.50
1.00 2.00 3.00 4.00 5.00 s


T1 fit(1) / L93, 1.35 s
x10^5
1.25
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit(1) / V94, 1.51 s
x10^5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit(1) / N95, 0.966 s
x10^4
5.00
4.00
3.00
2.00
1.00
1.00 2.00 3.00 4.00 5.00 s
T1 fit(1) / A96, 1.13 s
x10^5
1.50
1.00
0.50
1.00 2.00 3.00 4.00 5.00 s


T1 fit(1) / S97, 1.32 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit(1) / I98, 0.919 s
x10 4
7.50
5.00
2.50
1.00 2.00 3.00 4.00 5.00 s
T1 fit(1) / S99, 1.25 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit(1) / E100, 1.06 s
x10 5
1.25
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s


T1 fit(1) / N101, 1.30 s
x10 5
1.50
1.00
0.50
1.00
2.00
3.00
4.00
5.00
s