

sample name:	15N-BaCBM2 (107uM) 25 mM NaAc pH 5.0 10 mM NaCl
Description/Title:	BHET 0.75 mM Gd
Origin:	in-house
Date of preparation:	18 Jan 2024
Solvent:	D2O
pH:	7.0
Sample tube:	normal
Tube diameter (mm):	3
Concentration (mM):	10.00
Temperature (K):	308.0
Weight (Daltons):	8900
Correlation time (ns):	4.00
Labelling:	15N
Sequence format:	FASTA file
Sequence file:	???
PDB file:	???


Mixing time = 6.000 s
ppm
110.00
115.00
120.00
125.00
130.00
10.00
9.00
8.00
7.00
6.00
ppm
T31
G83
G45
G30
T87
S79
G69
G17
T48
V50
G77
S14
E92
N67
S23
K54
W37
T66
N71
D52
D42
A96
H6
E73
Q49
W70
A91
V94
V25
L39
S56
I98
I26
F10


T1 histogram
x10 1
1.00
0.75
0.50
0.25
25
50
75
residues


Fitted function:	f(t) = Io * [1-exp(-t/T1)]
Random error estimation of data:	RMS per spectrum (or trace/plane)
Systematic error estimation of data:	worst case per peak scenario
Fit parameter Error estimation method:	from fit using arbitrary y uncertainties
Confidence level:	95%
Used peaks:	peaks from C:\Users\susanntr\OneDrive - NTNU\NMR_data\BaCBM2\191\pdata\1\peaklist.xml
Used integrals:	peak intensities
Used Mixing time:	all values (including replicates) used


Peak name	F1 [ppm]	F2 [ppm]	Io	error	T1 [s]	error	fitInfo
H6	119.318	7.994	2.29e+04	1757	0.296	0.1087	Done
H7	118.470	8.452	4.51e+04	2197	0.340	0.07357	Done
A8	125.738	8.375	8.01e+04	3595	0.825	0.1094	Done
T9	116.775	8.563	9.54e+04	4294	1.16	0.1391	Done
F10	131.674	9.214	9.11e+04	2290	1.29	0.08400	Done
S11	121.862	8.440	1.32e+05	7372	1.49	0.2067	Done
V12	124.648	8.575	9.94e+04	2535	1.17	0.07938	Done
T13	120.287	8.657	8.47e+04	2857	1.22	0.1084	Done
S14	115.321	7.454	1.49e+05	5860	1.07	0.1144	Done
N15	121.741	8.851	8.67e+04	3203	0.679	0.07964	Done
W16	123.800	7.959	9.31e+04	4618	1.00	0.1384	Done
G17	113.625	8.675	1.09e+05	2503	0.740	0.05202	Done
S18	113.019	7.694	1.24e+05	1288	0.704	0.02279	Done
G19	111.324	6.838	1.89e+05	5137	0.838	0.06697	Done
Y20	112.898	6.855	1.94e+05	2513	0.989	0.03574	Done
N21	116.411	8.675	7.87e+04	4264	1.27	0.1795	Done
F22	117.259	8.440	9.41e+04	5822	1.58	0.2401	Done
S23	116.290	9.109	1.13e+05	8105	1.63	0.2839	Done
I24	122.952	8.780	9.23e+04	6809	1.41	0.2633	Done
V25	126.465	8.182	1.00e+05	3758	1.37	0.1310	Done
I26	129.614	9.091	8.70e+04	4376	1.27	0.1668	Done
K27	125.859	8.563	8.79e+04	4493	1.23	0.1649	Done
N28	121.499	8.516	8.29e+04	3924	1.27	0.1571	Done
S29	121.135	9.003	5.76e+04	2110	0.865	0.09221	Done
G30	109.143	8.217	1.10e+05	7120	1.14	0.1983	Done
T31	105.388	8.193	8.33e+04	2366	0.838	0.06994	Done
T32	112.414	7.483	1.35e+05	4377	0.949	0.08678	Done
I34	123.437	8.041	1.03e+05	1.092e+04	1.64	0.4228	Done
K35	128.888	9.672	5.08e+04	3839	1.30	0.2551	Done
N36	121.377	8.399	8.82e+04	4961	1.52	0.2129	Done
W37	117.259	7.642	9.18e+04	8306	1.99	0.4111	Done
K38	118.955	8.663	8.71e+04	5264	1.52	0.2280	Done
L39	127.434	9.625	9.10e+04	6418	1.52	0.2656	Done
E40	124.769	9.027	1.01e+05	6565	1.44	0.2355	Done


Peak name	F1 [ppm]	F2 [ppm]	Io	error	T1 [s]	error	fitInfo
F41	113.141	7.741	1.63e+05	1.072e+04	1.53	0.2493	Done
D42	119.561	9.238	9.77e+04	5305	1.51	0.2044	Done
N44	128.161	8.669	2.02e+05	6899	1.36	0.1187	Done
G45	108.295	7.894	6.29e+04	5844	1.51	0.3489	Done
N46	120.651	8.369	8.22e+04	5471	0.852	0.1657	Done
L47	124.042	7.906	9.20e+04	2943	1.10	0.09524	Done
T48	114.473	8.903	7.81e+04	3190	1.21	0.1303	Done
Q49	120.651	7.800	1.41e+05	5355	1.12	0.1145	Done
V50	113.867	8.211	1.09e+05	2199	0.971	0.05488	Done
W51	118.349	8.328	8.51e+04	3136	1.08	0.1081	Done
D52	118.955	9.455	4.49e+04	2368	0.999	0.1466	Done
K54	116.048	8.399	1.08e+05	5601	1.35	0.1796	Done
I55	123.558	8.886	8.55e+04	3632	1.05	0.1223	Done
S56	127.434	9.132	7.52e+04	3085	1.32	0.1398	Done
S57	112.293	7.612	1.34e+05	1.023e+04	1.29	0.2567	Done
I65	128.524	9.754	9.24e+04	6644	1.53	0.2727	Done
T66	118.107	8.986	1.02e+05	4963	1.29	0.1635	Done
N67	115.684	5.987	1.20e+05	6503	1.48	0.2013	Done
A68	121.014	8.029	1.07e+05	7986	1.65	0.2991	Done
G69	112.172	9.021	1.02e+05	4881	1.44	0.1735	Done
W70	121.499	7.524	9.37e+04	3082	0.893	0.08452	Done
N71	118.834	6.591	9.68e+04	1931	1.54	0.07602	Done
E73	119.561	7.824	1.17e+05	5844	1.49	0.1863	Done
I74	123.921	9.079	9.04e+04	5815	1.52	0.2433	Done
G77	115.079	7.964	9.76e+04	3620	1.42	0.1334	Done
G78	109.386	8.475	1.10e+05	7624	1.37	0.2423	Done
S79	110.960	8.058	8.66e+04	1652	1.10	0.05690	Done
I80	119.076	8.522	9.90e+04	3811	1.26	0.1271	Done
T81	120.408	8.551	5.91e+04	3947	1.03	0.1901	Done
I82	122.468	8.939	9.19e+04	3753	1.31	0.1386	Done
G83	105.752	6.251	4.75e+04	2227	1.26	0.1538	Done
A85	124.042	8.575	8.95e+04	6402	1.34	0.2463	Done
G86	105.873	8.340	1.02e+05	8238	1.39	0.2873	Done
T87	109.991	8.270	9.90e+04	4943	1.18	0.1567	Done
G88	114.110	8.405	9.93e+04	2384	1.04	0.06865	Done
T89	118.470	8.534	1.33e+05	3511	0.868	0.06658	Done
A91	125.133	7.084	1.31e+05	1.241e+04	1.55	0.3628	Done
E92	116.048	6.844	1.48e+05	3934	1.05	0.07678	Done
L93	124.042	8.340	1.16e+05	3105	1.36	0.09300	Done
V94	126.344	8.909	9.45e+04	5200	1.39	0.1950	Done
N95	120.408	8.980	2.72e+04	2035	0.737	0.1695	Done
A96	119.439	8.363	1.32e+05	4975	1.03	0.1065	Done
S97	117.259	9.414	9.82e+04	3647	1.31	0.1257	Done
I98	127.555	8.551	5.94e+04	2123	0.875	0.09057	Done
S99	122.104	9.027	9.76e+04	4081	1.23	0.1354	Done


Peak name	F1 [ppm]	F2 [ppm]	Io	error	T1 [s]	error	fitInfo
E100	117.986	8.164	9.67e+04	3354	0.958	0.09366	Done
N101	125.375	8.299	1.39e+05	1582	1.21	0.03622	Done


Current fit display






T1 fit(2) / H6, 0.296 s
x10 4
2.50
2.00
1.50
1.00
0.50
1.00 2.00 3.00 4.00 5.00 s
T1 fit(2) / H7, 0.340 s
x10 4
5.00
4.00
3.00
2.00
1.00
1.00 2.00 3.00 4.00 5.00 s
T1 fit(2) / A8, 0.825 s
x10 5
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit(2) / T9, 1.16 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s



T1 fit(2) / F10, 1.29 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit(2) / S11, 1.49 s
x10 5
1.50
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit(2) / V12, 1.17 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit(2) / T13, 1.22 s
x10 5
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s



T1 fit(2) / S14, 1.07 s
x10 5
1.50
1.00
0.50
1.00
2.00
3.00
4.00
5.00
s
T1 fit(2) / N15, 0.679 s
x10 5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit(2) / W16, 1.00 s
x10 5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit(2) / G17, 0.740 s
x10 5
1.25
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s



T1 fit(2) / S18, 0.704 s
T1 fit(2) / G19, 0.838 s
T1 fit(2) / Y20, 0.989 s
T1 fit(2) / N21, 1.27 s
x10 5
1.00
2.00
3.00
4.00
5.00
s



T1 fit(2) / F22, 1.58 s
T1 fit(2) / S23, 1.63 s
T1 fit(2) / I24, 1.41 s
T1 fit(2) / V25, 1.37 s
x10^5
1.00
2.00
3.00
4.00
5.00
s
0.25
0.50
0.75
1.25



T1 fit(2) / I26, 1.27 s
x10 5
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit(2) / K27, 1.23 s
x10 5
1.00
0.75
0.50
0.25
T1 fit(2) / N28, 1.27 s
x10 5
T1 fit(2) / S29, 0.865 s
x10 4
5.00
2.50



T1 fit(2) / G30, 1.14 s
x10^5
1.25
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit(2) / T31, 0.838 s
x10^5
0.75
0.50
0.25
T1 fit(2) / T32, 0.949 s
x10^5
1.50
1.25
T1 fit(2) / I34, 1.64 s



T1 fit(2) / K35, 1.30 s
x10 4
5.00
4.00
3.00
2.00
1.00
1.00 2.00 3.00 4.00 5.00 s
T1 fit(2) / N36, 1.52 s
x10 5
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit(2) / W37, 1.99 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit(2) / K38, 1.52 s
x10 5
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s



T1 fit(2) / L39, 1.52 s
T1 fit(2) / E40, 1.44 s
T1 fit(2) / F41, 1.53 s
T1 fit(2) / D42, 1.51 s
x10^5
1.00
0.75
0.50
0.25
1.50
1.00
2.00
3.00
4.00
5.00
s



T1 fit(2) / N44, 1.36 s
x10^5
2.00
1.50
1.00
0.50
1.00
2.00
3.00
4.00
5.00
s
T1 fit(2) / G45, 1.51 s
x10^4
5.00
2.50
1.00
2.00
3.00
4.00
5.00
s
T1 fit(2) / N46, 0.852 s
x10^5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit(2) / L47, 1.10 s
x10^5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s



T1 fit(2) / T48, 1.21 s
T1 fit(2) / Q49, 1.12 s
T1 fit(2) / V50, 0.971 s
T1 fit(2) / W51, 1.08 s
x10 5
1.00
2.00
3.00
4.00
5.00
s



T1 fit(2) / D52, 0.999 s
x10 4
5.00
4.00
3.00
2.00
1.00
1.00
2.00
3.00
4.00
5.00
s
T1 fit(2) / K54, 1.35 s
x10 5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit(2) / I55, 1.05 s
x10 5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit(2) / S56, 1.32 s
x10 4
7.50
5.00
2.50
1.00
2.00
3.00
4.00
5.00
s



T1 fit(2) / S57, 1.29 s
T1 fit(2) / I65, 1.53 s
T1 fit(2) / T66, 1.29 s
T1 fit(2) / N67, 1.48 s
x10 5
s



T1 fit(2) / A68, 1.65 s
T1 fit(2) / G69, 1.44 s
T1 fit(2) / W70, 0.893 s
T1 fit(2) / N71, 1.54 s
x10^5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s



T1 fit(2) / E73, 1.49 s
x10^5
1.25
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit(2) / I74, 1.52 s
x10^5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit(2) / G77, 1.42 s
x10^5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit(2) / G78, 1.37 s
x10^5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s



T1 fit(2) / S79, 1.10 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit(2) / I80, 1.26 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit(2) / T81, 1.03 s
x10 4
5.00
2.50
1.00 2.00 3.00 4.00 5.00 s
T1 fit(2) / I82, 1.31 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s


T1 fit(2) / G83, 1.26 s
x10 4
5.00
4.00
3.00
2.00
1.00
1.00 2.00 3.00 4.00 5.00 s
T1 fit(2) / A85, 1.34 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit(2) / G86, 1.39 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit(2) / T87, 1.18 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s


T1 fit(2) / G88, 1.04 s
T1 fit(2) / T89, 0.868 s
T1 fit(2) / A91, 1.55 s
T1 fit(2) / E92, 1.05 s
x10^5
s


T1 fit(2) / L93, 1.36 s
x10 5
1.25
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit(2) / V94, 1.39 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit(2) / N95, 0.737 s
x10 4
3.00
2.00
1.00
1.00 2.00 3.00 4.00 5.00 s
T1 fit(2) / A96, 1.03 s
x10 5
1.50
1.25
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s


T1 fit(2) / S97, 1.31 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit(2) / I98, 0.875 s
x10 4
5.00
2.50
1.00 2.00 3.00 4.00 5.00 s
T1 fit(2) / S99, 1.23 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit(2) / E100, 0.958 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s


T1 fit(2) / N101, 1.21 s
x10 5
1.50
1.25
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s