

sample name:	15N-BaCBM2 (107uM) 25 mM NaAc pH 5.0 10 mM NaCl
Description/Title:	nanoPET
Origin:	in-house
Date of preparation:	18 Jan 2024
Solvent:	D2O
pH:	7.0
Sample tube:	normal
Tube diameter (mm):	3
Concentration (mM):	10.00
Temperature (K):	308.0
Weight (Daltons):	8900
Correlation time (ns):	4.00
Labelling:	15N
Sequence format:	FASTA file
Sequence file:	???
PDB file:	???


Mixing time = 6.000 s
ppm
110.00
115.00
120.00
125.00
130.00
10.00
9.00
8.00
7.00
6.00
ppm
T31
G86
G83
G45
G78
G30
T87
S79
G19
G69
S37
T32
Y20
G17
T48
G88
V50
G77
S14
N67
S23
N21
K54
E92
S97
F22
W37
T66
D52
D42
A96
H6
E73
N71
N95
T16
N46
Q49
S29
A68
N15
W70
I24
I55
I74
A85
L93
E40
V12
N101
A91
V94
K27
V25
L39
S56
I98
N44
K35
I26
F10


T1 histogram
x10 1
1.50
1.00
0.50
25
50
75
residues


Fitted function:	f(t) = Io * [1-exp(-t/T1)]
Random error estimation of data:	RMS per spectrum (or trace/plane)
Systematic error estimation of data:	worst case per peak scenario
Fit parameter Error estimation method:	from fit using arbitrary y uncertainties
Confidence level:	95%
Used peaks:	peaks from C:\Users\susanntr\OneDrive - NTNU\NMR_data\BaCBM2\152\pdata\1\peaklist.xml
Used integrals:	peak intensities
Used Mixing time:	all values (including replicates) used


Peak name	F1 [ppm]	F2 [ppm]	Io	error	T1 [s]	error	fitInfo
H6	119.318	7.989	3.40e+04	6597	0.744	0.4429	Done
H7	118.470	8.447	4.96e+04	1.005e+04	0.727	0.4551	Done
A8	125.738	8.382	1.04e+05	8432	0.975	0.2205	Done
T9	116.775	8.564	1.21e+05	7001	1.54	0.2201	Done
F10	131.674	9.216	1.13e+05	5454	1.55	0.1848	Done
S11	121.862	8.435	1.76e+05	1.226e+04	2.09	0.3277	Done
V12	124.648	8.576	1.49e+05	4266	1.74	0.1185	Done
T13	120.287	8.652	1.15e+05	4226	1.98	0.1666	Done
S14	115.321	7.455	2.18e+05	5367	1.78	0.1040	Done
N15	121.741	8.852	1.60e+05	8779	1.58	0.2130	Done
W16	123.800	7.960	1.59e+05	1.134e+04	2.77	0.3984	Done
G17	113.625	8.670	1.85e+05	7677	2.44	0.2142	Done
S18	113.019	7.696	1.94e+05	9953	1.84	0.2217	Done
G19	111.445	6.833	3.34e+05	7604	1.03	0.06456	Done
Y20	112.898	6.851	3.12e+05	4278	1.63	0.05435	Done
N21	116.411	8.676	1.20e+05	8330	2.35	0.3507	Done
F22	117.259	8.441	1.38e+05	1.659e+04	2.39	0.6123	Done
S23	116.290	9.110	1.38e+05	8859	2.12	0.3034	Done
I24	122.952	8.776	1.16e+05	5486	1.85	0.2047	Done
V25	126.465	8.177	1.23e+05	6442	1.60	0.2050	Done
I26	129.614	9.092	1.04e+05	3723	1.47	0.1320	Done
K27	125.859	8.564	1.03e+05	3391	1.52	0.1247	Done
N28	121.499	8.511	1.04e+05	4204	1.65	0.1625	Done
S29	121.135	9.004	7.05e+04	3990	1.37	0.1982	Done
G30	109.143	8.218	1.41e+05	5735	1.78	0.1719	Done
T31	105.388	8.195	1.29e+05	8213	1.39	0.2253	Done
T32	112.414	7.479	1.74e+05	6533	1.56	0.1450	Done
I34	123.437	8.042	1.23e+05	1.176e+04	1.90	0.4224	Done
K35	128.888	9.673	6.32e+04	2385	1.71	0.1551	Done
N36	121.377	8.394	1.10e+05	8938	2.11	0.3851	Done
W37	117.138	7.637	1.13e+05	1.409e+04	2.53	0.6589	Done
K38	118.955	8.664	1.06e+05	1.011e+04	1.84	0.4119	Done
L39	127.434	9.621	1.04e+05	7114	1.75	0.2861	Done
E40	124.769	9.028	1.24e+05	5183	1.65	0.1668	Done


Peak name	F1 [ppm]	F2 [ppm]	Io	error	T1 [s]	error	fitInfo
F41	113.141	7.737	1.91e+05	1.780e+04	2.09	0.4379	Done
D42	119.561	9.239	1.27e+05	8653	1.96	0.3063	Done
N44	128.161	8.670	2.36e+05	5452	1.69	0.09416	Done
G45	108.295	7.895	7.71e+04	5026	1.99	0.2964	Done
N46	120.651	8.365	9.46e+04	8683	1.31	0.3098	Done
L47	124.042	7.907	1.06e+05	3361	1.52	0.1205	Done
T48	114.473	8.905	9.17e+04	2526	1.52	0.1038	Done
Q49	120.651	7.795	1.91e+05	7002	1.61	0.1442	Done
V50	113.867	8.212	1.57e+05	7215	1.14	0.1402	Done
W51	118.349	8.330	1.50e+05	7280	1.77	0.2039	Done
D52	118.955	9.450	1.23e+05	4039	2.22	0.1605	Done
K54	116.048	8.400	1.33e+05	5349	1.58	0.1566	Done
I55	123.558	8.881	1.14e+05	4017	1.32	0.1198	Done
S56	127.434	9.128	9.06e+04	6068	1.60	0.2623	Done
S57	112.293	7.614	1.71e+05	9800	1.66	0.2303	Done
I65	128.524	9.750	1.07e+05	9768	1.72	0.3769	Done
T66	118.107	8.981	1.23e+05	6520	1.56	0.2034	Done
N67	115.684	5.988	1.56e+05	5270	1.94	0.1511	Done
A68	121.014	8.030	1.38e+05	1.737e+04	2.20	0.6114	Done
G69	112.172	9.022	1.49e+05	8810	2.87	0.3364	Done
W70	121.499	7.526	1.72e+05	1.504e+04	2.96	0.5055	Done
N71	118.834	6.592	1.51e+05	2.376e+04	3.22	0.9562	Done
E73	119.561	7.825	1.52e+05	5975	2.06	0.1827	Done
I74	123.921	9.081	1.14e+05	6769	1.97	0.2675	Done
G77	115.079	7.966	1.26e+05	1.055e+04	2.45	0.4334	Done
G78	109.386	8.476	1.49e+05	1.338e+04	2.13	0.4264	Done
S79	110.960	8.060	1.74e+05	9733	1.78	0.2359	Done
I80	119.076	8.523	1.23e+05	6404	1.63	0.2066	Done
T81	120.408	8.553	1.23e+05	4370	1.33	0.1219	Done
I82	122.468	8.934	1.20e+05	6273	1.76	0.2187	Done
G83	105.752	6.252	8.41e+04	7487	1.94	0.3986	Done
A85	124.042	8.576	1.21e+05	8014	1.84	0.2855	Done
G86	105.873	8.341	1.36e+05	1.034e+04	2.13	0.3633	Done
T87	109.991	8.265	1.26e+05	3354	1.65	0.1064	Done
G88	114.110	8.400	1.34e+05	6338	1.94	0.2118	Done
T89	118.470	8.535	1.79e+05	6068	1.43	0.1228	Done
A91	125.133	7.085	1.68e+05	5804	2.02	0.1586	Done
E92	116.048	6.845	1.79e+05	3737	1.33	0.07163	Done
L93	124.042	8.341	1.42e+05	6300	1.58	0.1723	Done
V94	126.344	8.911	1.15e+05	9322	1.77	0.3415	Done
N95	120.408	8.975	1.44e+05	5142	1.47	0.1316	Done
A96	119.439	8.365	2.40e+05	3062	1.33	0.04385	Done
S97	117.259	9.415	1.27e+05	5911	1.54	0.1783	Done
I98	127.555	8.553	9.81e+04	4611	1.15	0.1448	Done
S99	122.104	9.028	1.22e+05	3641	1.51	0.1127	Done


Peak name	F1 [ppm]	F2 [ppm]	Io	error	T1 [s]	error	fitInfo
E100	117.986	8.165	1.48e+05	5761	1.41	0.1384	Done
N101	125.375	8.300	1.73e+05	3058	1.60	0.06903	Done


Current fit display






T1 fit / H6, 0.744 s
x10^4
4.00
3.00
2.00
1.00
1.00
2.00
3.00
4.00
5.00
s
T1 fit / H7, 0.727 s
x10^4
6.00
5.00
4.00
3.00
2.00
1.00
1.00
2.00
3.00
4.00
5.00
s
T1 fit / A8, 0.975 s
x10^5
1.25
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / T9, 1.54 s
x10^5
1.25
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s



T1 fit / F10, 1.55 s
x10 5
1.25
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / S11, 2.09 s
x10 5
1.50
1.00
0.50
1.00
2.00
3.00
4.00
5.00
s
T1 fit / V12, 1.74 s
x10 5
1.50
1.00
0.50
1.00
2.00
3.00
4.00
5.00
s
T1 fit / T13, 1.98 s
x10 5
1.25
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s



T1 fit / S14, 1.78 s
x10 5
2.00
1.50
1.00
0.50
1.00
2.00
3.00
4.00
5.00
s
T1 fit / N15, 1.58 s
x10 5
1.50
1.00
0.50
1.00
2.00
3.00
4.00
5.00
s
T1 fit / W16, 2.77 s
x10 5
1.50
1.25
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / G17, 2.44 s
x10 5
1.50
1.00
0.50
1.00
2.00
3.00
4.00
5.00
s



T1 fit / S18, 1.84 s
x10 5
2.00
1.50
1.00
0.50
1.00 2.00 3.00 4.00 5.00 s
T1 fit / G19, 1.03 s
x10 5
3.00
2.00
1.00
1.00 2.00 3.00 4.00 5.00 s
T1 fit / Y20, 1.63 s
x10 5
3.00
2.00
1.00
1.00 2.00 3.00 4.00 5.00 s
T1 fit / N21, 2.35 s
x10 5
1.25
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s



T1 fit / F22, 2.39 s
T1 fit / S23, 2.12 s
T1 fit / I24, 1.85 s
T1 fit / V25, 1.60 s
x10 5
1.00
2.00
3.00
4.00
5.00
s
0.25
0.50
0.75
1.00
1.25
1.50



T1 fit / I26, 1.47 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit / K27, 1.52 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit / N28, 1.65 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit / S29, 1.37 s
x10 4
7.50
5.00
2.50
1.00 2.00 3.00 4.00 5.00 s



T1 fit / G30, 1.78 s
T1 fit / T31, 1.39 s
T1 fit / T32, 1.56 s
T1 fit / I34, 1.90 s
x10 5
1.00
2.00
3.00
4.00
5.00
s



T1 fit / K35, 1.71 s
x10 4
5.00
2.50
1.00
2.00
3.00
4.00
5.00
s
T1 fit / N36, 2.11 s
x10 5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / W37, 2.53 s
x10 5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / K38, 1.84 s
x10 5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s



T1 fit / L39, 1.75 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit / E40, 1.65 s
x10 5
1.25
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit / F41, 2.09 s
x10 5
2.00
1.50
1.00
0.50
1.00 2.00 3.00 4.00 5.00 s
T1 fit / D42, 1.96 s
x10 5
1.25
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s



T1 fit / N44, 1.69 s
x10 5
2.50
2.00
1.50
1.00
0.50
1.00 2.00 3.00 4.00 5.00 s
T1 fit / G45, 1.99 s
x10 4
7.50
5.00
2.50
1.00 2.00 3.00 4.00 5.00 s
T1 fit / N46, 1.31 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit / L47, 1.52 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s



T1 fit / T48, 1.52 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit / Q49, 1.61 s
x10 5
2.00
1.50
1.00
0.50
1.00 2.00 3.00 4.00 5.00 s
T1 fit / V50, 1.14 s
x10 5
1.50
1.00
0.50
1.00 2.00 3.00 4.00 5.00 s
T1 fit / W51, 1.77 s
x10 5
1.50
1.00
0.50
1.00 2.00 3.00 4.00 5.00 s



T1 fit / D52, 2.22 s
T1 fit / K54, 1.58 s
T1 fit / I55, 1.32 s
T1 fit / S56, 1.60 s
x10^5
1.25
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s



T1 fit / S57, 1.66 s
x10 5
1.50
1.00
0.50
1.00
2.00
3.00
4.00
5.00
s
T1 fit / I65, 1.72 s
x10 5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / T66, 1.56 s
x10 5
1.25
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / N67, 1.94 s
x10 5
1.50
1.00
0.50
1.00
2.00
3.00
4.00
5.00
s



T1 fit / A68, 2.20 s
T1 fit / G69, 2.87 s
T1 fit / W70, 2.96 s
T1 fit / N71, 3.22 s
x10 5
1.50
1.25
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s



T1 fit / E73, 2.06 s
x10 5
1.50
1.00
0.50
1.00
2.00
3.00
4.00
5.00
s
T1 fit / I74, 1.97 s
x10 5
1.25
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / G77, 2.45 s
x10 5
1.25
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / G78, 2.13 s
x10 5
1.50
1.25
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s



T1 fit / S79, 1.78 s
x10 5
1.50
1.00
0.50
1.00
2.00
3.00
4.00
5.00
s
T1 fit / I80, 1.63 s
x10 5
1.25
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / T81, 1.33 s
x10 5
1.25
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / I82, 1.76 s
x10 5
1.25
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s


T1 fit / G83, 1.94 s
T1 fit / A85, 1.84 s
T1 fit / G86, 2.13 s
T1 fit / T87, 1.65 s
x10 5
0.25
0.50
0.75
1.00
1.25
1.00
2.00
3.00
4.00
5.00
s


T1 fit / G88, 1.94 s
x10 5
1.50
1.25
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / T89, 1.43 s
x10 5
2.00
1.50
1.00
0.50
1.00
2.00
3.00
4.00
5.00
s
T1 fit / A91, 2.02 s
x10 5
1.50
1.00
0.50
1.00
2.00
3.00
4.00
5.00
s
T1 fit / E92, 1.33 s
x10 5
2.00
1.50
1.00
0.50
1.00
2.00
3.00
4.00
5.00
s


T1 fit / L93, 1.58 s
x10 5
1.50
1.25
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / V94, 1.77 s
x10 5
1.25
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / N95, 1.47 s
x10 5
1.50
1.00
0.50
1.00
2.00
3.00
4.00
5.00
s
T1 fit / A96, 1.33 s
x10 5
2.50
2.00
1.50
1.00
0.50
1.00
2.00
3.00
4.00
5.00
s


T1 fit / S97, 1.54 s
x10 5
1.25
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / I98, 1.15 s
x10 5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / S99, 1.51 s
x10 5
1.25
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / E100, 1.41 s
x10 5
1.50
1.00
0.50
1.00
2.00
3.00
4.00
5.00
s


T1 fit / N101, 1.60 s
x10 5
1.50
1.00
0.50
1.00
2.00
3.00
4.00
5.00
s