

sample name:	15N-BaCBM2 (107uM) 25 mM NaAc pH 5.0 10 mM NaCl
Description/Title:	nanoPET 0.5 mM Gd
Origin:	in-house
Date of preparation:	18 Jan 2024
Solvent:	D2O
pH:	7.0
Sample tube:	normal
Tube diameter (mm):	3
Concentration (mM):	10.00
Temperature (K):	308.0
Weight (Daltons):	8900
Correlation time (ns):	4.00
Labelling:	15N
Sequence format:	FASTA file
Sequence file:	???
PDB file:	???


Mixing time = 6.000 s
ppm
110.00
115.00
120.00
125.00
130.00
10.00
9.00
8.00
7.00
6.00
ppm


T1 histogram
x10 1
1.00
0.75
0.50
0.25
25
50
75
residues


Fitted function:	f(t) = Io * [1-exp(-t/T1)]
Random error estimation of data:	RMS per spectrum (or trace/plane)
Systematic error estimation of data:	worst case per peak scenario
Fit parameter Error estimation method:	from fit using arbitrary y uncertainties
Confidence level:	95%
Used peaks:	peaks from C:\Users\susanntr\OneDrive - NTNU\NMR_data\BaCBM2\123\pdata\1\peaklist.xml
Used integrals:	peak intensities
Used Mixing time:	all values (including replicates) used


Peak name	F1 [ppm]	F2 [ppm]	Io	error	T1 [s]	error	fitInfo
H6	119.561	7.964	4.02e+04	1708	1.36	0.1481	Done
H7	118.591	8.434	4.78e+04	3317	0.343	0.1051	Done
A8	125.738	8.387	8.46e+04	3495	0.694	0.09019	Done
T9	116.775	8.569	1.07e+05	4677	1.27	0.1441	Done
F10	131.674	9.214	9.17e+04	2393	1.31	0.08860	Done
S11	121.862	8.440	1.54e+05	1.146e+04	1.70	0.3032	Done
V12	124.648	8.581	1.22e+05	2444	1.28	0.06668	Done
T13	120.287	8.657	8.93e+04	5906	1.30	0.2232	Done
S14	115.321	7.454	1.68e+05	5602	1.18	0.1045	Done
N15	121.862	8.862	9.52e+04	5010	0.716	0.1170	Done
W16	123.921	7.970	1.01e+05	3920	1.28	0.1295	Done
G17	113.746	8.680	1.20e+05	890.5	0.967	0.02025	Done
S18	113.141	7.706	1.46e+05	2531	0.846	0.04286	Done
G19	111.324	6.838	2.11e+05	4741	1.12	0.06790	Done
Y20	112.898	6.855	2.22e+05	2891	1.12	0.03916	Done
N21	116.532	8.680	9.35e+04	6680	1.53	0.2710	Done
F22	117.259	8.446	1.13e+05	1.082e+04	1.79	0.4044	Done
S23	116.290	9.109	1.26e+05	9297	1.74	0.3071	Done
I24	122.952	8.780	1.01e+05	6264	1.58	0.2398	Done
V25	126.465	8.176	1.14e+05	4005	1.47	0.1295	Done
I26	129.614	9.091	8.76e+04	3474	1.39	0.1403	Done
K27	125.859	8.575	8.97e+04	6997	1.27	0.2578	Done
N28	121.499	8.510	9.44e+04	3603	1.29	0.1275	Done
S29	121.135	9.027	5.70e+04	1549	0.901	0.07025	Done
G30	109.143	8.228	1.06e+05	5333	1.16	0.1555	Done
T31	105.388	8.193	9.24e+04	1822	0.882	0.05024	Done
T32	112.414	7.483	1.43e+05	3340	1.06	0.06786	Done
I34	123.437	8.041	1.18e+05	1.099e+04	1.64	0.3725	Done
K35	128.888	9.672	4.93e+04	1655	1.31	0.1138	Done
N36	121.499	8.387	9.00e+04	3283	1.79	0.1544	Done
W37	117.138	7.630	1.08e+05	1.174e+04	2.05	0.5027	Done
K38	118.955	8.663	8.93e+04	3131	1.66	0.1412	Done
L39	127.434	9.625	9.20e+04	5234	1.54	0.2167	Done
E40	124.769	9.027	1.09e+05	5553	1.43	0.1841	Done


Peak name	F1 [ppm]	F2 [ppm]	Io	error	T1 [s]	error	fitInfo
F41	113.141	7.741	1.65e+05	1.058e+04	1.65	0.2569	Done
D42	119.561	9.238	1.05e+05	7971	1.65	0.3057	Done
N44	128.161	8.669	1.90e+05	3137	1.41	0.05882	Done
G45	108.295	7.900	6.47e+04	3469	1.54	0.2039	Done
N46	120.651	8.363	8.52e+04	4780	0.906	0.1457	Done
L47	124.042	7.906	9.81e+04	3311	1.18	0.1057	Done
T48	114.473	8.903	9.49e+04	3914	1.30	0.1391	Done
Q49	120.651	7.800	1.43e+05	3918	1.27	0.09097	Done
V50	113.867	8.217	1.25e+05	3831	0.942	0.08148	Done
W51	118.349	8.334	9.76e+04	3849	1.27	0.1307	Done
D52	118.955	9.449	6.51e+04	1275	1.08	0.05770	Done
K54	116.048	8.399	1.17e+05	3903	1.41	0.1192	Done
I55	123.437	8.886	1.06e+05	1751	1.14	0.05059	Done
S56	127.434	9.138	7.74e+04	2797	1.32	0.1230	Done
S57	112.293	7.618	1.51e+05	8364	1.29	0.1863	Done
I65	128.524	9.754	9.95e+04	7302	1.56	0.2828	Done
T66	118.107	8.980	1.11e+05	4777	1.40	0.1536	Done
N67	115.805	5.987	1.39e+05	5168	1.67	0.1498	Done
A68	121.014	8.035	1.25e+05	5794	1.83	0.1994	Done
G69	112.172	9.027	1.24e+05	5059	1.66	0.1637	Done
W70	121.499	7.542	1.22e+05	3788	1.01	0.08645	Done
N71	118.834	6.597	1.07e+05	5136	1.67	0.1935	Done
E73	119.561	7.829	1.18e+05	7604	1.66	0.2589	Done
I74	124.042	9.079	1.01e+05	8499	1.75	0.3507	Done
G77	115.200	7.964	9.99e+04	4696	1.53	0.1787	Done
G78	109.386	8.481	1.35e+05	5539	1.55	0.1577	Done
S79	110.960	8.058	1.15e+05	2139	1.23	0.06003	Done
I80	119.076	8.522	1.18e+05	7358	1.45	0.2279	Done
T81	120.408	8.557	7.55e+04	3470	1.03	0.1306	Done
I82	122.468	8.939	9.91e+04	7220	1.40	0.2597	Done
G83	105.752	6.251	6.51e+04	3926	1.58	0.2336	Done
A85	124.042	8.575	1.01e+05	8701	1.49	0.3201	Done
G86	105.873	8.340	1.14e+05	6984	1.70	0.2499	Done
T87	109.991	8.270	9.94e+04	1926	1.34	0.06651	Done
G88	114.110	8.405	1.15e+05	2905	1.27	0.08365	Done
T89	118.470	8.540	1.53e+05	2336	0.972	0.04148	Done
A91	125.254	7.090	1.47e+05	9837	1.62	0.2639	Done
E92	116.048	6.844	1.58e+05	4370	1.12	0.08354	Done
L93	124.042	8.340	1.14e+05	3249	1.46	0.1045	Done
V94	126.344	8.909	1.02e+05	5220	1.39	0.1819	Done
N95	120.408	8.980	4.42e+04	2018	0.903	0.1183	Done
A96	119.439	8.363	1.45e+05	3434	1.09	0.07005	Done
S97	117.259	9.414	1.08e+05	2917	1.34	0.09309	Done
I98	127.555	8.540	6.46e+04	2790	0.902	0.1117	Done
S99	122.104	9.027	1.11e+05	4208	1.29	0.1266	Done


Peak name	F1 [ppm]	F2 [ppm]	Io	error	T1 [s]	error	fitInfo
E100	117.986	8.164	1.10e+05	2538	1.04	0.06587	Done
N101	125.375	8.293	1.44e+05	3312	1.28	0.07635	Done


Current fit display






T1 fit / H6, 1.36 s
x10 4
4.00
3.00
2.00
1.00
1.00 2.00 3.00 4.00 5.00 s
T1 fit / H7, 0.343 s
x10 4
5.00
4.00
3.00
2.00
1.00
1.00 2.00 3.00 4.00 5.00 s
T1 fit / A8, 0.694 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit / T9, 1.27 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s



T1 fit / F10, 1.31 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit / S11, 1.70 s
x10 5
1.50
1.00
0.50
1.00 2.00 3.00 4.00 5.00 s
T1 fit / V12, 1.28 s
x10 5
1.25
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit / T13, 1.30 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s



T1 fit / S14, 1.18 s
x10 5
1.50
1.00
0.50
1.00
2.00
3.00
4.00
5.00
s
T1 fit / N15, 0.716 s
x10 5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / W16, 1.28 s
x10 5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / G17, 0.967 s
x10 5
1.25
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s



T1 fit / S18, 0.846 s
x10 5
1.50
1.00
0.50
1.00
2.00
3.00
4.00
5.00
s
T1 fit / G19, 1.12 s
x10 5
2.00
1.50
1.00
0.50
1.00
2.00
3.00
4.00
5.00
s
T1 fit / Y20, 1.12 s
x10 5
2.50
2.00
1.50
1.00
0.50
1.00
2.00
3.00
4.00
5.00
s
T1 fit / N21, 1.53 s
x10 5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s



T1 fit / F22, 1.79 s
T1 fit / S23, 1.74 s
T1 fit / I24, 1.58 s
T1 fit / V25, 1.47 s
x10^5
1.25
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s



T1 fit / I26, 1.39 s
x10 5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / K27, 1.27 s
x10 5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / N28, 1.29 s
x10 5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / S29, 0.901 s
x10 4
5.00
2.50
1.00
2.00
3.00
4.00
5.00
s



T1 fit / G30, 1.16 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit / T31, 0.882 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit / T32, 1.06 s
x10 5
1.50
1.00
0.50
1.00 2.00 3.00 4.00 5.00 s
T1 fit / I34, 1.64 s
x10 5
1.25
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s



T1 fit / K35, 1.31 s
x10 4
5.00
4.00
3.00
2.00
1.00
1.00
2.00
3.00
4.00
5.00
s
T1 fit / N36, 1.79 s
x10 5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / W37, 2.05 s
x10 5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / K38, 1.66 s
x10 5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s



T1 fit / L39, 1.54 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit / E40, 1.43 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit / F41, 1.65 s
x10 5
1.50
1.00
0.50
1.00 2.00 3.00 4.00 5.00 s
T1 fit / D42, 1.65 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s



T1 fit / N44, 1.41 s
x10 5
2.00
1.50
1.00
0.50
1.00
2.00
3.00
4.00
5.00
s
T1 fit / G45, 1.54 s
x10 4
5.00
2.50
1.00
2.00
3.00
4.00
5.00
s
T1 fit / N46, 0.906 s
x10 5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / L47, 1.18 s
x10 5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s



T1 fit / T48, 1.30 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit / Q49, 1.27 s
x10 5
1.50
1.00
0.50
1.00 2.00 3.00 4.00 5.00 s
T1 fit / V50, 0.942 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit / W51, 1.27 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s



T1 fit / D52, 1.08 s
x10 4
7.50
5.00
2.50
1.00
2.00
3.00
4.00
5.00
s
T1 fit / K54, 1.41 s
x10 5
1.25
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / I55, 1.14 s
x10 5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / S56, 1.32 s
x10 5
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s



T1 fit / S57, 1.29 s
x10 5
1.50
1.00
0.50
1.00
2.00
3.00
4.00
5.00
s
T1 fit / I65, 1.56 s
x10 5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / T66, 1.40 s
x10 5
1.25
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / N67, 1.67 s
x10 5
1.50
1.25
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s



T1 fit / A68, 1.83 s
T1 fit / G69, 1.66 s
T1 fit / W70, 1.01 s
T1 fit / N71, 1.67 s
x10 5
1.25
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s



T1 fit / E73, 1.66 s
x10 5
1.25
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / I74, 1.75 s
x10 5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / G77, 1.53 s
x10 5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / G78, 1.55 s
x10 5
1.50
1.25
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s



T1 fit / S79, 1.23 s
T1 fit / I80, 1.45 s
T1 fit / T81, 1.03 s
T1 fit / I82, 1.40 s
x10 5
1.25
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s


T1 fit / G83, 1.58 s
x10 4
5.00
2.50
1.00 2.00 3.00 4.00 5.00 s
T1 fit / A85, 1.49 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit / G86, 1.70 s
x10 5
1.25
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit / T87, 1.34 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s


T1 fit / G88, 1.27 s
x10 5
1.25
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / T89, 0.972 s
x10 5
1.00
0.50
T1 fit / A91, 1.62 s
x10 5
1.50
1.00
0.50
T1 fit / E92, 1.12 s
x10 5
1.50
1.00
0.50


T1 fit / L93, 1.46 s
x10 5
1.25
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / V94, 1.39 s
x10 5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / N95, 0.903 s
x10 4
5.00
4.00
3.00
2.00
1.00
1.00
2.00
3.00
4.00
5.00
s
T1 fit / A96, 1.09 s
x10 5
1.50
1.00
0.50
1.00
2.00
3.00
4.00
5.00
s


T1 fit / S97, 1.34 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit / I98, 0.902 s
x10 4
7.50
5.00
2.50
1.00 2.00 3.00 4.00 5.00 s
T1 fit / S99, 1.29 s
x10 5
1.25
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit / E100, 1.04 s
x10 5
1.25
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s


T1 fit / N101, 1.28 s
x10 5
1.50
1.00
0.50
1.00
2.00
3.00
4.00
5.00
s