

sample name:	15N-BaCBM2 (107uM) 25 mM NaAc pH 5.0 10 mM NaCl
Description/Title:	nanoPET 0.75 mM Gd
Origin:	in-house
Date of preparation:	18 Jan 2024
Solvent:	D2O
pH:	7.0
Sample tube:	normal
Tube diameter (mm):	3
Concentration (mM):	10.00
Temperature (K):	308.0
Weight (Daltons):	8900
Correlation time (ns):	4.00
Labelling:	15N
Sequence format:	FASTA file
Sequence file:	???
PDB file:	???


Mixing time = 6.000 s
ppm
110.00
115.00
120.00
125.00
130.00
10.00
9.00
8.00
7.00
6.00
ppm


T1 histogram
x10 1
0.75
0.50
0.25
25
50
75
residues


Fitted function:	f(t) = Io * [1-exp(-t/T1)]
Random error estimation of data:	RMS per spectrum (or trace/plane)
Systematic error estimation of data:	worst case per peak scenario
Fit parameter Error estimation method:	from fit using arbitrary y uncertainties
Confidence level:	95%
Used peaks:	peaks from C:\Users\susanntr\OneDrive - NTNU\NMR_data\BaCBM2\138\pdata\1\peaklist.xml
Used integrals:	peak intensities
Used Mixing time:	all values (including replicates) used


Peak name	F1 [ppm]	F2 [ppm]	Io	error	T1 [s]	error	fitInfo
H6	119.076	8.005	0.00	0.000	0.00	0.000	Fail
H7	118.591	8.434	4.52e+04	3238	0.344	0.1086	Done
A8	125.738	8.387	7.95e+04	4089	0.667	0.1096	Done
T9	116.775	8.569	1.03e+05	6391	1.15	0.1918	Done
F10	131.674	9.220	8.82e+04	1778	1.21	0.06422	Done
S11	121.862	8.440	1.48e+05	6548	1.56	0.1702	Done
V12	124.648	8.581	1.13e+05	4002	1.20	0.1121	Done
T13	120.287	8.657	8.69e+04	3915	1.26	0.1479	Done
S14	115.321	7.454	1.54e+05	4796	1.06	0.09055	Done
N15	121.741	8.862	8.32e+04	2866	0.633	0.07121	Done
W16	123.800	7.970	8.79e+04	1280	0.968	0.03961	Done
G17	113.625	8.680	9.99e+04	3245	0.799	0.07750	Done
S18	113.141	7.706	1.31e+05	2302	0.708	0.03890	Done
G19	111.324	6.838	1.88e+05	4790	0.978	0.06987	Done
Y20	112.898	6.855	1.96e+05	4185	0.975	0.05832	Done
N21	116.532	8.680	8.48e+04	4761	1.33	0.1920	Done
F22	117.259	8.446	1.02e+05	9389	1.56	0.3547	Done
S23	116.290	9.109	1.20e+05	6557	1.61	0.2150	Done
I24	122.952	8.780	9.85e+04	7024	1.50	0.2666	Done
V25	126.465	8.176	1.10e+05	4952	1.36	0.1563	Done
I26	129.614	9.091	8.50e+04	3968	1.31	0.1577	Done
K27	125.859	8.575	8.78e+04	4227	1.15	0.1483	Done
N28	121.499	8.510	9.26e+04	4384	1.24	0.1539	Done
S29	121.135	9.027	5.70e+04	2475	0.881	0.1107	Done
G30	109.143	8.228	1.03e+05	3525	1.07	0.1002	Done
T31	105.388	8.193	8.38e+04	2316	0.771	0.06439	Done
T32	112.414	7.483	1.35e+05	3463	0.925	0.06777	Done
I34	123.437	8.041	1.17e+05	9245	1.62	0.3128	Done
K35	128.888	9.672	4.80e+04	2293	1.28	0.1591	Done
N36	121.499	8.387	8.36e+04	6874	1.53	0.3115	Done
W37	117.138	7.630	1.09e+05	1.332e+04	2.00	0.5599	Done
K38	118.955	8.663	8.53e+04	4580	1.47	0.1980	Done
L39	127.434	9.625	9.16e+04	5135	1.48	0.2078	Done
E40	124.769	9.027	1.07e+05	4625	1.33	0.1486	Done


Peak name	F1 [ppm]	F2 [ppm]	Io	error	T1 [s]	error	fitInfo
F41	113.141	7.741	1.67e+05	9373	1.63	0.2225	Done
D42	119.561	9.244	1.02e+05	6332	1.51	0.2328	Done
N44	128.161	8.669	1.91e+05	4910	1.37	0.08998	Done
G45	108.295	7.900	6.66e+04	3565	1.50	0.1998	Done
N46	120.651	8.363	8.60e+04	4610	0.875	0.1359	Done
L47	124.042	7.906	9.40e+04	4598	1.10	0.1456	Done
T48	114.473	8.903	9.34e+04	5457	1.21	0.1860	Done
Q49	120.651	7.800	1.36e+05	5292	1.16	0.1205	Done
V50	113.867	8.217	1.16e+05	6175	0.890	0.1364	Done
W51	118.349	8.334	8.71e+04	4834	1.18	0.1744	Done
D52	118.955	9.449	5.19e+04	2132	0.912	0.1071	Done
K54	116.048	8.399	1.14e+05	6231	1.34	0.1878	Done
I55	123.437	8.886	1.00e+05	5128	1.04	0.1469	Done
S56	127.434	9.138	7.64e+04	5702	1.26	0.2459	Done
S57	112.293	7.618	1.50e+05	6322	1.27	0.1401	Done
I65	128.524	9.754	9.86e+04	7389	1.54	0.2854	Done
T66	118.107	8.980	1.05e+05	6295	1.25	0.1963	Done
N67	115.805	5.987	1.35e+05	3540	1.61	0.1027	Done
A68	121.014	8.035	1.19e+05	8838	1.68	0.3004	Done
G69	112.172	9.027	1.19e+05	6290	1.45	0.1930	Done
W70	121.499	7.542	1.06e+05	3914	0.796	0.08760	Done
N71	118.834	6.597	9.89e+04	4233	1.43	0.1547	Done
E73	119.561	7.829	1.15e+05	1689	1.55	0.05606	Done
I74	124.042	9.079	9.71e+04	7277	1.58	0.2909	Done
G77	115.200	7.964	9.75e+04	4036	1.39	0.1467	Done
G78	109.386	8.481	1.30e+05	5474	1.40	0.1499	Done
S79	110.960	8.058	9.67e+04	2530	1.06	0.07582	Done
I80	119.076	8.522	1.15e+05	4513	1.31	0.1330	Done
T81	120.408	8.557	6.21e+04	1061	0.969	0.04651	Done
I82	122.468	8.939	9.63e+04	5254	1.39	0.1927	Done
G83	105.752	6.251	5.72e+04	3081	1.35	0.1863	Done
A85	124.042	8.575	9.62e+04	4190	1.41	0.1555	Done
G86	105.873	8.346	1.06e+05	7084	1.49	0.2481	Done
T87	110.112	8.270	9.67e+04	3108	1.20	0.1022	Done
G88	114.110	8.405	1.07e+05	2536	1.06	0.06883	Done
T89	118.470	8.540	1.44e+05	2842	0.840	0.04855	Done
A91	125.254	7.090	1.43e+05	9390	1.51	0.2468	Done
E92	116.048	6.844	1.56e+05	3739	1.08	0.07009	Done
L93	124.042	8.340	1.11e+05	5283	1.36	0.1651	Done
V94	126.344	8.909	9.98e+04	6208	1.32	0.2119	Done
N95	120.408	8.980	2.95e+04	2209	0.849	0.1857	Done
A96	119.439	8.363	1.24e+05	3643	0.972	0.08002	Done
S97	117.259	9.414	1.02e+05	5341	1.22	0.1692	Done
I98	127.555	8.540	5.69e+04	1853	0.829	0.07959	Done
S99	122.104	9.027	1.06e+05	3664	1.22	0.1109	Done


Peak name	F1 [ppm]	F2 [ppm]	Io	error	T1 [s]	error	fitInfo
E100	117.986	8.164	1.00e+05	2349	0.922	0.06168	Done
N101	125.375	8.293	1.37e+05	3310	1.16	0.07452	Done


Current fit display






H6: fit Failed !
x10 3
1.50
1.00
0.50
0.00
-0.50
-1.00
1.00
2.00
3.00
4.00
5.00
s
T1 fit / H7, 0.344 s
x10 4
5.00
4.00
3.00
2.00
1.00
T1 fit / A8, 0.667 s
x10 5
0.75
0.50
0.25
T1 fit / T9, 1.15 s



T1 fit / F10, 1.21 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit / S11, 1.56 s
x10 5
1.50
1.00
0.50
1.00 2.00 3.00 4.00 5.00 s
T1 fit / V12, 1.20 s
x10 5
1.25
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit / T13, 1.26 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s



T1 fit / S14, 1.06 s
T1 fit / N15, 0.633 s
T1 fit / W16, 0.968 s
T1 fit / G17, 0.799 s
x10 5
1.00
2.00
3.00
4.00
5.00
s
0.50
0.75
1.00
1.50
0.25



T1 fit / S18, 0.708 s
x10 5
1.50
1.25
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / G19, 0.978 s
x10 5
2.00
1.50
1.00
0.50
1.00
2.00
3.00
4.00
5.00
s
T1 fit / Y20, 0.975 s
x10 5
2.00
1.50
1.00
0.50
1.00
2.00
3.00
4.00
5.00
s
T1 fit / N21, 1.33 s
x10 5
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s



T1 fit / F22, 1.56 s
T1 fit / S23, 1.61 s
T1 fit / I24, 1.50 s
T1 fit / V25, 1.36 s
x10 5
1.00
2.00
3.00
4.00
5.00
s
0.25
0.50
0.75
1.00
1.25



T1 fit / I26, 1.31 s
x10 5
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / K27, 1.15 s
x10 5
1.00
0.75
0.50
0.25
T1 fit / N28, 1.24 s
x10 5
1.00
0.75
0.50
0.25
T1 fit / S29, 0.881 s
x10 4
5.00
2.50



T1 fit / G30, 1.07 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit / T31, 0.771 s
x10 5
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit / T32, 0.925 s
x10 5
1.50
1.25
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit / I34, 1.62 s
x10 5
1.25
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s



T1 fit / K35, 1.28 s
x10 4
5.00
4.00
3.00
2.00
1.00
1.00 2.00 3.00 4.00 5.00 s
T1 fit / N36, 1.53 s
x10 5
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit / W37, 2.00 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit / K38, 1.47 s
x10 5
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s



T1 fit / L39, 1.48 s
x10 5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / E40, 1.33 s
x10 5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / F41, 1.63 s
x10 5
1.50
1.00
0.50
1.00
2.00
3.00
4.00
5.00
s
T1 fit / D42, 1.51 s
x10 5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s



T1 fit / N44, 1.37 s
x10 5
2.00
1.50
1.00
0.50
1.00
2.00
3.00
4.00
5.00
s
T1 fit / G45, 1.50 s
x10 4
5.00
2.50
1.00
2.00
3.00
4.00
5.00
s
T1 fit / N46, 0.875 s
x10 5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / L47, 1.10 s
x10 5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s



T1 fit / T48, 1.21 s
x10 5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / Q49, 1.16 s
x10 5
1.50
1.25
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / V50, 0.890 s
x10 5
1.25
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / W51, 1.18 s
x10 5
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s



T1 fit / D52, 0.912 s
x10 4
6.00
5.00
4.00
3.00
2.00
1.00
1.00 2.00 3.00 4.00 5.00 s
T1 fit / K54, 1.34 s
x10 5
1.25
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit / I55, 1.04 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit / S56, 1.26 s
x10 4
7.50
5.00
2.50
1.00 2.00 3.00 4.00 5.00 s



T1 fit / S57, 1.27 s
x10 5
1.50
1.00
0.50
1.00
2.00
3.00
4.00
5.00
s
T1 fit / I65, 1.54 s
x10 5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / T66, 1.25 s
x10 5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / N67, 1.61 s
x10 5
1.50
1.25
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s



T1 fit / A68, 1.68 s
T1 fit / G69, 1.45 s
T1 fit / W70, 0.796 s
T1 fit / N71, 1.43 s
x10 5
1.25
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s



T1 fit / E73, 1.55 s
T1 fit / I74, 1.58 s
T1 fit / G77, 1.39 s
T1 fit / G78, 1.40 s
x10^5
1.00
2.00
3.00
4.00
5.00
s



T1 fit / S79, 1.06 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit / I80, 1.31 s
x10 5
1.25
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit / T81, 0.969 s
x10 4
5.00
2.50
1.00 2.00 3.00 4.00 5.00 s
T1 fit / I82, 1.39 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s


T1 fit / G83, 1.35 s
x10 4
5.00
2.50
1.00
2.00
3.00
4.00
5.00
s
T1 fit / A85, 1.41 s
x10 5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / G86, 1.49 s
x10 5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / T87, 1.20 s
x10 5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s


T1 fit / G88, 1.06 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit / T89, 0.840 s
x10 5
1.50
1.00
0.50
1.00 2.00 3.00 4.00 5.00 s
T1 fit / A91, 1.51 s
x10 5
1.50
1.25
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit / E92, 1.08 s
x10 5
1.50
1.00
0.50
1.00 2.00 3.00 4.00 5.00 s


T1 fit / L93, 1.36 s
x10^5
1.25
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / V94, 1.32 s
x10^5
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s
T1 fit / N95, 0.849 s
x10^4
3.00
2.00
1.00
1.00
2.00
3.00
4.00
5.00
s
T1 fit / A96, 0.972 s
x10^5
1.25
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s


T1 fit / S97, 1.22 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit / I98, 0.829 s
x10 4
5.00
2.50
1.00 2.00 3.00 4.00 5.00 s
T1 fit / S99, 1.22 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s
T1 fit / E100, 0.922 s
x10 5
1.00
0.75
0.50
0.25
1.00 2.00 3.00 4.00 5.00 s


T1 fit / N101, 1.16 s
x10 5
1.50
1.25
1.00
0.75
0.50
0.25
1.00
2.00
3.00
4.00
5.00
s