

• T2 Analysis

sample name:	15N-BaCBM2 (107 uM) in 25 mM NaAc pH 5.0 10 mM NaCl, 10% D2O
Description/Title:	
Origin:	in-house
Date of preparation:	18 Jan 2024
Solvent:	D2O
pH:	7.0
Sample tube:	normal
Tube diameter (mm):	3
Concentration (mM):	10.00
Temperature (K):	308.0
Weight (Daltons):	8900
Correlation time (ns):	4.00
Labelling:	15N
Sequence format:	FASTA file
Sequence file:	???
PDB file:	???


Time = 0.002 s
ppm
110.00
115.00
120.00
125.00
130.00
10.00
9.00
8.00
7.00
6.00
ppm


T2 histogram
x10-1
3.00
2.00
1.00
25
50
75
residues


Fitted function:	f(t) = Io * exp (-t/T)
Random error estimation of data:	RMS per spectrum (or trace/plane)
Systematic error estimation of data:	worst case per peak scenario
Fit parameter Error estimation method:	from fit using arbitrary y uncertainties
Confidence level:	95%
Used peaks:	peaks from peaklist.xml at spectrum
Used integrals:	peak intensities
Used Time:	all values (including replicates) used


Peak name	F1 [ppm]	F2 [ppm]	Io	error	T2 [s]	error	fitInfo
H6	119.318	7.989	3.66e+04	7843	0.0181	0.01263	Done
H7	118.470	8.447	5.49e+04	4857	0.0272	0.009041	Done
A8	125.738	8.382	1.04e+05	4718	0.0432	0.008322	Done
T9	116.775	8.564	1.11e+05	7748	0.0436	0.01286	Done
F10	131.674	9.216	1.05e+05	8121	0.0381	0.01198	Done
S11	121.862	8.441	1.56e+05	2382	0.0478	0.003187	Done
V12	124.648	8.576	1.38e+05	1.189e+04	0.0385	0.01357	Done
T13	120.287	8.658	1.08e+05	1796	0.0329	0.002158	Done
S14	115.321	7.455	2.11e+05	4307	0.0467	0.004130	Done
N15	121.862	8.858	1.48e+05	7052	0.0357	0.006835	Done
W16	123.800	7.966	1.17e+05	9549	0.0425	0.01465	Done
G17	113.746	8.682	1.63e+05	3690	0.0367	0.003348	Done
S18	113.141	7.707	1.93e+05	1641	0.0524	0.002023	Done
G19	111.324	6.839	2.91e+05	4991	0.0626	0.005271	Done
Y20	112.898	6.857	3.21e+05	1.243e+04	0.0444	0.007338	Done
N21	116.532	8.682	1.23e+05	5396	0.0284	0.004741	Done
F22	117.259	8.441	1.24e+05	7979	0.0438	0.01197	Done
S23	116.290	9.110	1.26e+05	1.406e+04	0.0365	0.01647	Done
I24	122.952	8.781	1.16e+05	6797	0.0261	0.005669	Done
V25	126.465	8.177	1.20e+05	5921	0.0372	0.007447	Done
I26	129.614	9.092	9.25e+04	1.484e+04	0.0303	0.01874	Done
K27	125.859	8.570	9.31e+04	3464	0.0427	0.006692	Done
N28	121.499	8.517	1.03e+05	5355	0.0326	0.006621	Done
S29	121.135	9.010	7.12e+04	2146	0.0253	0.002816	Done
G30	109.143	8.224	1.28e+05	5657	0.0472	0.009081	Done
T31	105.509	8.195	1.27e+05	6590	0.0462	0.01037	Done
T32	112.414	7.484	1.63e+05	3119	0.0469	0.003893	Done
I34	123.437	8.042	1.14e+05	8309	0.0352	0.01028	Done
K35	128.888	9.673	5.50e+04	7318	0.0252	0.01238	Done
N36	121.377	8.394	9.23e+04	8397	0.0373	0.01375	Done
W37	117.259	7.637	9.81e+04	1829	0.0316	0.002291	Done
K38	118.955	8.664	1.02e+05	3132	0.0309	0.003680	Done
L39	127.434	9.626	8.98e+04	4832	0.0378	0.008280	Done
E40	124.648	9.028	1.12e+05	6406	0.0364	0.008368	Done
F41	113.141	7.743	1.82e+05	4621	0.0476	0.005292	Done


Peak name	F1 [ppm]	F2 [ppm]	Io	error	T2 [s]	error	fitInfo
D42	119.561	9.239	1.16e+05	1.230e+04	0.0327	0.01356	Done
N44	128.161	8.670	2.30e+05	5398	0.0342	0.003188	Done
G45	108.295	7.901	7.60e+04	5556	0.0201	0.005038	Done
N46	120.651	8.365	9.70e+04	3003	0.0353	0.004361	Done
L47	124.042	7.907	1.08e+05	2556	0.0324	0.003002	Done
T48	114.473	8.905	1.06e+05	7716	0.0251	0.006681	Done
Q49	120.651	7.801	1.82e+05	5494	0.0512	0.006942	Done
V50	113.867	8.218	1.60e+05	1.420e+04	0.0474	0.01835	Done
W51	118.349	8.335	1.40e+05	9296	0.0411	0.01138	Done
D52	118.955	9.456	1.12e+05	8757	0.0370	0.01171	Done
K54	116.048	8.400	1.33e+05	6799	0.0399	0.008399	Done
I55	123.558	8.887	1.19e+05	9082	0.0289	0.008414	Done
S56	127.434	9.134	8.41e+04	1.742e+04	0.0241	0.01813	Done
S57	112.293	7.619	1.62e+05	6327	0.0410	0.006676	Done
I65	128.524	9.756	1.01e+05	1.306e+04	0.0312	0.01564	Done
T66	118.107	8.981	1.17e+05	5329	0.0358	0.006500	Done
N67	115.805	5.988	1.60e+05	7683	0.0338	0.006407	Done
A68	121.014	8.030	1.22e+05	8820	0.0373	0.01092	Done
G69	112.172	9.028	1.27e+05	6616	0.0452	0.01010	Done
W70	121.499	7.537	1.56e+05	5366	0.0421	0.006070	Done
N71	118.834	6.598	1.18e+05	5994	0.0449	0.009747	Done
E73	119.561	7.825	1.38e+05	4153	0.0604	0.008779	Done
I74	124.042	9.081	9.31e+04	9608	0.0317	0.01275	Done
G77	115.200	7.966	1.08e+05	2637	0.0375	0.003707	Done
G78	109.386	8.476	1.40e+05	7824	0.0505	0.01267	Done
S79	110.960	8.060	1.62e+05	1.227e+04	0.0689	0.02686	Done
I80	119.076	8.523	1.21e+05	1.216e+04	0.0435	0.01850	Done
T81	120.408	8.553	1.23e+05	8151	0.0456	0.01305	Done
I82	122.468	8.940	1.11e+05	5947	0.0312	0.006492	Done
G83	105.752	6.246	8.25e+04	7536	0.0215	0.006871	Done
A85	124.042	8.576	1.21e+05	1.261e+04	0.0386	0.01649	Done
G86	105.873	8.341	1.25e+05	6929	0.0426	0.009917	Done
T87	110.112	8.271	1.20e+05	1.140e+04	0.0447	0.01810	Done
G88	114.110	8.406	1.28e+05	4032	0.0423	0.005609	Done
T89	118.470	8.541	1.80e+05	5658	0.0674	0.01081	Done
A91	125.254	7.091	1.61e+05	6233	0.0324	0.004927	Done
E92	116.048	6.839	1.76e+05	8893	0.0511	0.01157	Done
L93	124.042	8.341	1.27e+05	7864	0.0445	0.01176	Done
V94	126.344	8.911	1.21e+05	6980	0.0265	0.005687	Done
N95	120.408	8.981	1.29e+05	6993	0.0452	0.01053	Done
A96	119.439	8.365	2.37e+05	1.145e+04	0.0682	0.01691	Done
S97	117.259	9.415	1.28e+05	1.546e+04	0.0353	0.01703	Done
I98	127.555	8.547	9.53e+04	2635	0.0430	0.005014	Done
S99	122.104	9.028	1.13e+05	7382	0.0434	0.01197	Done
E100	117.986	8.165	1.43e+05	7331	0.0541	0.01273	Done


Peak name	F1 [ppm]	F2 [ppm]	Io	error	T2 [s]	error	fitInfo
N101	125.375	8.300	1.66e+05	8201	0.0544	0.01241	Done


Current fit display






fit/H6: T2 = 0.0181 s
x10 4
4.00
3.00
2.00
1.00
0.0100
0.0200
0.0300
0.0400
s
fit/H7: T2 = 0.0272 s
x10 4
6.00
5.00
4.00
3.00
2.00
1.00
0.0100
0.0200
0.0300
0.0400
s
fit/A8: T2 = 0.0432 s
x10 5
1.00
0.75
0.50
0.25
0.0100
0.0200
0.0300
0.0400
s
fit/T9: T2 = 0.0436 s
x10 5
1.25
1.00
0.75
0.50
0.25
0.0100
0.0200
0.0300
0.0400
s



fit/F10: T2 = 0.0381 s
fit/S11: T2 = 0.0478 s
fit/V12: T2 = 0.0385 s
fit/T13: T2 = 0.0329 s
x10^5
0.0100
0.0200
0.0300
0.0400
s



fit/S14: T2 = 0.0467 s
fit/N15: T2 = 0.0357 s
fit/W16: T2 = 0.0425 s
fit/G17: T2 = 0.0367 s
x10 5
0.0100
0.0200
0.0300
0.0400
s



fit/S18: T2 = 0.0524 s
x10 5
2.00
1.50
1.00
0.50
0.0100
0.0200
0.0300
0.0400
s
fit/G19: T2 = 0.0626 s
x10 5
3.00
2.00
1.00
0.0100
0.0200
0.0300
0.0400
s
fit/Y20: T2 = 0.0444 s
x10 5
3.00
2.00
1.80
0.0100
0.0200
0.0300
0.0400
s
fit/N21: T2 = 0.0284 s
x10 5
1.25
1.00
0.75
0.50
0.25
0.0100
0.0200
0.0300
0.0400
s



fit/F22: T2 = 0.0438 s
fit/S23: T2 = 0.0365 s
fit/I24: T2 = 0.0261 s
fit/V25: T2 = 0.0372 s
x10 5
1.25
1.00
0.75
0.50
0.25
0.0100
0.0200
0.0300
0.0400
s



fit/I26: T2 = 0.0303 s
x10 5
1.00
0.75
0.50
0.25
0.0100
0.0200
0.0300
0.0400
s
fit/K27: T2 = 0.0427 s
x10 5
1.00
0.75
0.50
0.25
0.0100
0.0200
0.0300
0.0400
s
fit/N28: T2 = 0.0326 s
x10 5
1.00
0.75
0.50
0.25
0.0100
0.0200
0.0300
0.0400
s
fit/S29: T2 = 0.0253 s
x10 4
7.50
5.00
2.50
0.0100
0.0200
0.0300
0.0400
s



fit/G30: T2 = 0.0472 s
fit/T31: T2 = 0.0462 s
fit/T32: T2 = 0.0469 s
fit/I34: T2 = 0.0352 s
x10 5
0.0100
0.0200
0.0300
0.0400
s



fit/K35: T2 = 0.0252 s
x10 4
6.00
5.00
4.00
3.00
2.00
1.00
0.0100
0.0200
0.0300
0.0400
s
fit/N36: T2 = 0.0373 s
x10 5
1.00
0.75
0.50
0.25
0.0100
0.0200
0.0300
0.0400
s
fit/W37: T2 = 0.0316 s
x10 5
1.00
0.75
0.50
0.25
0.0100
0.0200
0.0300
0.0400
s
fit/K38: T2 = 0.0309 s
x10 5
1.00
0.75
0.50
0.25
0.0100
0.0200
0.0300
0.0400
s



fit/L39: T2 = 0.0378 s
fit/E40: T2 = 0.0364 s
fit/F41: T2 = 0.0476 s
fit/D42: T2 = 0.0327 s
x10^5
0.0100
0.0200
0.0300
0.0400
s



fit/N44: T2 = 0.0342 s
x10 5
2.50
2.00
1.50
1.00
0.50
0.0100
0.0200
0.0300
0.0400
s
fit/G45: T2 = 0.0201 s
x10 4
7.50
5.00
2.50
fit/N46: T2 = 0.0353 s
x10 5
1.00
0.75
0.50
fit/L47: T2 = 0.0324 s
x10 5
1.00
0.75
0.50



fit/T48: T2 = 0.0251 s
fit/Q49: T2 = 0.0512 s
fit/V50: T2 = 0.0474 s
fit/W51: T2 = 0.0411 s
x10 5
0.0100
0.0200
0.0300
0.0400
s



fit/D52: T2 = 0.0370 s
fit/K54: T2 = 0.0399 s
fit/I55: T2 = 0.0289 s
fit/S56: T2 = 0.0241 s
x10^5
0.0100
0.0200
0.0300
0.0400
s



fit/S57: T2 = 0.0410 s
fit/I65: T2 = 0.0312 s
fit/T66: T2 = 0.0358 s
fit/N67: T2 = 0.0338 s
x10^5
0.0100
0.0200
0.0300
0.0400
s



fit/A68: T2 = 0.0373 s
fit/G69: T2 = 0.0452 s
fit/W70: T2 = 0.0421 s
fit/N71: T2 = 0.0449 s
x10 5
0.0100
0.0200
0.0300
0.0400
s



fit/E73: T2 = 0.0604 s
fit/I74: T2 = 0.0317 s
fit/G77: T2 = 0.0375 s
fit/G78: T2 = 0.0505 s
x10^5
0.0100
0.0200
0.0300
0.0400
s



fit/S79: T2 = 0.0689 s
fit/I80: T2 = 0.0435 s
fit/T81: T2 = 0.0456 s
fit/I82: T2 = 0.0312 s
x10^5
0.0100
0.0200
0.0300
0.0400
s


fit/G83: T2 = 0.0215 s
fit/A85: T2 = 0.0386 s
fit/G86: T2 = 0.0426 s
fit/T87: T2 = 0.0447 s
x10 5
0.25
0.50
0.75
1.00
1.25
0.0100
0.0200
0.0300
0.0400
s


fit/G88: T2 = 0.0423 s
fit/T89: T2 = 0.0674 s
fit/A91: T2 = 0.0324 s
fit/E92: T2 = 0.0511 s
x10^5
0.0100
0.0200
0.0300
0.0400
s


fit/L93: T2 = 0.0445 s
fit/V94: T2 = 0.0265 s
fit/N95: T2 = 0.0452 s
fit/A96: T2 = 0.0682 s
x10^5
0.0100
0.0200
0.0300
0.0400
s


fit/S97: T2 = 0.0353 s
fit/I98: T2 = 0.0430 s
fit/S99: T2 = 0.0434 s
fit/E100: T2 = 0.0541 s
x10^5
0.0100
0.0200
0.0300
0.0400
s


x10 5
fit/N101: T2 = 0.0544 s
1.50
1.00
0.50
0.0100
0.0200
0.0300
0.0400
s