

sample name:	15N-BaCBM2 (107 uM) in 25 mM NaAc pH 5.0 10 mM NaCl, 10% D2O
Description/Title:	BHET 0.25 mM Gd
Origin:	in-house
Date of preparation:	18 Jan 2024
Solvent:	D2O
pH:	7.0
Sample tube:	normal
Tube diameter (mm):	3
Concentration (mM):	10.00
Temperature (K):	308.0
Weight (Daltons):	8900
Correlation time (ns):	4.00
Labelling:	15N
Sequence format:	FASTA file
Sequence file:	???
PDB file:	???


Time = 0.002 s
ppm
110.00
115.00
120.00
125.00
130.00
10.00
9.00
8.00
7.00
6.00
ppm


T2 histogram
x10-1
3.00
2.00
1.00
25
50
75
residues


Fitted function:	f(t) = Io * exp (-t/T)
Random error estimation of data:	RMS per spectrum (or trace/plane)
Systematic error estimation of data:	worst case per peak scenario
Fit parameter Error estimation method:	from fit using arbitrary y uncertainties
Confidence level:	95%
Used peaks:	peaks from C:\Users\susanntr\OneDrive - NTNU\NMR_data\BaCBM2\155\pdata\1\peaklist.xml
Used integrals:	peak intensities
Used Time:	all values (including replicates) used


Peak name	F1 [ppm]	F2 [ppm]	Io	error	T2 [s]	error	fitInfo
H6	119.318	7.994	3.13e+04	3087	0.0148	0.004244	Done
H7	118.470	8.452	4.83e+04	3668	0.0216	0.005752	Done
A8	125.738	8.381	8.77e+04	8409	0.0356	0.01368	Done
T9	116.775	8.563	9.79e+04	3055	0.0363	0.004558	Done
F10	131.674	9.214	8.85e+04	8644	0.0337	0.01302	Done
S11	121.862	8.440	1.36e+05	3483	0.0402	0.004262	Done
V12	124.648	8.575	1.14e+05	5573	0.0417	0.008484	Done
T13	120.287	8.657	9.16e+04	2741	0.0273	0.003076	Done
S14	115.321	7.454	1.74e+05	4623	0.0431	0.004840	Done
N15	121.741	8.851	1.29e+05	9322	0.0297	0.008251	Done
W16	123.800	7.959	1.08e+05	6149	0.0343	0.007728	Done
G17	113.625	8.669	1.36e+05	4113	0.0326	0.003860	Done
S18	113.019	7.694	1.58e+05	3664	0.0431	0.004217	Done
G19	111.324	6.832	2.52e+05	1.029e+04	0.0508	0.009312	Done
Y20	112.898	6.855	2.45e+05	7877	0.0389	0.005129	Done
N21	116.411	8.675	9.36e+04	4266	0.0251	0.004210	Done
F22	117.259	8.440	1.03e+05	6068	0.0397	0.009633	Done
S23	116.290	9.109	1.01e+05	1.108e+04	0.0321	0.01368	Done
I24	122.952	8.780	9.78e+04	9200	0.0249	0.008616	Done
V25	126.465	8.176	1.00e+05	4255	0.0376	0.006489	Done
I26	129.614	9.091	7.78e+04	1.217e+04	0.0327	0.02007	Done
K27	125.859	8.569	8.95e+04	9620	0.0323	0.01359	Done
N28	121.499	8.516	8.49e+04	7017	0.0336	0.01095	Done
S29	121.135	9.003	6.01e+04	4752	0.0283	0.008502	Done
G30	109.143	8.217	1.15e+05	6336	0.0404	0.009220	Done
T31	105.388	8.193	1.04e+05	8236	0.0365	0.01161	Done
T32	112.414	7.483	1.45e+05	3556	0.0443	0.004642	Done
I34	123.437	8.041	9.99e+04	6533	0.0330	0.008470	Done
K35	128.888	9.672	4.89e+04	7409	0.0233	0.01271	Done
N36	121.377	8.393	8.43e+04	5312	0.0294	0.007102	Done
W37	117.138	7.636	8.77e+04	3952	0.0317	0.005562	Done
K38	118.955	8.663	8.94e+04	5763	0.0264	0.006330	Done
L39	127.434	9.625	7.89e+04	6285	0.0361	0.01154	Done
E40	124.769	9.027	1.01e+05	5461	0.0330	0.006999	Done


Peak name	F1 [ppm]	F2 [ppm]	Io	error	T2 [s]	error	fitInfo
F41	113.141	7.741	1.60e+05	3917	0.0487	0.005258	Done
D42	119.561	9.238	9.67e+04	1.014e+04	0.0323	0.01323	Done
N44	128.161	8.669	2.07e+05	1.096e+04	0.0305	0.006237	Done
G45	108.295	7.894	6.31e+04	1343	0.0209	0.001547	Done
N46	120.651	8.363	8.69e+04	5546	0.0344	0.008717	Done
L47	124.042	7.906	9.20e+04	3941	0.0314	0.005220	Done
T48	114.473	8.903	8.44e+04	2514	0.0256	0.002826	Done
Q49	120.651	7.800	1.53e+05	7128	0.0502	0.01042	Done
V50	113.867	8.211	1.25e+05	3636	0.0434	0.005325	Done
W51	118.349	8.328	1.10e+05	3987	0.0347	0.004984	Done
D52	118.955	9.449	7.35e+04	9075	0.0244	0.01102	Done
K54	116.048	8.399	1.08e+05	2883	0.0359	0.003833	Done
I55	123.558	8.886	9.65e+04	5691	0.0321	0.007381	Done
S56	127.434	9.132	6.73e+04	1.437e+04	0.0258	0.02038	Done
S57	112.293	7.612	1.39e+05	5042	0.0412	0.006214	Done
I65	128.524	9.754	8.65e+04	1.381e+04	0.0307	0.01896	Done
T66	118.107	8.986	1.02e+05	3285	0.0360	0.004646	Done
N67	115.684	5.987	1.30e+05	1666	0.0345	0.001760	Done
A68	121.014	8.029	1.07e+05	1.295e+04	0.0332	0.01589	Done
G69	112.172	9.021	1.06e+05	4026	0.0405	0.006364	Done
W70	121.499	7.524	1.21e+05	6600	0.0358	0.007822	Done
N71	118.834	6.591	1.03e+05	2819	0.0398	0.004486	Done
E73	119.561	7.824	1.19e+05	1657	0.0518	0.003251	Done
I74	123.921	9.079	8.54e+04	1.258e+04	0.0305	0.01737	Done
G77	115.079	7.964	9.40e+04	4500	0.0382	0.007472	Done
G78	109.264	8.475	1.14e+05	2758	0.0430	0.004381	Done
S79	110.960	8.058	1.20e+05	1.249e+04	0.0417	0.01817	Done
I80	119.076	8.522	1.04e+05	1.119e+04	0.0439	0.02002	Done
T81	120.408	8.551	8.82e+04	5399	0.0317	0.007569	Done
I82	122.468	8.939	9.90e+04	5463	0.0302	0.006405	Done
G83	105.752	6.251	6.36e+04	2927	0.0238	0.003969	Done
A85	124.042	8.575	9.88e+04	3736	0.0300	0.004359	Done
G86	105.873	8.340	1.06e+05	6069	0.0400	0.009487	Done
T87	109.991	8.264	1.02e+05	7745	0.0449	0.01460	Done
G88	114.110	8.405	1.07e+05	7447	0.0361	0.01009	Done
T89	118.470	8.534	1.51e+05	7519	0.0539	0.01229	Done
A91	125.133	7.084	1.46e+05	5323	0.0282	0.003898	Done
E92	116.048	6.844	1.57e+05	6900	0.0483	0.009331	Done
L93	124.042	8.340	1.15e+05	6269	0.0426	0.009817	Done
V94	126.344	8.909	9.81e+04	2242	0.0307	0.002711	Done
N95	120.408	8.974	7.26e+04	1645	0.0252	0.002101	Done
A96	119.439	8.363	1.79e+05	7456	0.0451	0.008074	Done
S97	117.259	9.414	1.01e+05	9623	0.0372	0.01439	Done
I98	127.555	8.551	7.74e+04	6039	0.0342	0.01059	Done
S99	122.104	9.027	1.00e+05	5917	0.0368	0.008771	Done


Peak name	F1 [ppm]	F2 [ppm]	Io	error	T2 [s]	error	fitInfo
E100	117.986	8.164	1.17e+05	1.025e+04	0.0370	0.01318	Done
N101	125.375	8.299	1.46e+05	7351	0.0444	0.009578	Done


Current fit display






fit/H6: T2 = 0.0148 s
x10^4
3.00
2.50
2.00
1.50
1.00
0.50
0.0100
0.0200
0.0300
0.0400
s
fit/H7: T2 = 0.0216 s
x10^4
5.00
4.00
3.00
2.00
1.00
0.0100
0.0200
0.0300
0.0400
s
fit/A8: T2 = 0.0356 s
x10^5
1.00
0.75
0.50
0.0100
0.0200
0.0300
0.0400
s
fit/T9: T2 = 0.0363 s
x10^5
1.00
0.75
0.50
0.0100
0.0200
0.0300
0.0400
s



fit/F10: T2 = 0.0337 s
fit/S11: T2 = 0.0402 s
fit/V12: T2 = 0.0417 s
fit/T13: T2 = 0.0273 s
x10 5
0.0100
0.0200
0.0300
0.0400
s



fit/S14: T2 = 0.0431 s
fit/N15: T2 = 0.0297 s
fit/W16: T2 = 0.0343 s
fit/G17: T2 = 0.0326 s
x10 5
0.0100
0.0200
0.0300
0.0400
s



fit/S18: T2 = 0.0431 s
fit/G19: T2 = 0.0508 s
fit/Y20: T2 = 0.0389 s
fit/N21: T2 = 0.0251 s
x10 5
0.0100
0.0200
0.0300
0.0400
s



fit/F22: T2 = 0.0397 s
fit/S23: T2 = 0.0321 s
fit/I24: T2 = 0.0249 s
fit/V25: T2 = 0.0376 s
x10 5
1.00
0.75
0.50
0.25
0.0100
0.0200
0.0300
0.0400
s



fit/I26: T2 = 0.0327 s
x10 5
0.75
0.50
0.25
0.0100
0.0200
0.0300
0.0400
s
fit/K27: T2 = 0.0323 s
x10 5
1.00
0.75
0.50
0.25
fit/N28: T2 = 0.0336 s
fit/S29: T2 = 0.0283 s
x10 4
6.00
5.00
4.00
3.00
2.00
1.00



fit/G30: T2 = 0.0404 s
fit/T31: T2 = 0.0365 s
fit/T32: T2 = 0.0443 s
fit/I34: T2 = 0.0330 s
x10 5
0.0100
0.0200
0.0300
0.0400
s



fit/K35: T2 = 0.0233 s
x10 4
5.00
4.00
3.00
2.00
1.00
0.0100
0.0200
0.0300
0.0400
s
fit/N36: T2 = 0.0294 s
x10 5
0.75
0.50
0.25
fit/W37: T2 = 0.0317 s
fit/K38: T2 = 0.0264 s



fit/L39: T2 = 0.0361 s
fit/E40: T2 = 0.0330 s
fit/F41: T2 = 0.0487 s
fit/D42: T2 = 0.0323 s
x10 5
0.0100
0.0200
0.0300
0.0400
s



fit/N44: T2 = 0.0305 s
x10 5
2.00
1.50
1.00
0.50
0.0100
0.0200
0.0300
0.0400
s
fit/G45: T2 = 0.0209 s
x10 4
5.00
2.50
fit/N46: T2 = 0.0344 s
0.75
0.50
0.25
fit/L47: T2 = 0.0314 s



fit/T48: T2 = 0.0256 s
fit/Q49: T2 = 0.0502 s
fit/V50: T2 = 0.0434 s
fit/W51: T2 = 0.0347 s
x10 5
0.0100
0.0200
0.0300
0.0400
s



fit/D52: T2 = 0.0244 s
x10 4
7.50
5.00
2.50
0.0100
0.0200
0.0300
0.0400
s
fit/K54: T2 = 0.0359 s
x10 5
1.00
0.75
0.50
0.25
0.0100
0.0200
0.0300
0.0400
s
fit/I55: T2 = 0.0321 s
x10 5
1.00
0.75
0.50
0.25
0.0100
0.0200
0.0300
0.0400
s
fit/S56: T2 = 0.0258 s
x10 4
7.50
5.00
2.50
0.0100
0.0200
0.0300
0.0400
s



fit/S57: T2 = 0.0412 s
fit/I65: T2 = 0.0307 s
fit/T66: T2 = 0.0360 s
fit/N67: T2 = 0.0345 s
x10^5
0.0100
0.0200
0.0300
0.0400
s



fit/A68: T2 = 0.0332 s
fit/G69: T2 = 0.0405 s
fit/W70: T2 = 0.0358 s
fit/N71: T2 = 0.0398 s
x10^5
1.25
1.00
0.75
0.50
0.25
0.0100
0.0200
0.0300
0.0400
s



fit/E73: T2 = 0.0518 s
fit/I74: T2 = 0.0305 s
fit/G77: T2 = 0.0382 s
fit/G78: T2 = 0.0430 s
x10^5
0.0100
0.0200
0.0300
0.0400
s



fit/S79: T2 = 0.0417 s
fit/I80: T2 = 0.0439 s
fit/T81: T2 = 0.0317 s
fit/I82: T2 = 0.0302 s
x10^5
1.25
1.00
0.75
0.50
0.25
0.0100
0.0200
0.0300
0.0400
s


fit/G83: T2 = 0.0238 s
x10 4
5.00
2.50
0.0100
0.0200
0.0300
0.0400
s
fit/A85: T2 = 0.0300 s
x10 5
1.00
0.75
0.50
0.25
0.0100
0.0200
0.0300
0.0400
s
fit/G86: T2 = 0.0400 s
x10 5
1.00
0.75
0.50
0.25
0.0100
0.0200
0.0300
0.0400
s
fit/T87: T2 = 0.0449 s
x10 5
1.00
0.75
0.50
0.25
0.0100
0.0200
0.0300
0.0400
s


fit/G88: T2 = 0.0361 s
fit/T89: T2 = 0.0539 s
fit/A91: T2 = 0.0282 s
fit/E92: T2 = 0.0483 s
x10 5
0.0100
0.0200
0.0300
0.0400
s


fit/L93: T2 = 0.0426 s
x10 5
1.25
1.00
0.75
0.50
0.25
0.0100
0.0200
0.0300
0.0400
s
fit/V94: T2 = 0.0307 s
x10 5
1.00
0.75
0.50
0.25
0.0100
0.0200
0.0300
0.0400
s
fit/N95: T2 = 0.0252 s
x10 4
7.50
5.00
2.50
0.0100
0.0200
0.0300
0.0400
s
fit/A96: T2 = 0.0451 s
x10 5
2.00
1.50
1.00
0.50
0.0100
0.0200
0.0300
0.0400
s


fit/S97: T2 = 0.0372 s
fit/I98: T2 = 0.0342 s
fit/S99: T2 = 0.0368 s
fit/E100: T2 = 0.0370 s
x10 5
0.0100
0.0200
0.0300
0.0400
s


fit/N101: T2 = 0.0444 s
x10 5
1.50
1.00
0.0100
0.0200
0.0300
0.0400
s