

sample name:	15N-BaCBM2 (107 uM) in 25 mM NaAc pH 5.0 10 mM NaCl, 10% D2O
Description/Title:	nanoPET
Origin:	in-house
Date of preparation:	18 Jan 2024
Solvent:	D2O
pH:	7.0
Sample tube:	normal
Tube diameter (mm):	3
Concentration (mM):	10.00
Temperature (K):	308.0
Weight (Daltons):	8900
Correlation time (ns):	4.00
Labelling:	15N
Sequence format:	FASTA file
Sequence file:	???
PDB file:	???


Time = 0.002 s
ppm
110.00
115.00
120.00
125.00
130.00
10.00
9.00
8.00
7.00
6.00
ppm
T31
G83
G45
G78
G30
T87
S79
G69
G17
T48
G77
S14
E92
N67
S23
K54
W37
S97
T66
N71
D52
D42
A96
H6
E73
N95
Q49
A68
W70
N15
I24
A91
E40
V94
V25
L39
S56
I98
K35
I26
F10


T2 histogram
x10-1
2.50
2.00
1.50
1.00
0.50
25
50
75
residues


Fitted function:	f(t) = Io * exp (-t/T)
Random error estimation of data:	RMS per spectrum (or trace/plane)
Systematic error estimation of data:	worst case per peak scenario
Fit parameter Error estimation method:	from fit using arbitrary y uncertainties
Confidence level:	95%
Used peaks:	peaks from peaklist.xml at spectrum
Used integrals:	peak intensities
Used Time:	all values (including replicates) used


Peak name	F1 [ppm]	F2 [ppm]	Io	error	T2 [s]	error	fitInfo
H6	119.318	7.989	3.27e+04	2864	0.0209	0.006357	Done
H7	118.470	8.447	5.45e+04	4076	0.0212	0.005517	Done
A8	125.738	8.382	9.81e+04	3129	0.0387	0.005058	Done
T9	116.775	8.564	1.06e+05	3257	0.0377	0.004734	Done
F10	131.674	9.216	9.77e+04	7631	0.0343	0.01063	Done
S11	121.862	8.435	1.48e+05	5929	0.0478	0.008382	Done
V12	124.648	8.576	1.31e+05	6940	0.0422	0.009399	Done
T13	120.287	8.658	9.77e+04	2391	0.0327	0.003145	Done
S14	115.321	7.455	1.95e+05	7201	0.0472	0.007582	Done
N15	121.741	8.852	1.48e+05	8604	0.0354	0.008245	Done
W16	123.800	7.960	1.22e+05	5067	0.0371	0.006226	Done
G17	113.625	8.670	1.57e+05	6259	0.0349	0.005550	Done
S18	113.019	7.696	1.77e+05	1365	0.0501	0.001718	Done
G19	111.445	6.833	3.20e+05	1.001e+04	0.0816	0.01453	Done
Y20	112.898	6.857	2.84e+05	6345	0.0452	0.004341	Done
N21	116.411	8.676	1.06e+05	6510	0.0283	0.006565	Done
F22	117.259	8.441	1.12e+05	6367	0.0473	0.01173	Done
S23	116.290	9.110	1.11e+05	1.321e+04	0.0346	0.01635	Done
I24	122.952	8.776	1.07e+05	7788	0.0262	0.007094	Done
V25	126.465	8.177	1.08e+05	6340	0.0355	0.008297	Done
I26	129.614	9.092	8.82e+04	7688	0.0303	0.01017	Done
K27	125.859	8.570	9.19e+04	4045	0.0354	0.006236	Done
N28	121.499	8.511	9.57e+04	5201	0.0310	0.006516	Done
S29	121.135	9.010	6.50e+04	3997	0.0273	0.006304	Done
G30	109.143	8.218	1.22e+05	7510	0.0437	0.01144	Done
T31	105.388	8.195	1.20e+05	8107	0.0489	0.01459	Done
T32	112.414	7.484	1.58e+05	3921	0.0417	0.004322	Done
I34	123.437	8.042	1.05e+05	8300	0.0337	0.01053	Done
K35	128.888	9.673	5.13e+04	2412	0.0270	0.004759	Done
N36	121.377	8.394	8.95e+04	4260	0.0352	0.006694	Done
W37	117.138	7.637	9.37e+04	5374	0.0295	0.006478	Done
K38	118.955	8.664	9.70e+04	6153	0.0280	0.006701	Done
L39	127.434	9.621	8.14e+04	9450	0.0422	0.02055	Done
E40	124.769	9.028	1.06e+05	6542	0.0333	0.008059	Done
F41	113.141	7.737	1.66e+05	6898	0.0479	0.008707	Done


Peak name	F1 [ppm]	F2 [ppm]	Io	error	T2 [s]	error	fitInfo
D42	119.561	9.239	1.07e+05	1.004e+04	0.0338	0.01247	Done
N44	128.161	8.670	2.18e+05	8163	0.0328	0.004803	Done
G45	108.295	7.895	6.97e+04	5591	0.0216	0.006097	Done
N46	120.651	8.365	8.61e+04	3983	0.0394	0.007511	Done
L47	124.042	7.907	9.94e+04	3409	0.0303	0.004005	Done
T48	114.473	8.905	9.26e+04	5979	0.0225	0.005158	Done
Q49	120.651	7.795	1.71e+05	5599	0.0547	0.008275	Done
V50	113.867	8.212	1.47e+05	8719	0.0492	0.01289	Done
W51	118.349	8.330	1.32e+05	1778	0.0402	0.002246	Done
D52	118.955	9.450	1.02e+05	6220	0.0365	0.008981	Done
K54	116.048	8.400	1.22e+05	8924	0.0406	0.01231	Done
I55	123.437	8.881	1.05e+05	3397	0.0308	0.003842	Done
S56	127.434	9.128	7.44e+04	1.448e+04	0.0278	0.02041	Done
S57	112.293	7.614	1.53e+05	9897	0.0420	0.01136	Done
I65	128.524	9.750	9.12e+04	9844	0.0369	0.01610	Done
T66	118.107	8.981	1.07e+05	6169	0.0390	0.009270	Done
N67	115.684	5.988	1.45e+05	6423	0.0332	0.005805	Done
A68	121.014	8.030	1.14e+05	7892	0.0381	0.01076	Done
G69	112.172	9.022	1.13e+05	5856	0.0464	0.01042	Done
W70	121.499	7.526	1.39e+05	561.3	0.0415	0.0007008	Done
N71	118.834	6.592	1.12e+05	2417	0.0418	0.003781	Done
E73	119.561	7.825	1.33e+05	7054	0.0556	0.01373	Done
I74	123.921	9.081	9.05e+04	1.187e+04	0.0338	0.01753	Done
G77	115.079	7.966	1.01e+05	5552	0.0363	0.008051	Done
G78	109.264	8.476	1.22e+05	9376	0.0486	0.01643	Done
S79	110.960	8.060	1.48e+05	9613	0.0632	0.02030	Done
I80	119.076	8.523	1.10e+05	6743	0.0401	0.01022	Done
T81	120.408	8.553	1.17e+05	1.026e+04	0.0391	0.01404	Done
I82	122.468	8.934	1.09e+05	1718	0.0296	0.001782	Done
G83	105.752	6.252	7.59e+04	3847	0.0230	0.004177	Done
A85	124.042	8.576	1.08e+05	1.357e+04	0.0382	0.01963	Done
G86	105.873	8.341	1.14e+05	1.144e+04	0.0438	0.01874	Done
T87	109.991	8.265	1.18e+05	7341	0.0456	0.01222	Done
G88	114.110	8.406	1.13e+05	4474	0.0447	0.007603	Done
T89	118.470	8.535	1.70e+05	1.038e+04	0.0620	0.01853	Done
A91	125.133	7.085	1.50e+05	3282	0.0322	0.002752	Done
E92	116.048	6.845	1.64e+05	4419	0.0549	0.006841	Done
L93	124.042	8.341	1.23e+05	6345	0.0442	0.009752	Done
V94	126.344	8.911	1.10e+05	2239	0.0261	0.001965	Done
N95	120.408	8.975	1.30e+05	3339	0.0410	0.004388	Done
A96	119.439	8.365	2.20e+05	4312	0.0597	0.005620	Done
S97	117.259	9.415	1.20e+05	8040	0.0348	0.009310	Done
I98	127.555	8.553	9.06e+04	5483	0.0403	0.01010	Done
S99	122.104	9.028	1.09e+05	7165	0.0413	0.01134	Done
E100	117.986	8.165	1.36e+05	9149	0.0476	0.01404	Done


Peak name	F1 [ppm]	F2 [ppm]	Io	error	T2 [s]	error	fitInfo
N101	125.375	8.300	1.54e+05	4493	0.0517	0.006835	Done


Current fit display






fit/H6: T2 = 0.0209 s
x10 4
3.00
2.00
1.00
0.0100
0.0200
0.0300
0.0400
s
fit/H7: T2 = 0.0212 s
x10 4
5.00
4.00
3.00
2.00
1.00
0.0100
0.0200
0.0300
0.0400
s
fit/A8: T2 = 0.0387 s
x10 5
1.00
0.75
0.50
0.25
0.0100
0.0200
0.0300
0.0400
s
fit/T9: T2 = 0.0377 s
x10 5
1.00
0.75
0.50
0.25
0.0100
0.0200
0.0300
0.0400
s



fit/F10: T2 = 0.0343 s
fit/S11: T2 = 0.0478 s
fit/V12: T2 = 0.0422 s
fit/T13: T2 = 0.0327 s
x10^5
0.0100
0.0200
0.0300
0.0400
s



fit/S14: T2 = 0.0472 s
fit/N15: T2 = 0.0354 s
fit/W16: T2 = 0.0371 s
fit/G17: T2 = 0.0349 s
x10 5
0.0100
0.0200
0.0300
0.0400
s



fit/S18: T2 = 0.0501 s
fit/G19: T2 = 0.0816 s
fit/Y20: T2 = 0.0452 s
fit/N21: T2 = 0.0283 s
x10 5
0.0100
0.0200
0.0300
0.0400
s



fit/F22: T2 = 0.0473 s
fit/S23: T2 = 0.0346 s
fit/I24: T2 = 0.0262 s
fit/V25: T2 = 0.0355 s
x10 5
1.25
1.00
0.75
0.50
0.25
0.0100
0.0200
0.0300
0.0400
s



fit/I26: T2 = 0.0303 s
x10^5
1.00
0.75
0.50
0.25
0.0100
0.0200
0.0300
0.0400
s
fit/K27: T2 = 0.0354 s
x10^5
1.00
0.75
0.50
0.25
0.0100
0.0200
0.0300
0.0400
s
fit/N28: T2 = 0.0310 s
x10^5
1.00
0.75
0.50
0.25
0.0100
0.0200
0.0300
0.0400
s
fit/S29: T2 = 0.0273 s
x10^4
5.00
2.50
0.0100
0.0200
0.0300
0.0400
s



fit/G30: T2 = 0.0437 s
fit/T31: T2 = 0.0489 s
fit/T32: T2 = 0.0417 s
fit/I34: T2 = 0.0337 s
x10^5
0.0100
0.0200
0.0300
0.0400
s



fit/K35: T2 = 0.0270 s
x10 4
5.00
4.00
3.00
2.00
1.00
0.0100
0.0200
0.0300
0.0400
s
fit/N36: T2 = 0.0352 s
x10 5
1.00
0.75
0.50
0.25
0.0100
0.0200
0.0300
0.0400
s
fit/W37: T2 = 0.0295 s
x10 5
1.00
0.75
0.50
0.25
0.0100
0.0200
0.0300
0.0400
s
fit/K38: T2 = 0.0280 s
x10 5
1.00
0.75
0.50
0.25
0.0100
0.0200
0.0300
0.0400
s



fit/L39: T2 = 0.0422 s
fit/E40: T2 = 0.0333 s
fit/F41: T2 = 0.0479 s
fit/D42: T2 = 0.0338 s
x10 5
0.0100
0.0200
0.0300
0.0400
s



fit/N44: T2 = 0.0328 s
x10 5
2.00
1.50
1.00
0.50
0.0100
0.0200
0.0300
0.0400
s
fit/G45: T2 = 0.0216 s
x10 4
7.50
5.00
2.50
fit/N46: T2 = 0.0394 s
0.75
0.50
fit/L47: T2 = 0.0303 s
1.00
0.25



fit/T48: T2 = 0.0225 s
fit/Q49: T2 = 0.0547 s
fit/V50: T2 = 0.0492 s
fit/W51: T2 = 0.0402 s
x10 5
0.0100
0.0200
0.0300
0.0400
s



fit/D52: T2 = 0.0365 s
x10 5
1.00
0.75
0.50
0.25
0.0100
0.0200
0.0300
0.0400
s
fit/K54: T2 = 0.0406 s
x10 5
1.25
1.00
0.75
0.50
0.25
fit/I55: T2 = 0.0308 s
fit/S56: T2 = 0.0278 s
x10 4
7.50
5.00
2.50



fit/S57: T2 = 0.0420 s
fit/I65: T2 = 0.0369 s
fit/T66: T2 = 0.0390 s
fit/N67: T2 = 0.0332 s
x10^5
0.0100
0.0200
0.0300
0.0400
s



fit/A68: T2 = 0.0381 s
fit/G69: T2 = 0.0464 s
fit/W70: T2 = 0.0415 s
fit/N71: T2 = 0.0418 s
x10^5
0.0100
0.0200
0.0300
0.0400
s



fit/E73: T2 = 0.0556 s
fit/I74: T2 = 0.0338 s
fit/G77: T2 = 0.0363 s
fit/G78: T2 = 0.0486 s
x10^5
0.0100
0.0200
0.0300
0.0400
s



fit/S79: T2 = 0.0632 s
fit/I80: T2 = 0.0401 s
fit/T81: T2 = 0.0391 s
fit/I82: T2 = 0.0296 s
x10 5
0.0100
0.0200
0.0300
0.0400
s


fit/G83: T2 = 0.0230 s
x10 4
7.50
5.00
2.50
0.0100
0.0200
0.0300
0.0400
s
fit/A85: T2 = 0.0382 s
x10 5
1.00
0.75
0.50
0.25
fit/G86: T2 = 0.0438 s
fit/T87: T2 = 0.0456 s
1.25


fit/G88: T2 = 0.0447 s
fit/T89: T2 = 0.0620 s
fit/A91: T2 = 0.0322 s
fit/E92: T2 = 0.0549 s
x10^5
s
0.0100
0.0200
0.0300
0.0400


fit/L93: T2 = 0.0442 s
fit/V94: T2 = 0.0261 s
fit/N95: T2 = 0.0410 s
fit/A96: T2 = 0.0597 s
x10 5
0.0100
0.0200
0.0300
0.0400
s


fit/S97: T2 = 0.0348 s
fit/I98: T2 = 0.0403 s
fit/S99: T2 = 0.0413 s
fit/E100: T2 = 0.0476 s
x10^5
0.0100
0.0200
0.0300
0.0400
s


fit/N101: T2 = 0.0517 s
x10 5
1.50
1.00
0.50
0.0100
0.0200
0.0300
0.0400
s