

• T2 Analysis

sample name:	15N-BaCBM2 (107 uM) in 25 mM NaAc pH 5.0 10 mM NaCl, 10% D2O
Description/Title:	nanoPET
Origin:	in-house
Date of preparation:	18 Jan 2024
Solvent:	D2O
pH:	7.0
Sample tube:	normal
Tube diameter (mm):	3
Concentration (mM):	10.00
Temperature (K):	308.0
Weight (Daltons):	8900
Correlation time (ns):	4.00
Labelling:	15N
Sequence format:	FASTA file
Sequence file:	???
PDB file:	???


Time = 0.002 s
ppm
110.00
115.00
120.00
125.00
130.00
10.00
9.00
8.00
7.00
6.00
ppm
T31
G86
G83
G45
G78
G30
T87
S79
G19
G69
T32
Y20
G17
T48
G88
V50
G77
S14
E92
N67
S23
N21
K54
S97
F22
W37
T66
D52
D42
A96
H6
E73
N71
N95
Q49
A68
W70
N15
I24
A85
L93
E40
V12
N101
A91
V94
V25
L39
S56
I98
N44
I65
K35
I26
F10


T2 histogram
x10-1
4.00
3.00
2.00
1.00
25
50
75
residues


Fitted function:	f(t) = Io * exp (-t/T)
Random error estimation of data:	RMS per spectrum (or trace/plane)
Systematic error estimation of data:	worst case per peak scenario
Fit parameter Error estimation method:	from fit using arbitrary y uncertainties
Confidence level:	95%
Used peaks:	peaks from C:\Users\susanntr\OneDrive - NTNU\NMR_data\BaCBM2\81\pdata\1\peaklist.xml
Used integrals:	peak intensities
Used Time:	all values (including replicates) used


Peak name	F1 [ppm]	F2 [ppm]	Io	error	T2 [s]	error	fitInfo
H6	119.561	7.964	4.19e+04	3856	0.0192	0.005935	Done
H7	118.591	8.439	5.11e+04	2583	0.0251	0.004668	Done
A8	125.738	8.386	9.48e+04	4921	0.0389	0.008272	Done
T9	116.775	8.568	1.08e+05	5343	0.0388	0.007839	Done
F10	131.674	9.220	9.15e+04	9250	0.0377	0.01547	Done
S11	121.862	8.439	1.59e+05	5065	0.0465	0.006444	Done
V12	124.648	8.580	1.32e+05	5632	0.0357	0.006080	Done
T13	120.287	8.656	9.72e+04	7967	0.0210	0.005974	Done
S14	115.321	7.453	1.93e+05	8093	0.0526	0.01003	Done
N15	121.741	8.862	1.35e+05	3613	0.0352	0.003748	Done
W16	123.800	7.970	1.12e+05	4569	0.0383	0.006362	Done
G17	113.746	8.680	1.35e+05	1891	0.0398	0.002303	Done
S18	113.141	7.706	1.80e+05	6715	0.0534	0.009129	Done
G19	111.324	6.837	2.49e+05	6657	0.0628	0.008278	Done
Y20	112.898	6.855	2.92e+05	1.046e+04	0.0365	0.005285	Done
N21	116.532	8.680	1.01e+05	3086	0.0379	0.004710	Done
F22	117.259	8.445	1.28e+05	1557	0.0312	0.001466	Done
S23	116.290	9.108	1.14e+05	5698	0.0406	0.008400	Done
I24	122.952	8.780	1.07e+05	5380	0.0249	0.004595	Done
V25	126.465	8.181	1.16e+05	2204	0.0386	0.002990	Done
I26	129.614	9.096	7.68e+04	4029	0.0417	0.009138	Done
K27	125.859	8.574	8.63e+04	1.055e+04	0.0366	0.01802	Done
N28	121.499	8.510	1.02e+05	7352	0.0348	0.009933	Done
S29	121.135	9.026	5.82e+04	5844	0.0238	0.008656	Done
G30	109.143	8.228	1.10e+05	4085	0.0461	0.007438	Done
T31	105.388	8.193	1.18e+05	2633	0.0485	0.004777	Done
T32	112.414	7.483	1.43e+05	1.039e+04	0.0604	0.02114	Done
I34	123.437	8.046	1.12e+05	8780	0.0362	0.01144	Done
K35	128.888	9.677	5.00e+04	8946	0.0217	0.01367	Done
N36	121.499	8.386	8.31e+04	5749	0.0380	0.01071	Done
W37	117.138	7.629	9.79e+04	1925	0.0321	0.002464	Done
K38	118.955	8.662	8.94e+04	4734	0.0304	0.006220	Done
L39	127.434	9.625	8.32e+04	7216	0.0406	0.01463	Done
E40	124.648	9.026	1.01e+05	7323	0.0399	0.01191	Done


Peak name	F1 [ppm]	F2 [ppm]	Io	error	T2 [s]	error	fitInfo
F41	113.141	7.741	1.77e+05	9497	0.0504	0.01209	Done
D42	119.561	9.243	1.04e+05	1.546e+04	0.0350	0.02077	Done
N44	128.161	8.668	1.87e+05	3150	0.0323	0.002129	Done
G45	108.295	7.899	6.71e+04	6099	0.0216	0.006900	Done
N46	120.530	8.369	8.76e+04	9883	0.0329	0.01459	Done
L47	124.042	7.905	9.62e+04	5488	0.0336	0.007578	Done
T48	114.473	8.903	9.74e+04	1898	0.0311	0.002349	Done
Q49	120.651	7.799	1.61e+05	1.220e+04	0.0533	0.01845	Done
V50	113.867	8.216	1.47e+05	1785	0.0500	0.002699	Done
W51	118.349	8.334	1.32e+05	6568	0.0419	0.008716	Done
D52	118.955	9.449	1.09e+05	1.153e+04	0.0390	0.01697	Done
K54	116.048	8.398	1.25e+05	5492	0.0437	0.008150	Done
I55	123.437	8.885	1.15e+05	8829	0.0361	0.01115	Done
S56	127.434	9.138	7.37e+04	5939	0.0284	0.008673	Done
S57	112.293	7.618	1.59e+05	5607	0.0439	0.006602	Done
I65	128.524	9.754	9.62e+04	1.618e+04	0.0267	0.01678	Done
T66	118.107	8.985	1.08e+05	6023	0.0352	0.007849	Done
N67	115.805	5.986	1.50e+05	4650	0.0416	0.005400	Done
A68	121.014	8.034	1.22e+05	9580	0.0394	0.01274	Done
G69	112.172	9.026	1.21e+05	3919	0.0482	0.006838	Done
W70	121.499	7.541	1.47e+05	1.431e+04	0.0441	0.01827	Done
N71	118.834	6.596	1.29e+05	2.126e+04	0.0165	0.008458	Done
E73	119.561	7.829	1.19e+05	3815	0.0593	0.009124	Done
I74	124.042	9.079	8.71e+04	4116	0.0370	0.007061	Done
G77	115.200	7.964	1.02e+05	5231	0.0367	0.007556	Done
G78	109.386	8.480	1.44e+05	1871	0.0440	0.002431	Done
S79	110.960	8.058	1.59e+05	8789	0.0614	0.01650	Done
I80	119.076	8.521	1.19e+05	5034	0.0418	0.007417	Done
T81	120.408	8.557	1.18e+05	5502	0.0365	0.006857	Done
I82	122.468	8.938	1.05e+05	1.193e+04	0.0289	0.01256	Done
G83	105.752	6.250	8.64e+04	8052	0.0244	0.008308	Done
A85	124.042	8.574	1.10e+05	4768	0.0301	0.005017	Done
G86	105.873	8.345	1.20e+05	1282	0.0362	0.001557	Done
T87	110.112	8.269	1.09e+05	4993	0.0416	0.007991	Done
G88	114.110	8.404	1.19e+05	2593	0.0407	0.003676	Done
T89	118.470	8.545	1.67e+05	2052	0.0569	0.003286	Done
A91	125.254	7.089	1.53e+05	3418	0.0389	0.003555	Done
E92	116.048	6.843	1.71e+05	1.187e+04	0.0314	0.008462	Done
L93	124.042	8.345	1.19e+05	3128	0.0456	0.005181	Done
V94	126.344	8.914	1.05e+05	9133	0.0330	0.01130	Done
N95	120.408	8.979	1.27e+05	2425	0.0431	0.003493	Done
A96	119.439	8.363	2.13e+05	5660	0.0653	0.008723	Done
S97	117.259	9.419	1.10e+05	1.718e+04	0.0369	0.02328	Done
I98	127.555	8.539	8.85e+04	2046	0.0364	0.003390	Done
S99	122.104	9.026	1.09e+05	8121	0.0464	0.01502	Done


Peak name	F1 [ppm]	F2 [ppm]	Io	error	T2 [s]	error	fitInfo
E100	117.986	8.163	1.41e+05	5152	0.0515	0.008469	Done
N101	125.375	8.292	1.55e+05	3478	0.0487	0.004805	Done


Current fit display






fit/H6: T2 = 0.0192 s
x10 4
4.00
3.00
2.00
1.00
0.0100
0.0200
0.0300
0.0400
s
fit/H7: T2 = 0.0251 s
x10 4
5.00
4.00
3.00
2.00
1.00
0.0100
0.0200
0.0300
0.0400
s
fit/A8: T2 = 0.0389 s
x10 5
1.00
0.75
0.50
0.25
0.0100
0.0200
0.0300
0.0400
s
fit/T9: T2 = 0.0388 s
x10 5
1.00
0.75
0.50
0.25
0.0100
0.0200
0.0300
0.0400
s



fit/F10: T2 = 0.0377 s
fit/S11: T2 = 0.0465 s
fit/V12: T2 = 0.0357 s
fit/T13: T2 = 0.0210 s
x10^5
0.0100
0.0200
0.0300
0.0400
s



fit/S14: T2 = 0.0526 s
fit/N15: T2 = 0.0352 s
fit/W16: T2 = 0.0383 s
fit/G17: T2 = 0.0398 s
x10 5
0.0100
0.0200
0.0300
0.0400
s



fit/S18: T2 = 0.0534 s
fit/G19: T2 = 0.0628 s
fit/Y20: T2 = 0.0365 s
fit/N21: T2 = 0.0379 s
x10 5
0.0100
0.0200
0.0300
0.0400
s



fit/F22: T2 = 0.0312 s
fit/S23: T2 = 0.0406 s
fit/I24: T2 = 0.0249 s
fit/V25: T2 = 0.0386 s
x10 5
1.25
1.00
0.75
0.50
0.25
0.0100
0.0200
0.0300
0.0400
s



fit/I26: T2 = 0.0417 s
fit/K27: T2 = 0.0366 s
fit/N28: T2 = 0.0348 s
fit/S29: T2 = 0.0238 s
s



fit/G30: T2 = 0.0461 s
fit/T31: T2 = 0.0485 s
fit/T32: T2 = 0.0604 s
fit/I34: T2 = 0.0362 s
x10 5
0.0100
0.0200
0.0300
0.0400
s



fit/K35: T2 = 0.0217 s
x10 4
5.00
4.00
3.00
2.00
1.00
0.0100
0.0200
0.0300
0.0400
s
fit/N36: T2 = 0.0380 s
x10 5
0.75
0.50
0.25
0.0100
0.0200
0.0300
0.0400
s
fit/W37: T2 = 0.0321 s
x10 5
1.00
0.75
0.50
0.25
0.0100
0.0200
0.0300
0.0400
s
fit/K38: T2 = 0.0304 s
x10 5
1.00
0.75
0.50
0.25
0.0100
0.0200
0.0300
0.0400
s



fit/L39: T2 = 0.0406 s
fit/E40: T2 = 0.0399 s
fit/F41: T2 = 0.0504 s
fit/D42: T2 = 0.0350 s
x10 5
0.0100
0.0200
0.0300
0.0400
s



fit/N44: T2 = 0.0323 s
x10 5
2.00
1.50
1.00
0.50
0.0100
0.0200
0.0300
0.0400
s
fit/G45: T2 = 0.0216 s
x10 4
5.00
2.50
fit/N46: T2 = 0.0329 s
fit/L47: T2 = 0.0336 s
0.75
0.25



fit/T48: T2 = 0.0311 s
fit/Q49: T2 = 0.0533 s
fit/V50: T2 = 0.0500 s
fit/W51: T2 = 0.0419 s
x10 5
0.0100
0.0200
0.0300
0.0400
s



fit/D52: T2 = 0.0390 s
fit/K54: T2 = 0.0437 s
fit/I55: T2 = 0.0361 s
fit/S56: T2 = 0.0284 s
s



fit/S57: T2 = 0.0439 s
fit/I65: T2 = 0.0267 s
fit/T66: T2 = 0.0352 s
fit/N67: T2 = 0.0416 s
x10 5
0.0100
0.0200
0.0300
0.0400
s



fit/A68: T2 = 0.0394 s
fit/G69: T2 = 0.0482 s
fit/W70: T2 = 0.0441 s
fit/N71: T2 = 0.0165 s
x10 5
1.25
1.00
0.75
0.50
0.25
1.50
0.0100
0.0200
0.0300
0.0400
s



fit/E73: T2 = 0.0593 s
fit/I74: T2 = 0.0370 s
fit/G77: T2 = 0.0367 s
fit/G78: T2 = 0.0440 s
x10 5
0.0100
0.0200
0.0300
0.0400
s



fit/S79: T2 = 0.0614 s
fit/I80: T2 = 0.0418 s
fit/T81: T2 = 0.0365 s
fit/I82: T2 = 0.0289 s
x10^5
0.0100
0.0200
0.0300
0.0400
s


fit/G83: T2 = 0.0244 s
fit/A85: T2 = 0.0301 s
fit/G86: T2 = 0.0362 s
fit/T87: T2 = 0.0416 s
x10 5
0.0100
0.0200
0.0300
0.0400
s


fit/G88: T2 = 0.0407 s
fit/T89: T2 = 0.0569 s
fit/A91: T2 = 0.0389 s
fit/E92: T2 = 0.0314 s
x10 5
0.0100
0.0200
0.0300
0.0400
s


fit/L93: T2 = 0.0456 s
fit/V94: T2 = 0.0330 s
fit/N95: T2 = 0.0431 s
fit/A96: T2 = 0.0653 s
x10 5
0.0100
0.0200
0.0300
0.0400
s


fit/S97: T2 = 0.0369 s
fit/I98: T2 = 0.0364 s
fit/S99: T2 = 0.0464 s
fit/E100: T2 = 0.0515 s
x10 5
0.0100
0.0200
0.0300
0.0400
s


x10 5
fit/N101: T2 = 0.0487 s
1.50
1.00
0.50
0.0100
0.0200
0.0300
0.0400
s