| | x |
|---|---|
| Are_high_nurse_workloadstaffi.txt | 1 |
| Are_Nurses_Recognizing_Deliriu.txt | 1 |
| Characterization_of_Neonatal_P.txt | 1 |
| Clinical_Activity_Monitoring_S.txt | 1 |
| Enteral_nutrition_in_intensive.txt | 1 |
| Factors_Influencing_the_Implem.txt | 1 |
| Faster_clinical_response_to_th.txt | 1 |
| Implementation_of_the_Canadian-output.txt | 1 |
| Improving_nurse_staffing_measu-output.txt | 1 |
| Intensive_nursing_work_schedul.txt | 1 |
| Investigating_nurses'_percepti.txt | 1 |
| Knowledge_and_Recognition_of_S.txt | 1 |
| Measuring_quality_of_care_with-output.txt | 1 |
| Neurologic_Assessment_Skills_f-output.txt | 1 |
| Nonpharmacological_pain_manage-output.txt | 1 |
| NOVEL_SPANISH_TRANSLATORS_FOR_-output.txt | 1 |
| Nursing_involvement_improves_c.txt | 1 |
| Overcoming_nursing_barriers_to.txt | 1 |
| Predictors_for_daily_interrupt.txt | 1 |
| Qualitative_real-time_analysis.txt | 1 |
| QUESTION_How_can_I_implement_-output.txt | 1 |
| Saudi_Arabian_ICU_safety_cultu.txt | 1 |
| Tasks_completed_by_nursing_mem.txt | 1 |
| The_effect_of_computer-generat-output.txt | 1 |
| Unplanned_extubations_in_an_in.txt | 1 |
| A_Case_Review_Integrating_Lew.txt | 2 |
| A_Health_System-wide_Moral_Dis.txt | 2 |
| A_Matter_of_Life_and_Death_Th.txt | 2 |
| A_Multidisciplinary_Team_Appro-output.txt | 2 |
| A_qualitative_study_of_the_var.txt | 2 |
| Aligning_complex_processes_and.txt | 2 |
| Caution!_Contents_Should_Be_C.txt | 2 |
| Disaster_Preparedness_Emergen.txt | 2 |
| Examples_of_Neonatal_Practices.txt | 2 |
| Explicit_approach_to_rounds_in.txt | 2 |
| G533_Reducing_the_number_of_un-output.txt | 2 |
| Huddling_for_high_reliability_.txt | 2 |
| Improving_the_Management_and_D.txt | 2 |
| Just_a_Collection_of_Recollect.txt | 2 |
| Mitigating_Hazards_Through_Con-output.txt | 2 |
| Rapid_Response_Systems_Update-output.txt | 2 |
| Service_Design_and_Change_of_S.txt | 2 |
| Shaping_a_Unit's_Culture_Throu.txt | 2 |
| Simulation_to_Standardize_Pati.txt | 2 |
| Six_year_audit_of_cardiac_arre-output.txt | 2 |
| The_Impact_of_a_'Resident_Repl.txt | 2 |

| | |
|---|---|
| The_Neonatal_Intensive_Care_Un.txt | 2 |
| Unlocking_the_Power_of_Innovat.txt | 2 |
| Validity_and_Reliability_of_th.txt | 2 |
| A_Case_Study_of_the_Scaffoldin.txt | 3 |
| A_survey_of_the_current_neonat.txt | 3 |
| Adopting_information_technolog-output.txt | 3 |
| Amplitude-Integrated_Electroen.txt | 3 |
| An_Instrument_to_Assess_Readin-output.txt | 3 |
| An_investigation_of_the_effect.txt | 3 |
| Authentic_leadership_and_the_p.txt | 3 |
| Boundary_factors_and_contextua.txt | 3 |
| Covert_Medication_Administrati.txt | 3 |
| Expert_Nurse_to_Novice_Nurse_P-output.txt | 3 |
| High_alert_medications_adminis.txt | 3 |
| If_I_Were_a_Band-Aid,_Where_Wo.txt | 3 |
| Neonatal_Care_in_a_Japanese_NI.txt | 3 |
| Nursing_Grand_Rounds_as_a_Medi.txt | 3 |
| Pediatric_Nurses'_Perceptions,.txt | 3 |
| Prevalence_and_Factors_Associa.txt | 3 |
| Psychometric_Testing_of_the_He.txt | 3 |
| Raise_the_Roof_Our_Theme,_Our-output.txt | 3 |
| Report_of_a_Staff_Program_to_P.txt | 3 |
| Social_supports_and_mental_hea.txt | 3 |
| The_clinical_nurse_researcher_-output.txt | 3 |
| The_effectiveness_of_a_standar.txt | 3 |
| A_Descriptive_Analysis_of_Impl.txt | 4 |
| A_fine_line_on_the_front_line-output.txt | 4 |
| A_hand_in_everything-output.txt | 4 |
| An_Acute_Care_Nurse_Practition-output.txt | 4 |
| Back_to_basics-output.txt | 4 |
| Communication_A_Dynamic_Betwe-output.txt | 4 |
| Content_analysis_of_euthanasia.txt | 4 |
| Discussing_Death,_Dying,_and_E.txt | 4 |
| Forming_a_Partnership_to_Save_-output.txt | 4 |
| Intensive_care_nurses'_involve.txt | 4 |
| Intensive_care_nurses'_percept.txt | 4 |
| Involvement_of_Nurses_in_the_E-output.txt | 4 |
| Nurses’_perceptions_of_caring_.txt | 4 |
| Pediatric_Trauma_Nurse_Practit-output.txt | 4 |
| Rapid_Response_Teams_Is_it_Ti.txt | 4 |
| Sensemaking_of_change_in_the_m-output.txt | 4 |
| Surviving_managed_care_The_ef-output.txt | 4 |
| Telephone_health_care_It's_mo-output.txt | 4 |
| The_art_of_nursing_A_hidden_s-output.txt | 4 |
| The_cardiovascular_intensive_c.txt | 4 |
| The_Evolution_of_a_Surgical_Li.txt | 4 |
| The_role_of_critical_care_nurs-output.txt | 4 |

| | |
|---|---|
| Top_10_Reasons_to_Become_a_Tra-output.txt | 4 |
| Trauma_Case_Management_A_Role-output.txt | 4 |
| Value-Added_Care_A_Paradigm_S.txt | 4 |
| ACTIGRAPHY_IN_THE_CRITICALLY_I-output.txt | 5 |
| Assessing_pain_in_non-intubate.txt | 5 |
| Classification_of_daily_mental.txt | 5 |
| Comparison_of_the_confusion_as.txt | 5 |
| Delirium_assessment_in_the_cri.txt | 5 |
| Delirium_in_the_Orthopaedic_Pa-output.txt | 5 |
| Delirium_screening_anchored_in.txt | 5 |
| Detection_of_delirium_in_palli.txt | 5 |
| Evidence_appraisal_of_Winter_A-output.txt | 5 |
| Implementation,_reliability_te.txt | 5 |
| Infants_with_Delirium_A_Prime.txt | 5 |
| Interrater_Reliability_of_the_.txt | 5 |
| Limitations_and_practicalities.txt | 5 |
| Managing_Pain,_Delirium_and_Se-output.txt | 5 |
| nurses recongition of hospitalized older patients with delirium and cognitive imp | 5 |
| Orthopaedic_Nurses'_Knowledge_-output.txt | 5 |
| Pain_measurement_in_mechanical.txt | 5 |
| Prodrome_of_delirium_among_lon.txt | 5 |
| Routine_Use_of_the_Confusion_A.txt | 5 |
| The_Bedside_Diagnosis_of_ICU_D-output.txt | 5 |
| The_Neonatal_Pain,_Agitation_a.txt | 5 |
| Validity_of_the_Richmond_Agita.txt | 5 |
| A_computerized_pneumococcal_va.txt | 6 |
| After-hours_physician_care_for.txt | 6 |
| B23_CLINICAL_TRIALS_AND_OUTCOM-output.txt | 6 |
| Bedside_or_not_bedside_Evalua.txt | 6 |
| Best_Practices_in_Stroke_Rapid.txt | 6 |
| Care_of_the_Trauma_Patient_Bey-output.txt | 6 |
| Caring_for_Critical_Care_Board.txt | 6 |
| Case_Studies_Demonstrating_Str-output.txt | 6 |
| Clinical_Risk_Assessment_Iden.txt | 6 |
| Cognitive_Human_Factors_in_ICU.txt | 6 |
| Effect_of_patient-centred_beds.txt | 6 |
| Evaluating_the_feasibility_and.txt | 6 |
| Improving_Cardiac_Surgery_Outc.txt | 6 |
| Patient-Centered_Interprofessi.txt | 6 |
| Patient_satisfaction_after_imp.txt | 6 |
| Patient_severity_matters_for_n.txt | 6 |
| Patient_whiteboards_to_improve.txt | 6 |
| Pediatrics_Successful_use_of_-output.txt | 6 |
| Practical_Recommendations_for_.txt | 6 |
| Simulating_an_emergency_depart.txt | 6 |
| Structured_interdisciplinary_b.txt | 6 |
| The_Return_of_Bedside_Rounds_.txt | 6 |

| | |
|---|---|
| Use_of_a_novel_electronic_mate.txt | 6 |
| Advocating_for_Nurses_and_Nurs.txt | 7 |
| An_Exploration_of_Professional.txt | 7 |
| Belgian_Nurses'_Views_on_Codes.txt | 7 |
| Burnout_and_resilience_in_crit.txt | 7 |
| Can_Everyone_Be_Refreshed-output.txt | 7 |
| Changing_Nursing_Practice_Thro-output.txt | 7 |
| Charting_the_Course_for_a_Nurs-output.txt | 7 |
| Coming_to_Grips_with_the_Nurs.txt | 7 |
| Competence,_continuing_educati-output.txt | 7 |
| Development_at_the_Bedside_Ev.txt | 7 |
| Double_Whammy_for_a_New_Breed_.txt | 7 |
| Educational_Problems_in_a_Woma-output.txt | 7 |
| ENHANCING_LEADERSHIP_SKILLS_FO.txt | 7 |
| Establishing_Consensus_About_t-output.txt | 7 |
| Explaining_why_nurses_remain_i.txt | 7 |
| FEEDBACK-output.txt | 7 |
| From_Bedside_to_Classroom_The.txt | 7 |
| From_clinical_ladders_to_a_pro-output.txt | 7 |
| Introduction_of_a_Conceptual_N-output.txt | 7 |
| Leadership_Behaviors_of_Frontl.txt | 7 |
| Leading_the_Nurse_Within_Deve.txt | 7 |
| Lessons_learned_from_conductin.txt | 7 |
| Moving_On,_Up,_or_Out_Changin.txt | 7 |
| NIC_puts_nursing_into_words-output.txt | 7 |
| Nurse_Educators_and_the_Future.txt | 7 |
| Nurses'_Training_May_Be_Shift.txt | 7 |
| nursing_students'_attitudes_to-output.txt | 7 |
| Nursing_students_plan_after_gr.txt | 7 |
| One_Profession-output.txt | 7 |
| Perceived_Value_of_National_Ce.txt | 7 |
| Professional_Resilience_in_Bac-output.txt | 7 |
| Relationship_Between_Education.txt | 7 |
| Scholarship_in_Nursing_Not_an.txt | 7 |
| Should_a_Doctorate_be_Required-output.txt | 7 |
| The_Aging_Nurse_Can_Employers.txt | 7 |
| The_bedside_nurse_who_hasn't_l-output.txt | 7 |
| The_LeadershipManagement_Role-output.txt | 7 |
| The_road_to_conversion_for_enr-output.txt | 7 |
| The_Value_of_Mentorship_Within-output.txt | 7 |
| Using_Maslow's_Pyramid_and_the.txt | 7 |
| 6_critical_thinking_skills_for-output.txt | 8 |
| A_survey_of_directors_of_Canad-output.txt | 8 |
| Are_You_a_Mid-Level_Provider,_-output.txt | 8 |
| Associations_of_Nurse_Staffing.txt | 8 |
| Back_to_bed-output.txt | 8 |
| Back_to_the_bedside-output.txt | 8 |

| | |
|---|---|
| Bedside_handovers_'improve_rap-output.txt | 8 |
| Better_Nurse_Autonomy_Decrease.txt | 8 |
| Decreasing_Moral_Distress_Wha-output.txt | 8 |
| Determination_of_nursing_manpo.txt | 8 |
| Evaluating_the_Influence_of_a_.txt | 8 |
| Evaluation_of_Tobacco_Cessatio.txt | 8 |
| Exploring_nurses'_reactions_to.txt | 8 |
| Factors_Influencing_Work_Produ.txt | 8 |
| Graduate_nurses'_experiences_o.txt | 8 |
| Hospital_Nurses'_Lived_Experie.txt | 8 |
| Leading_the_way-output.txt | 8 |
| LETTERS_TO_THE_EDITORS-output.txt | 8 |
| Lighting_and_Nurses_at_Medical.txt | 8 |
| Mandatory_nursepatient_ratios-output.txt | 8 |
| Motivation_and_job_satisfactio.txt | 8 |
| Nurse_Satisfaction_with_Inform.txt | 8 |
| Nurses'_Compliance_at_Reportin.txt | 8 |
| Nurses'_roles_in_discharge_dec.txt | 8 |
| Nurses_at_the_bedside_Influen-output.txt | 8 |
| Nursing_clinical_handover_in_n.txt | 8 |
| Patient_satisfaction_and_non-U.txt | 8 |
| Patients_would_benefit_from_ha-output.txt | 8 |
| Sexual_Harassment_of_Female_Nu-output.txt | 8 |
| Staff_handovers_at_bedside_all-output.txt | 8 |
| Staffing_That_Is_Evidence_Base-output.txt | 8 |
| Staying_Focused_With_a_Changin-output.txt | 8 |
| Taking_a_stand_for_bedside_nur-output.txt | 8 |
| The_Benefits_of_the_Dysphagia_-output.txt | 8 |
| The_devil_is_in_the_details_B-output.txt | 8 |
| The_Legacy_of_Florence_Nightin.txt | 8 |
| To_Foley_or_Not_To_Foley_Emer.txt | 8 |
| To_the_Editorresponds-output.txt | 8 |
| Trauma_Nurses_and_Surgeons_In-output.txt | 8 |
| Using_Stories_to_Bridge_Cultur.txt | 8 |
| Virtual_collaboration,_satisfa.txt | 8 |
| A_comparison_of_continuous_epi-output.txt | 9 |
| A_comparison_of_vital_signs_ch.txt | 9 |
| A_model_for_a_nurse-led_progra.txt | 9 |
| A_Randomised_Crossover_Trial_o.txt | 9 |
| Behavioral_and_Psychological_S.txt | 9 |
| Breakdown_of_the_Consent_Proce.txt | 9 |
| Collection_of_annotated_data_i.txt | 9 |
| Confirmation_of_the_Validity_o.txt | 9 |
| Continuous_quality_improvement-output.txt | 9 |
| Cue-based_oral_feeding_clinica.txt | 9 |
| Executive_Control_Function_A_-output.txt | 9 |
| Implementation_of_an_electroni.txt | 9 |

| | |
|---|---|
| Improved_Care_and_Reduced_Cost-output.txt | 9 |
| Indices_to_quantify_changes_in-output.txt | 9 |
| Interruption_management_in_the.txt | 9 |
| Is_Nurse_Interpretation_of_the.txt | 9 |
| Maintaining_Placement_of_Tempo.txt | 9 |
| Maternal_and_Paternal_Knowledg.txt | 9 |
| Monitoring_Exercise_Delivery_t.txt | 9 |
| Nursepatient_ratio_and_achiev.txt | 9 |
| Open_versus_percutaneous_dilat-output.txt | 9 |
| Reducing_Bloodstream_Infection.txt | 9 |
| Serial_aEEG_recordings_in_a_co.txt | 9 |
| Simulation-based_paediatric_in.txt | 9 |
| Tele-intensivists_can_instruct.txt | 9 |
| The_Sunshine_formula.txt | 9 |
| Transpyloric_tube_feeding_in_v-output.txt | 9 |
| Treating_feeding_intolerance_w.txt | 9 |
| Validation_of_arterial_blood_p.txt | 9 |
| “It’s_better_to_have_three_bra.txt | 10 |
| A_survey_of_the_attitudes_and_.txt | 10 |
| ATTITUDES_TOWARD_AND_BELIEFS_A-output.txt | 10 |
| Bridging_the_Gap_in_Care_for_C.txt | 10 |
| Case_Study_Family_Presence_in.txt | 10 |
| Creating_Advocates_for_Family_.txt | 10 |
| Daphne_Stannard,_RN,_PhD,_CCRN-output.txt | 10 |
| Decreasing_Parental_Stress_in_-output.txt | 10 |
| End-of-life_decision_making_in-output.txt | 10 |
| Evidence-Based_Practice_and_Fa.txt | 10 |
| Facing_challenges_to_Family-Ce-output.txt | 10 |
| Factors_that_enhance_or_impede.txt | 10 |
| Family_as_a_Member_of_the_Trau-output.txt | 10 |
| Family_coping_during_critical_-output.txt | 10 |
| Family_presence_during_cardiop-output.txt | 10 |
| Family_Presence_During_Resusci-output.txt | 10 |
| Filling_a_significant_gap_in_t.txt | 10 |
| Finding_a_Middle_Ground_Explo.txt | 10 |
| Interview_Children_in_the_adu-output.txt | 10 |
| Notes_on_critical_care--Review.txt | 10 |
| OPTIMISM,_SATISFACTION_WITH_NE-output.txt | 10 |
| Self-described_nursing_roles_e.txt | 10 |
| The_Neurointensive_Care_Nurser.txt | 10 |
| The_Nursing_Dimension_of_Provi.txt | 10 |
| A_New_Tool_to_Asses_Risk_of_Wa.txt | 11 |
| Activities_Patients_and_Nurses.txt | 11 |
| Bedside_Nurse-to-Nurse_Handoff.txt | 11 |
| Cardio-thoracic_surgical_patie.txt | 11 |
| Decreasing_Patient_Misidentifi-output.txt | 11 |
| Emphasizing_Caring_Components_.txt | 11 |

| | |
|---|---|
| Evaluating_nursing_handover_t.txt | 11 |
| Improving_Patient_Safety_and_S-output.txt | 11 |
| Improving_the_efficiency_of_pa-output.txt | 11 |
| Incorporating_Bedside_Reportin-output.txt | 11 |
| Investigating_Bedside_Nursing_.txt | 11 |
| Nurses'_Opinions_of_Patient_In.txt | 11 |
| Nursing_Bedside_Handover_does_.txt | 11 |
| Off_to_a_Good_Start_Bedside_R.txt | 11 |
| Patient_and_nurse_preferences_.txt | 11 |
| Patient_satisfaction_in_ambula-output.txt | 11 |
| Patients'_perceptions_of_bedsi-output.txt | 11 |
| Psychiatric_Inpatient_Bedside_.txt | 11 |
| The_Evolution_of_Nurse-to-Nurs.txt | 11 |
| The_thread_that_links_Continu-output.txt | 11 |
| Undertaking_effective_handover.txt | 11 |
| 6th_Annual_Evidence-Based_Prac.txt | 12 |
| 8th_Annual_Evidence-Based_Prac.txt | 12 |
| Abstracts_Presented_at_the_12t.txt | 12 |
| Abstracts_Presented_at_the_16t.txt | 12 |
| ACADEMY_News_NN_NN.txt | 12 |
| Action_research_sets_the_stage-output.txt | 12 |
| Improving_The_Effectiveness_Of.txt | 12 |
| Nursing_and_informatics_Impli-output.txt | 12 |
| The_synergy_model_and_the_role-output.txt | 12 |
| Translating_Evidence_Into_Prac.txt | 12 |
| A_cost-reducing_extracorporeal.txt | 13 |
| Applying_the_Theoretical_Domai.txt | 13 |
| Bedside_sitting_improves_nurse-output.txt | 13 |
| Budgeting_for_a_Video_Monitori.txt | 13 |
| Can_we_improve_the_prescribing.txt | 13 |
| Catheter-Associated_Urinary_Tr.txt | 13 |
| Characteristics_of_Effective_D-output.txt | 13 |
| Detection_and_Prevention_of_Me-output.txt | 13 |
| Development_of_a_Clinical_Prac-output.txt | 13 |
| Development_of_a_Diabetes_Lear-output.txt | 13 |
| Effectiveness_of_two_distinct_.txt | 13 |
| Evaluating_handover_practice_i.txt | 13 |
| Exploring_power_relations_embe-output.txt | 13 |
| Handover_Faster_and_safer.txt | 13 |
| Health_professionals'_percepti.txt | 13 |
| How_to_Establish_an_Effective_.txt | 13 |
| Incorporating_Clinical_Laborat.txt | 13 |
| Interventions_to_reduce_urinar.txt | 13 |
| Mantra_Meditation_as_a_Bedside.txt | 13 |
| Nurse_Practitioner-led_Project.txt | 13 |
| Nurses'_Perceptions_and_Practi.txt | 13 |
| Pharmacogenomics_and_Implicati.txt | 13 |

| | |
|---|---|
| Pharmacy_on_wheels_bringing_p-output.txt | 13 |
| Prescriber_knowledge_and_attit.txt | 13 |
| PROS_AND_CONS_OF_USING_APPS_IN.txt | 13 |
| Restraint_or_protection_The_-output.txt | 13 |
| Seizure_Precautions_for_Pediat.txt | 13 |
| Technology_Integration_and_Per-output.txt | 13 |
| The_Advanced_Practice_Nurse_Ro-output.txt | 13 |
| The_Fourth_Element_of_Negligen-output.txt | 13 |
| The_Nurse_Education_and_Transi.txt | 13 |
| Transfusion_errors_in_the_oper.txt | 13 |
| Use_of_Electronic_Health_Recor-output.txt | 13 |
| Using_a_Psychosocial_Registry_.txt | 13 |
| Using_the_Gugging_Swallowing_S-output.txt | 13 |
| A_bedside_communication_tool_d.txt | 14 |
| Bedside_placement_of_small-bow-output.txt | 14 |
| Care_activities_and_outcomes_o-output.txt | 14 |
| Clinician_discomfort_with_life.txt | 14 |
| Collaborative_practice_Develo-output.txt | 14 |
| Contributions_of_tele-intensiv.txt | 14 |
| Death's_Broker_the_Ethics_Con.txt | 14 |
| Decision-making_skills_improve.txt | 14 |
| Delirium_in_advanced_cancer_A-output.txt | 14 |
| Does_Telemonitoring_Of_Patient-output.txt | 14 |
| Efficacy_of_a_multimodal_inter.txt | 14 |
| Enhancing_the_informed_consent.txt | 14 |
| FREQUENCY_OF_ORAL_CARE_AND_POS-output.txt | 14 |
| Impact_of_surgical_intensive_c.txt | 14 |
| Intensive_care_nurses'_self-re.txt | 14 |
| Medical_Record_Quality_Assessm.txt | 14 |
| Noise_pollution_levels_in_the_.txt | 14 |
| Professional_Challenges_of_Bed.txt | 14 |
| Spiritual_issues_in_palliative.txt | 14 |
| Staff_acceptance_of_a_telemedi.txt | 14 |
| Variability_in_the_pediatric_i.txt | 14 |
| As_a_registered_nurse_are_you_-output.txt | 15 |
| Bedside_Shift-to-Shift_Nursing.txt | 15 |
| Benefits_of_Health_Care_Commun.txt | 15 |
| Complications_in_Bariatric_Pat.txt | 15 |
| Congestive_Heart_Failure_Rede-output.txt | 15 |
| Continuous_care_and_patients'_.txt | 15 |
| Designing_a_Data-Driven_Decisi.txt | 15 |
| Establishing_Patient-Centered_-output.txt | 15 |
| Factors_influencing_when_inten.txt | 15 |
| Field_Research_and_Parametric_.txt | 15 |
| Hope_Floats_An_Orthopaedic_Ti-output.txt | 15 |
| Human_Milk_Management_Redesign.txt | 15 |
| ICU_nurses_and_physicians_dial.txt | 15 |

| | |
|---|---|
| Improved_record-keeping_with_r-output.txt | 15 |
| Improving_Medication_Administr-output.txt | 15 |
| More_nursing,_fewer_deaths-output.txt | 15 |
| Nurse_Knowledge_Exchange_Pati-output.txt | 15 |
| Nurse_Shortage_or_Nursing_Shor-output.txt | 15 |
| Nurses'_bedside_manner_Is_it_-output.txt | 15 |
| Nursing_handover_It's_time_fo.txt | 15 |
| Nursing_skill_mix_in_European_.txt | 15 |
| Opinions_about_bedside_nursing.txt | 15 |
| Patient_Safety_The_Four_Domai-output.txt | 15 |
| Postgraduate_education_needs_o.txt | 15 |
| Redesign_of_medicine_supply_sy-output.txt | 15 |
| Role_of_the_nurse-to-nurse_han-output.txt | 15 |
| Standardizing_the_Bedside_Repo.txt | 15 |
| Synthesizing_Knowledge_about_N.txt | 15 |
| The_Approaches_and_Attitudes_o.txt | 15 |
| The_ETTO_principle_and_organis.txt | 15 |
| The_Influence_of_Quality_Impro.txt | 15 |
| The_postoperative_handover_a_.txt | 15 |
| A_4-arm_randomized_controlled_.txt | 16 |
| A_Computerized_Insulin_Infusio-output.txt | 16 |
| A_tailored_multicomponent_prog.txt | 16 |
| Age_related_inverse_dose_relat.txt | 16 |
| An_evaluation_of_the_validity_.txt | 16 |
| Cardiopulmonary_Monitors_and_C.txt | 16 |
| Clinical_estimation_of_trunk_p.txt | 16 |
| Comparing_two_methods_of_deliv.txt | 16 |
| Comparison_of_Bedside_and_Remo.txt | 16 |
| Comparison_of_circuit_patency_.txt | 16 |
| Cooling_by_convection_vs_cooli-output.txt | 16 |
| Dressings_and_securements_for_.txt | 16 |
| Effect_of_a_Real-Time_Electron.txt | 16 |
| Electromagnetic-Guided_Bedside.txt | 16 |
| Improving_blood_sugar_control_.txt | 16 |
| INTENSIVE_VERSUS_MODIFIED_CONV-output.txt | 16 |
| Intra-abdominal_hypertension_i.txt | 16 |
| Lowering_of_Glucose_in_Critica.txt | 16 |
| Nebulized_fentanyl_vs_intraven.txt | 16 |
| Organising_a_manuscript_report.txt | 16 |
| Pain_intensity_assessment_by_b.txt | 16 |
| Performance_of_a_Computerized_.txt | 16 |
| Relationship_between_Quality_o.txt | 16 |
| Retrospective_analysis_of_puls.txt | 16 |
| Safe,_timely,_convenient,_and_.txt | 16 |
| Sleep_monitoring_in_the_intens.txt | 16 |
| Software-guided_versus_nurse-d.txt | 16 |
| Stroke_Assessment_in_the_Perio-output.txt | 16 |

| | |
|---|---|
| Surrogate_decision_makers'_att.txt | 16 |
| The_development_of_a_clinical_.txt | 16 |
| The_Massey_bedside_swallowing_-output.txt | 16 |
| The_minimal_leak_test_techniqu.txt | 16 |
| The_use_of_mobile_robotic_tele.txt | 16 |
| Validating_the_Sedation-Agitat.txt | 16 |
| A_Response_to_the_Transformati.txt | 17 |
| Avoidance_and_distancing_A_de-output.txt | 17 |
| Bedside_nursing_is_hard_and_-output.txt | 17 |
| Caring_nurses_hit_by_a_quality-output.txt | 17 |
| Code_Green_Money-Driven_Hospi-output.txt | 17 |
| Dimensions_of_Caring_A_Qualit.txt | 17 |
| Encore!_Encore!-output.txt | 17 |
| Experiences_of_Iranian_Nurses_.txt | 17 |
| Exploring_the_Influence_of_Nur.txt | 17 |
| From_Blank_Canvas_to_Masterwor.txt | 17 |
| Impact_of_Nurse_Work_Environme-output.txt | 17 |
| LETTERS-output.txt | 17 |
| Measures_of_Cost_Containment,_.txt | 17 |
| Nurse_Engagement_What_are_the.txt | 17 |
| Nurse_Staffing_and_the_Relatio.txt | 17 |
| Nurses'_Widespread_Job_Dissati-output.txt | 17 |
| Nursing_Against_the_Odds-output.txt | 17 |
| Power_and_conflict_in_intensiv.txt | 17 |
| Predicting_nurses'_organizatio-output.txt | 17 |
| Professional_Work_Ethic_Strat.txt | 17 |
| Standardized_Nursing_Language.txt | 17 |
| The_Evolution_of_Orthopaedic_N-output.txt | 17 |
| The_Staff_Nurse_Clinical_Leade.txt | 17 |
| Transformation_of_America's_He.txt | 17 |
| Venous_Envy_The_Post-World_Wa.txt | 17 |
| Wanted-Nurses_Ethical_Issues_-output.txt | 17 |
| WHAT_CAN_DOCTORS_DO_TO_INCREAS.txt | 17 |
| What_happens_without_nursing_l-output.txt | 17 |
| What_Nurse_Bioethicists_Bring_.txt | 17 |
| A_Clinical_Advancement_Process.txt | 18 |
| A_Clinical_Ladder_for_Occupati.txt | 18 |
| A_National_Study_by_The_Adviso.txt | 18 |
| A_Qualitative_Description_of_N.txt | 18 |
| A_Revised_Nephrology_Nurses'_C-output.txt | 18 |
| A_University_and_Health_Care_O.txt | 18 |
| An_Academic_Practice_Partnersh.txt | 18 |
| An_Evidence-Based_Practice_Sch.txt | 18 |
| Assisting_nurses_to_facilitate.txt | 18 |
| Building_workplace_social_capi.txt | 18 |
| Clinical_and_Professional_Role-output.txt | 18 |
| Continuing_nursing_education_-output.txt | 18 |

| | |
|---|---|
| Development_and_Psychometric_T.txt | 18 |
| Effectiveness_of_an_Interventi-output.txt | 18 |
| Effects_of_Current_Nursing_Man.txt | 18 |
| Effects_of_Perceived_Education.txt | 18 |
| Empowering_Nurses_to_Participa.txt | 18 |
| Engaging_Clinical_Nurses_in_Qu.txt | 18 |
| Evaluation_and_Revision_of_a_C-output.txt | 18 |
| INVESTING_IN_HUMAN_CAPITAL_An.txt | 18 |
| Leadership_Skills_Beyond_the_B.txt | 18 |
| Microethical_Decision_Making_A.txt | 18 |
| Nursing_Journal_Clubs_How_to_-output.txt | 18 |
| Probing_the_Relationship_Betwe.txt | 18 |
| Recognition_and_Support_for_To.txt | 18 |
| Reflecting_on_Research_Sharpe.txt | 18 |
| Registered_Nurses'_Beliefs_Reg-output.txt | 18 |
| Reinventing_Practice_and_Educa.txt | 18 |
| Retain_Expert_Nurses_Through_C-output.txt | 18 |
| Return_on_Investment_Benefits.txt | 18 |
| Rhetoric_or_Reality_RN_to_BSN-output.txt | 18 |
| Stabilizing_and_Retaining_a_Qu.txt | 18 |
| Students'_Lived_Experience_in_.txt | 18 |
| The_Clinical_Practice_Collabor.txt | 18 |
| Transforming_Care_at_the_Bedsi-output.txt | 18 |
| Transition_of_a_Bedside_Clinic.txt | 18 |
| What_Have_You_Learned_Today-output.txt | 18 |
| A_Cost-Benefit_Analysis_Elect.txt | 19 |
| A_four-level_clinical_ladder-output.txt | 19 |
| Application_of_Evidence-Based_-output.txt | 19 |
| Back_to_Work_Manager_Support_-output.txt | 19 |
| Bedside_nurses_Realistic_rese-output.txt | 19 |
| Bedside_to_Blueprints_The_Rol.txt | 19 |
| Career_Persistence_in_Baccalau-output.txt | 19 |
| Clinical_Ladder_Program_Evolut.txt | 19 |
| Clinical_Leadership_A_Call_to.txt | 19 |
| Communication_in_a_shared_gove-output.txt | 19 |
| Consultant_nurses_in_children'-output.txt | 19 |
| Creating_a_Personalized_Profes.txt | 19 |
| Development_of_Online_Learning.txt | 19 |
| Discovering_the_nature_of_adva.txt | 19 |
| Editorial-output.txt | 19 |
| Enhancing_Nursing_Students'_Ex.txt | 19 |
| Evidence-Based_Maternity_Care.txt | 19 |
| Finding_the_right_direction_T.txt | 19 |
| Integrated_care_at_the_bedside-output.txt | 19 |
| Jennifer_Couvillon-output.txt | 19 |
| Leadership_Strategies,_An_Inte.txt | 19 |
| NEONATAL_NURSING_-_AN_EXCITING-output.txt | 19 |

| | |
|---|---|
| Nurses'_Perceptions_of_Educati.txt | 19 |
| Nursing_Process_and_Critical_T.txt | 19 |
| One_Hospital's_Experience_With-output.txt | 19 |
| Options_for_Advanced_Education-output.txt | 19 |
| Participating_in_Clinical_Nurs.txt | 19 |
| Partners_at_the_Bedside_The_I-output.txt | 19 |
| Postbaccalaureate_Nurse_Reside-output.txt | 19 |
| Preparing_Community_Level_II_N.txt | 19 |
| Reducing_Health_Care's_Carbon_.txt | 19 |
| Shared_Decision_Making_Empowe-output.txt | 19 |
| The_advanced_practicestaff_nu-output.txt | 19 |
| The_Colorado_differentiated_pr-output.txt | 19 |
| The_Role_Of_Nurses_In_Improvin-output.txt | 19 |
| The_Role_of_the_Clinical_Nurse.txt | 19 |
| The_Wisdom_of_Retaining_Experi.txt | 19 |
| Thinking_Inside_The_Box_The_T.txt | 19 |
| Transformational_Leadership_In.txt | 19 |
| 2013_Oncology_Nursing_Society_.txt | 20 |
| A_qualitative_study_examining_.txt | 20 |
| Bringing_the_bedside_to_the_bo-output.txt | 20 |
| Case_management_Key_to_access-output.txt | 20 |
| Designing_Health_Care_Environm.txt | 20 |
| Developing_an_Interdisciplinar-output.txt | 20 |
| Development_and_implementation.txt | 20 |
| Discharge_Planning_Rounds_to_t.txt | 20 |
| Empowering_Staff_Nurses_As_Pri.txt | 20 |
| How_RNs_rescue_patients_a_qua.txt | 20 |
| Improving_Clinical_Communicati.txt | 20 |
| IMPROVING_INPATIENT_DIABETES_C.txt | 20 |
| Nurse-Physician_Rounds_A_Coll.txt | 20 |
| Nurse,_Patient,_and_Care_Partn.txt | 20 |
| Nurses'_Solutions_to_Prevent_I.txt | 20 |
| Oncology_Nursing_Society_35th_.txt | 20 |
| Oncology_Nursing_Society_36th_.txt | 20 |
| Rapid_Response_Team_Approach_t-output.txt | 20 |
| Rapid_Response_Team_Challenge-output.txt | 20 |
| Round_and_Round_We_Go_Roundin.txt | 20 |
| Successes_and_Challenges_in_Pa.txt | 20 |
| The_use_of_a_daily_goals_sheet.txt | 20 |