NetProg Lab 6

Saptarshi Ganguly, Gordon Tsang, Dani Reil, and Joseph Gonzales

- 1. LIST, STOR, and RETR
- 2. All FTP codes received in order without omissions:

- 3. Username: Administrator Password: napier
- 4. The name of the file uploaded is "111.png"
- 5. The name of the file downloaded is "manual.txt"
- 6. Packet 21 is the first to perform a "LIST"
- 7. Port 21 is used on the server for the transfer
- 8. Files on the server are 1.docx and manual.txt
- 9. Ports 49430 and 49440 are used by the clients for the transfer

```
Connected to ftp.cdc.gov.
220 Microsoft FTP Service
Name (ftp.cdc.gov:gct38): anonymous
331 Anonymous access allowed, send identity (e-mail name) as password.
Password:
230 User logged in.
Remote system type is Windows NT.
ftp> passive
Passive mode on.
ftp> ascii
200 Type set to A.
ftp> cd pub
250 CWD command successful.
ftp> cd F0IARE0
250 CWD command successful.
ftp> get 177001-508.pdf 177001-508-ascii.pdf
local: 177001-508-ascii.pdf remote: 177001-508.pdf
227 Entering Passive Mode (198,246,117,106,247,74).
125 Data connection already open: Transfer starting.
WARNING! 429 bare linefeeds received in ASCII mode
File may not have transferred correctly.
226 Transfer complete.
84054 bytes received in 0.23 secs (355.5528 kB/s)
ftp>
ftp>
ftp>
ftp> binary
200 Type set to I.
ftp> get 177001-508.pdf 177001-508-bin.pdf
local: 177001-508-bin.pdf remote: 177001-508.pdf
227 Entering Passive Mode (198,246,117,106,247,121).
125 Data connection already open; Transfer starting.
226 Transfer complete.
84054 bytes received in 0.24 secs (347.4792 kB/s)
ftp>
ftp>
ftp> bye
221 Goodbye.
```

11. When I performed the ftp of both binary and ascii version of the same file, I was operating under Ubuntu 18.04.5. There are some noticable differences between the binary and ascii files. The logo on the upper left of the first page in the ascii file seems to get distorted a little whereas in the binary file it is perfect. The ascii file also seems to lack Observation 3 and Section 3 Summary and Conclusions on page 7 as opposed to the binary file where this both of these sections exist. Besides these two major differences, both the ascii and binary files are the same. The reason why these two files were different is because binary FTP transfers files exactly as they are without any conversion and ascii FTP transfers converts all the various characters in the file based upon the operating system used by the client. Binary FTP transfers preserve the integrity of the document, especially if it's an image such as the logo on the upper left portion on page 1 which is why the binary version kept the logo intact as opposed to the ascii version where the image became distorted. Ascii FTP transfers are usually used to transfer text files that can be easily read using a text editor and handle the end of lines better than binary ftp transfers would. As to why there is a missing section in the ascii version, I would suggest it might have something to do with the warning message given in the terminal output of "WARNING! 429 bare linefeeds received in ASCII mode. File may not have transferred properly." It could potentially be due to when trying to convert everything in the pdf over to ascii format, some portions ended up getting corrupt or lost.