
Mutator
100
75
50
25
0
Percent repetitive
C. briggsae
C. nigoni
C. remanei
C. elegans
C. inopinata
Species


Penelope
Percent repetitive
15
10
5
0
C. briggsae
C. nigoni
C. remanei
C. elegans
C. inopinata
Species


PIF−Harbinger
Percent repetitive
60
40
20
0
C. briggsae
C. nigoni
C. remanei
C. elegans
C. inopinata
Species


PiggyBac
Percent repetitive
60
40
20
0
C. briggsae
C. nigoni
C. remanei
C. elegans
C. inopinata
Species


P
10
5
0
Percent repetitive
C. remanei
Species


R2
100
75
50
25
0
Percent repetitive
C. briggsae
C. nigoni
C. remanei
C. elegans
C. inopinata
Species


RTE
100
75
50
25
0
Percent repetitive
C. nigoni
C. remanei
C. elegans
C. inopinata
Species


Sola
Percent repetitive
60
40
20
0
C. briggsae
C. nigoni
C. remanei
C. elegans
C. inopinata
Species


Tc1−Mariner
100
75
50
25
0
Percent repetitive
C. briggsae
C. nigoni
C. remanei
C. elegans
C. inopinata
Species


tRNA
Percent repetitive
12
8
4
0
C. briggsae
C. nigoni
C. remanei
C. elegans
C. inopinata
Species