


Ziru User Guide

This guide is for **user** accounts. A user has read-only access to the knowledge base through the Ziru WebUI: browse documents, search, and chat with traceable sources. Users cannot upload documents or manage the dictionary.

- WebUI URL: <http://localhost:80>
- Console URL: <http://localhost:81> (limited read-only console)

1. Signing in to the WebUI

1. Open <http://localhost:80>.
2. Enter your core Ziru email and password.
3. Click **Sign in**.



The WebUI has four tabs: **Search**, **Documents**, **Chat**, and **Settings**.

2. Browsing documents (profile-scoped)

Open **Documents**.

22 documents

division product engineering exec ssd **doc-type** docx pdf xlsx region apac emea **topic** security practice

PG for Website and Web Application Security_EN.pdf doc_16af985e2f68 · updated 9/1/2026, 4:07:35 PM division: ssd createBy: 0fe62cc8-b476-425f-b455-67a83ca64259 createTime: 2026-09-01T16:07:35.128567 fileHash: 297870c2a17d1e45735ae7ee7f71abe4e2fbc3d9b9e281e8647ee783b70d80 originalFile: objects/doc_16af985e2f68/original/PG for Website and Web Application Security_EN.pdf				active	View original
PG for SRAA_EN.pdf doc_453b7d3ae41d · updated 9/1/2026, 4:07:22 PM division: ssd createBy: 0fe62cc8-b476-425f-b455-67a83ca64259 createTime: 2026-09-01T16:07:22.811332 fileHash: 9a9932c026c24cb8c1e6b09b50d0d284cdc93df04cfd2687327e689a3eccc6f06 originalFile: objects/doc_453b7d3ae41d/original/PG for SRAA_EN.pdf				active	View original
PG for Wi-Fi Security_EN.pdf doc_6f3ed9d2f874 · updated 9/1/2026, 4:04:18 PM division: ssd createBy: 0fe62cc8-b476-425f-b455-67a83ca64259 createTime: 2026-09-01T16:04:10.563036 fileHash: e0732125bf7362531bcebf5f98f729305113b0005fb4ac2ba23bf44c02f38 originalFile: objects/doc_6f3ed9d2f074/original/PG for Wi-Fi Security_EN.pdf				active	View original
PG for Social Media Security_EN.pdf doc_c0b354b83d56 · updated 9/1/2026, 4:00:51 PM division: ssd createBy: 0fe62cc8-b476-425f-b455-67a83ca64259 createTime: 2026-09-01T16:00:51.46410 fileHash: bb19d2a017b97bedf918bc3c504aa72f48f123e4ae6bd082c9e7fb67aa447f66 originalFile: objects/doc_c0b354b83d56/original/PG for Social Media Security_EN.pdf				active	View original
PG for Security Log Management_EN.pdf doc_aaa61c4e8178 · updated 9/1/2026, 3:03:18 PM division: ssd createBy: 0fe62cc8-b476-425f-b455-67a83ca64259 createTime: 2026-09-01T15:03:10.808785 fileHash: 210231248e7304ab0fc8727b62d828eeef1f956fb30976bf7c5fbbe10951f originalFile: objects/doc_aaa61c4e8178/original/PG for Security Log Management_EN.pdf				active	View original
PG for Security by Design_EN.pdf doc_58a4e0bd321 · updated 9/1/2026, 3:03:09 PM division: ssd createBy: 0fe62cc8-b476-425f-b455-67a83ca64259 createTime: 2026-09-01T15:03:09.516211 fileHash: d38ef811cdefb89e58a55a7b61c5204b31574431d8b6d3d9a2332011f1362 originalFile: objects/doc_58a4e0bd0321/original/PG for Security by Design_EN.pdf				active	View original
PG for Security Controls of Web 2.0 Application Development_EN.pdf doc_d192e82a61ef · updated 9/1/2026, 2:57:05 PM division: ssd createBy: 0fe62cc8-b476-425f-b455-67a83ca64259 createTime: 2026-09-01T14:58:05.806953 fileHash: 60d76adf6e84cb59e344048419324cf7733e297701ce97fec3223ae73b45aab7 originalFile: objects/doc_d192e82a61ef/original/PG for Security Controls of Web 2.0 Application Development_EN.pdf				active	View original
PG for Security Controls on Virtualisation_EN.pdf doc_9556192335d8 · updated 9/1/2026, 2:57:17 PM division: ssd createBy: 0fe62cc8-b476-425f-b455-67a83ca64259 createTime: 2026-09-01T14:57:17.388144 fileHash: e6008e0cc2f8fbc9a33390722b0ea02b1d58406479df3a7a437865f13a6b63a originalFile: objects/doc_9556192335d8/original/PG for Security Controls on Virtualisation_EN.pdf				active	View original
PG for Mobile Security_EN.pdf doc_8ec8e6c98c85 · updated 9/1/2026, 2:43:08 PM division: ssd createBy: 0fe62cc8-b476-425f-b455-67a83ca64259 createTime: 2026-09-01T14:43:08.605626 fileHash: d01e8c5a5eb9c502a60bc57924b7934d13bd0d9185f877aa85bd7ee7166867 originalFile: objects/doc_8ec8e6c90c85/original/PG for Mobile Security_EN.pdf				active	View original
PG for Secure Use of USB Storage Devices_EN.pdf doc_0718f6c2f15e · updated 9/1/2026, 2:42:24 PM division: ssd createBy: 0fe62cc8-b476-425f-b455-67a83ca64259 createTime: 2026-09-01T14:42:24.216465 fileHash: 20be276954e50e0da69e2706f85af6b1c62c55a34cd90348e477a12a8206105 originalFile: objects/doc_0718f6c2f15e/original/PG for Secure Use of USB Storage Devices_EN.pdf				active	View original
PG for Penetration Testing_EN.pdf doc_b42f5d408787b · updated 9/1/2026, 2:42:23 PM division: ssd createBy: 0fe62cc8-b476-425f-b455-67a83ca64259 createTime: 2026-09-01T14:42:23.406293 fileHash: 54455bbd5a4ee02afebb1453a5e68554872620c1946e9adb8f72209b3b46c9f1 originalFile: objects/doc_b42f5d40787b/original/PG for Penetration Testing_EN.pdf				active	View original
PG for Mitigation Strategy for Distributed Denial-of-Service Attacks_EN.pdf doc_81f8d0577972 · updated 9/1/2026, 2:38:22 PM division: ssd createBy: 0fe62cc8-b476-425f-b455-67a83ca64259 createTime: 2026-09-01T14:38:22.060448 fileHash: a647a2b2b8890ced80ce07e4649472f934f32b8bc39ac2ae3f80f4e6f3ab4 originalFile: objects/doc_81f8d0577972/original/PG for Mitigation Strategy for Distributed Denial-of-Service Attacks_EN.pdf				active	View original
PG for IT Security Threat Management_EN.pdf doc_b0e5ea98aba8 · updated 9/1/2026, 8:35:06 AM division: ssd createBy: 0fe62cc8-b476-425f-b455-67a83ca64259 createTime: 2026-09-01T08:35:06.999837 fileHash: 31ea884c01cb59e3905a7a3b380e6884312cf7870e54ea958a593ce03ed5fec73 originalFile: objects/doc_b0e5ea98aba8/original/PG for IT Security Threat Management_EN.pdf				active	View original
PG for IT Security Risk Management_EN.pdf doc_36b86737d34a · updated 9/1/2026, 8:28:39 AM division: ssd createBy: 0fe62cc8-b					

originalFile: objects/doc_aafeb1a260a7/original/PG for ISH_EN.pdf PG for IoT Security_EN.pdf doc_ea9b792a2490 · updated 9/1/2026, 7:42:42 AM division: ssd createBy: 0fe62ccb-b476-425f-b455-67a83ca64259 createTime: 2026-09-01T07:42:42.317043 fileHash: f2583fa154b104462a3db61a820323c8f6434a367be4ea91897fcb4cea92bc5a originalFile: objects/doc_ea9b792a2490/original/PG for IoT Security_EN.pdf	active View original
PG for IGS_EN.pdf doc_df69fa4dd2d0 · updated 9/1/2026, 7:04:22 AM division: ssd createBy: 0fe62ccb-b476-425f-b455-67a83ca64259 createTime: 2026-09-01T07:04:22.349677 fileHash: 91c9b8869e82542018f47b8a495fe01300471f88404d93583724e5c2952a8da originalFile: objects/doc_df69fa4dd2d0/original/PG for IGS_EN.pdf	active View original
G3_EN.pdf doc_a1108cf48118 · updated 8/26/2026, 5:12:23 PM createBy: a6142377-5697-4efd-96b1-23da1043b772 createTime: 2026-08-26T17:12:23.141683 fileHash: 9aceeb67816ad521aee035a1951aba2e01c47238d8cd913a693dc226f5c0b742a originalFile: objects/doc_a1108cf48118/original/G3_EN.pdf division: ssd topic: security	active View original
PG for Cloud Computing Security_EN.pdf doc_3681c85abd45 · updated 8/26/2026, 5:03:52 PM division: ssd topic: practice createBy: a6142377-5697-4efd-96b1-23da1043b772 createTime: 2026-08-26T17:03:52.665199 fileHash: 9509fca51981c5fe6c3bdd2a796b32219b74978dd47a90b08a1b9a8b473e0 originalFile: objects/doc_3681c85abd45/original/PG for Cloud Computing Security_EN.pdf	active View original
PG for Destruction and Disposal of Storage Media_EN.pdf doc_ee09ac425f7b · updated 8/26/2026, 4:48:05 PM division: ssd topic: practice createBy: a6142377-5697-4efd-96b1-23da1043b772 createTime: 2026-08-26T16:48:05.186590 fileHash: 7972486212ae897e97cc2191725686e85ae33f52a194f8a7b48ca47b4b007f originalFile: objects/doc_ee09ac425f7b/original/PG for Destruction and Disposal of Storage Media_EN.pdf	active View original
S17_EN.pdf doc_ldfca805905b · updated 8/26/2026, 3:20:30 PM division: ssd createBy: a6142377-5697-4efd-96b1-23da1043b772 createTime: 2026-08-26T15:20:30.352592 fileHash: d3f241463df39bda79cd2c2dd6950a076f4f5f476a92536b01431c1800690de originalFile: objects/doc_ldfca805905b/original/S17_EN.pdf	active View original

The Documents page lists documents that match your profile scope. Use the attribute chips at the top to narrow the list further. Each row shows the document name, id, update time, status, and its attributes, plus a **View original** link when the original file is available.

Your visible corpus is profile-scoped. In the screenshot, the signed-in user's profile scope is `division: product`, `ssd`, so documents with `division: ssd` are shown.

3. Searching the knowledge base

Open **Search.**

1. Type a question or keywords in the search box.
2. Optionally select attribute filters. If you leave filters empty, the search automatically uses your profile scope.
3. Click **Search**.

Ziru WebUI
Search
Documents
Chat
Settings
lib@ziru.local
Librarian

Profile scope division: ssd

wifi
Search

Rerank
Top K 8
Recall K 30
Agentic

division product engineering exec ssd

doc-type docx pdf xlsx

region apac emea

topic security practice

EVIDENCE

[Document] PG for IoT Security_EN.pdf

- 7. Use Cases of IoT Devices / 1. IoT devices installed in public areas (Case I) / 7.3 IoT Devices Installed in Office Environment (Case II) / 7.3.1 Sample Case for Deployment IoT Appliance
 - The following is an example to install an IoT appliance over Wi-Fi network connecting to the Internet without sensitive information involved. First of all, a holistic and defence-in-depth approach should be adopted. In general, the following three components should be considered:
 - Broadband router
 - Wi-Fi router
 - Smart appliance
- 7. Use Cases of IoT Devices / 1. IoT devices installed in public areas (Case I) / 7.3 IoT Devices Installed in Office Environment (Case II) / 7.3.1 Sample Case for Deployment IoT Appliance / Wi-Fi router
 - B/Ds should note that the Wi-Fi network would be shared by other endpoints for broadband access. It would introduce security risks once an endpoint or smart appliance is infected. A malicious code would spread along and other endpoints would be infected within the same network. Thus, it is recommended to isolate the smart appliance from other endpoints in a network (e.g. guest Wi-Fi network) separated from departmental network which could be configured with separated SSID, authentication method, and allow only Internet access but not connection to the internal network. A separated network effectively prevents the spreading or mitigate or the impact of infection. Optionally, the separated Wi-Fi network for smart appliance, the SSID should not be broadcasted in order to reduce

Search returns evidence text and ranked source passages. Each result card shows the source document, section path, score, and links to view the document or original file. The retrieval settings (rerank, top K, recall K, agentic) are available above the filters.

4. Chat with trace, sources, and chunk pane

Open **Chat**.

1. Click **New** to create a thread.
2. Type a question in the composer.
3. Press **Enter** or click **Send**.

The assistant returns a synthesized plain-English answer with compact inline [N] markers. Hover a marker to see its **Source N:** label tooltip, and click it to open the source chunk. It may take up to a few minutes on the local Qwen model (the answer retries up to three times, then falls back to the retrieved evidence only if all three attempts come back empty). Message timestamps use your browser's local timezone.

Ziru WebUI

Search

Documents

Chat

Settings

lib@ziru.local

Librarian

U

THREADS

+ New

what shall I concern if I have a money traction system which need to be deployed in public, open space, explain in plain english

2 messages

what shall I concern if I have a money traction system which need to be deployed in public, open space, explain in plain english

Sep 3, 2026, 05:26 PM

Deploying a money transaction system in public spaces requires strict security measures to prevent theft and unauthorized access. Here are the key concerns:

Protect Sensitive Data: You must ensure that customer and corporate information is not disclosed on open websites or feeds. Only trust data from reputable sources and use technical controls, like white-listing HTML tags, to reduce the risk of attacks such as XSS [1](#).

Secure Logins and Transfers: Many web systems have vulnerabilities where passwords are sent as plain text, allowing attackers to steal credentials. Ensure your system uses strong encryption for logins and file transfers (like FTP) to prevent remote users from downloading arbitrary files or accessing sensitive data [2](#).

Control Physical and Digital Access: Do not leave equipment unattended without physical security, such as locked doors or secured desks. Never store classified information on personal devices or share passwords with others [3](#).

Verify Network Integrity: Use DNSSEC to protect against spoofing and cache-poisoning attacks. This ensures users are not redirected to malicious sites when accessing your system [4](#).

Manage Cloud Access: If using cloud services, strictly control who can access the data. Inadequate visibility into privileged accounts and multi-tenancy risks can lead to data compromise by third parties [5](#).

RETRIEVAL 1

SOURCES 8

Ask a question about your knowledge...

Send

Rerank

Top K 8

Recall K 30

Agentic

Enter to send - Shift+Enter for a new line

Below the answer, expand **Retrieval** to see the trace (queries, hit counts, LLM call count, tokens) and **Sources** to see the cited passages.

Ziru WebUI

Search

Documents

Chat

Settings

lib@ziru.local

Librarian

U

THREADS

+ New

what shall I concern if I have a money traction system which need to be deployed in public, open space, explain in plain english

2 messages

Deploying a money transaction system in public spaces requires strict security measures to prevent theft and unauthorized access. Here are the key concerns:

Protect Sensitive Data: You must ensure that customer and corporate information is not disclosed on open websites or feeds. Only trust data from reputable sources and use technical controls, like white-listing HTML tags, to reduce the risk of attacks such as XSS [1](#).

Secure Logins and Transfers: Many web systems have vulnerabilities where passwords are sent as plain text, allowing attackers to steal credentials. Ensure your system uses strong encryption for logins and file transfers (like FTP) to prevent remote users from downloading arbitrary files or accessing sensitive data [2](#).

Control Physical and Digital Access: Do not leave equipment unattended without physical security, such as locked doors or secured desks. Never store classified information on personal devices or share passwords with others [3](#).

Verify Network Integrity: Use DNSSEC to protect against spoofing and cache-poisoning attacks. This ensures users are not redirected to malicious sites when accessing your system [4](#).

Manage Cloud Access: If using cloud services, strictly control who can access the data. Inadequate visibility into privileged accounts and multi-tenancy risks can lead to data compromise by third parties [5](#).

RETRIEVAL 1

35.5 s - 1 LLM call - 1271 input tokens - 444 output tokens

what shall I concern if I have a money traction system which need to be deployed in public, open space, explain in plain english

classic_topk 8 cited chunks top 1.41, 1.32, 1.09, 1.07, 1.05

8 hits

SOURCES 8

1. 4. Additional Security Consideration for Web Content Management System and Web 2.0 / 4.2 Web 2.0 / 4.2.2 Precautionary Measures / c) Corporate G...

4. Additional Security Consideration for Web Content Management System and Web 2.0 / 4.2 Web 2.0 / 4.2.2 Precautionary Measures / c) Corporate Governance on Web 2.0

Ask a question about your knowledge...

Send

Rerank


Top K 8

Recall K 30


Agentic

Enter to send - Shift+Enter for a new line

Click a source passage (or a compact [N] marker) to open the **Source chunk** pane. It opens in **Tree** view, showing the selected document's real section tree with chunk-count badges, expandable sections, and chunk-leaf cards.




Click a chunk leaf to switch to **Text** view with that chunk's full content. The full text is fetched on demand when the leaf is not already one of the cited passages. You can also use the **Text/Tree** toggle at any time.



5. Settings

Open **Settings**.




The Settings page shows:

- **Profile** – email, grade, profile scope, and member-since date (managed by your administrator).
- **Password** – self-service password change via **Change password**.
- **API keys** – your keys, read-only. Creation and revocation are handled by an administrator.

6. Limited console access

A user can also sign in to the admin console at `<http://localhost:81>`, but the console is read-only and limited.

The sidebar for a user has no **Users** and no **Jobs** items. It shows Overview, API Keys, Attributes, Documents, Webhooks, and Settings.



On **Documents**, a user can only **View** a document; there is no **Upload document**, **Edit**, or **Archive** action.

Ziru Admin

Overview

API Keys

Attributes

Documents

Webhooks

Settings

Documents

UserTtester@ziru.local

Filter documents

Filters apply as attribute key=value pairs; same key ORs, different keys AND.

Key

Value

Select a key

select an attribute key first

+ Add filter

Apply

Reset

Documents

22 matching document(s) — page 1 of 2

Document	Status	Attributes	Created	Actions
PG for Website and Web Application Sec... doc_16af985e2f68	active	division=ssd createBy=0fe62cc8-b476-425f-b455-67a83...	09/02/2026, 12:07 AM	View
PG for SRAA_EN.pdf doc_453b7d3ae41d	active	division=ssd createBy=0fe62cc8-b476-425f-b455-67a83...	09/02/2026, 12:07 AM	View
PG for Wi-Fi Security_EN.pdf doc_6f3ed0d2f074	active	division=ssd createBy=0fe62cc8-b476-425f-b455-67a83...	09/02/2026, 12:04 AM	View
PG for Social Media Security_EN.pdf doc_c0b354b83d56	active	division=ssd createBy=0fe62cc8-b476-425f-b455-67a83...	09/02/2026, 12:00 AM	View
PG for Security Log Management_EN.pdf doc_aaa61c4e8178	active	division=ssd createBy=0fe62cc8-b476-425f-b455-67a83...	09/01/2026, 11:03 PM	View
PG for Security by Design_EN.pdf doc_58a4e0b0d321	active	division=ssd createBy=0fe62cc8-b476-425f-b455-67a83...	09/01/2026, 11:03 PM	View
PG for Security Controls of Web 2.0 Appl... doc_d192e82a61ef	active	division=ssd createBy=0fe62cc8-b476-425f-b455-67a83...	09/01/2026, 10:58 PM	View
PG for Security Controls on Virtualisation... doc_9556192335d8	active	division=ssd createBy=0fe62cc8-b476-425f-b455-67a83...	09/01/2026, 10:57 PM	View
PG for Mobile Security_EN.pdf doc_8ec8e6c90c85	active	division=ssd createBy=0fe62cc8-b476-425f-b455-67a83...	09/01/2026, 10:43 PM	View
PG for Secure Use of USB Storage Devic... doc_0718f6c2f15e	active	division=ssd createBy=0fe62cc8-b476-425f-b455-67a83...	09/01/2026, 10:42 PM	View
PG for Penetration Testing_EN.pdf doc_b42f5d40787b	active	division=ssd createBy=0fe62cc8-b476-425f-b455-67a83...	09/01/2026, 10:42 PM	View
PG for Mitigation Strategy for Distributed... doc_81f8dd577972	active	division=ssd createBy=0fe62cc8-b476-425f-b455-67a83...	09/01/2026, 10:38 PM	View
PG for IT Security Threat Management_E... doc_bbe5ea98aba8	active	division=ssd createBy=0fe62cc8-b476-425f-b455-67a83...	09/01/2026, 04:35 PM	View
PG for IT Security Risk Management_EN.... doc_36b86737d34a	active	division=ssd createBy=0fe62cc8-b476-425f-b455-67a83...	09/01/2026, 04:28 PM	View
PG for IT Outsourcing_EN.pdf doc_3faef30507c5	active	division=ssd createBy=0fe62cc8-b476-425f-b455-67a83...	09/01/2026, 04:22 PM	View
PG for ISIH_EN.pdf doc_afeb1a260a7	active	division=ssd createBy=0fe62cc8-b476-425f-b455-67a83...	09/01/2026, 03:49 PM	View
PG for IoT Security_EN.pdf doc_ea9b792a2490	active	division=ssd createBy=0fe62cc8-b476-425f-b455-67a83...	09/01/2026, 03:42 PM	View
PG for IGS_EN.pdf doc_df69fa4dd2dd	active	division=ssd createBy=0fe62cc8-b476-425f-b455-67a83...	09/01/2026, 03:04 PM	View
G3_EN.pdf doc_a1108cf48118	active	createBy=a6142377-5697-4efd-96b1-23da1043b7f2 cre...	08/27/2026, 01:12 AM	View
PG for Cloud Computing Security_EN.pdf doc_3681c05abd45	active	division=ssd topic=practice createBy=a6142377-5697-4...	08/27/2026, 01:03 AM	View

Previous

Page 1 of 2

Next

The **Attributes** page and **API Keys** page are read-only for users. Use the WebUI for day-to-day knowledge access and the console only when you need the read-only attribute view.