

Ziru Admin Guide


This guide is for **administrator** accounts in Ziru. Administrators have full access to the admin console: user management, the attribute dictionary, all documents (including creator information), archiving, jobs, API keys, webhooks, and settings.

The admin console is a web application that talks directly to the core Ziru API.

- Console URL: <http://localhost:81>
- API base: <http://127.0.0.1:5005>

1. Signing in

1. Open <http://localhost:81>. You are redirected to the **Ziru Admin** login page.
2. Enter your core API email and password.
3. Click **Sign in**.

A screenshot of the Ziru Admin login page. The page has a light blue background. In the center, there is a white rounded rectangle containing the login form. The form has the title 'Ziru Admin' and the subtitle 'Sign in with your core API account'. It includes an 'Email' field with the text 'admin@ziru.local', a 'Password' field with masked characters '*****', and a blue 'Sign in' button at the bottom.

Ziru Admin
Sign in with your core API account

Email

Password

Sign in

After a successful login you land on the **Overview** page. The sidebar shows every administrator navigation item: Overview, Users, API Keys, Attributes, Documents, Jobs, Webhooks, and Settings.

Ziru Admin

Overview

Users

API Keys

Attributes

Documents

Jobs

Webhooks

Settings

Overview

Administrator

A

admin@ziru.local

Welcome, admin@ziru.local

Signed in as Administrator. This console talks directly to the core Ziru API.

System status

healthy

Documents

26

Dictionary keys

4

Jobs (yours)

10

API health

Reported by the core API

Service: ziru-api

Version: 1.0.0

Environment: production

Recent jobs (yours)

Your latest parsing jobs from the core API

PG for DLP_EN.pdf

09/01/2026, 11:22 PM

done

PG for DLP_EN.pdf

09/01/2026, 10:24 PM

done

PG for DLP_EN.pdf

09/01/2026, 06:55 PM

failed

PG for DLP_EN.pdf

09/01/2026, 06:52 PM

done

PG for DLP_EN.pdf

09/01/2026, 02:46 PM

done

2. First-login password change

If your account was just created (or an administrator reset your password), the console shows the forced password-change screen before you can continue.

Change your password

Your administrator requires a password change before you can use the console.

Current password

New password

Confirm new password

Update password

To complete the change:

- 1. Type your **Current password**.
- 2. Choose a **New password**. The policy requires at least 8 characters with uppercase, lowercase, and a digit.
- 3. Type the same value in **Confirm new password**.
- 4. Click the primary submit button on the forced-change screen.

The current session stays active. Your other sessions are signed out.

3. Overview dashboard

The Overview page summarizes the system:

- **System status** – health reported by the core API.
- **Documents** – total document count.
- **Dictionary keys** – number of attribute dictionary entries.
- **Jobs (yours)** – jobs owned by the signed-in administrator account.
- **API health** – service, version, and environment.
- **Recent jobs (yours)** – the latest parsing jobs for this account.

Click any linked statistic card to jump to the matching page.

4. Managing users

Open **Users** from the sidebar.

Ziru Admin

Overview

Users

API Keys

Attributes

Documents

Jobs

Webhooks

Settings

Users

Administrator

A admin@ziru.local

Manage accounts, grades, profile attributes, and password resets via the core API.

Create user

Users

5 accounts loaded

User ID	Email	Grade	Profile	State	Created	Actions
4073dec2-fb61-4413-a4aa-656dd1302098	tester@ziru.local	User	division=product		09/02/2026, 11:23 PM	Edit
909c4f0d-93a6-4e6c-878a-1ca9c15b906c	gordonccyuen@labour.gov.hk	Librarian	division=ssd		08/25/2026, 08:38 AM	Edit
755025e0-411a-4ad5-b656-b6b675863c80	u@ziru.local	User	division=product		08/24/2026, 10:42 PM	Edit
0fe62cc8-b476-425f-b455-67a83ca64259	lib@ziru.local	Librarian	division=ssd		08/24/2026, 10:42 PM	Edit
a6142377-5697-4efd-96b1-23da1043b7f2	admin@ziru.local	Administrator	—		08/24/2026, 08:54 PM	Edit

The table shows each account's email, grade, profile attributes, sign-in state, and creation time. Administrators can:

- **Create user** – click **Create user**.

- **Edit a user** – change grade, profile, disable an account, or reset a password.
- **View/reset temporary password** – the API returns a one-time temporary password when a password reset is requested.

Creating a librarian or user

1. Click **Create user**.
2. Fill in **Email** and an **Initial password** (required unless you provide an SSO provider and subject).
3. Choose a **Grade**: `user` or `librarian`.
4. Add **Profile attributes** from the attribute dictionary. The attribute editor uses allowed values from the dictionary when available.
5. Click **Create user**.

The screenshot shows the 'Zru Admin' interface with the 'Users' section selected in the sidebar. A 'Create user' modal is open in the center. The modal contains the following fields and options:


- Email ***: A text input field.
- SSO provider (optional)**: A dropdown menu with 'oidc' selected.
- SSO subject (optional)**: A text input field with 'sub-1234' entered.
- Initial password ***: A text input field.
- Grade**: A dropdown menu with 'User' selected.
- Profile attributes**: A section with the text 'No profile attributes configured.' and a button '+ Add attribute'.
- Create user**: A blue button at the bottom right of the modal.

The background shows a 'Users' table with columns for 'User ID', 'Email', 'State', 'Created', and 'Actions'. A 'Must change password' button is visible in the 'Actions' column for the first user.

New accounts are created with must-change-password enabled, so the user must change their password on first sign-in.

5. Attribute dictionary

Open **Attributes** from the sidebar.



The dictionary drives validation for document and profile attributes. Each entry has:

- **Key** – the attribute name, for example `division`.
- **Allowed values** – optional. When set, documents and profiles may only use those values.
- **In use** – how many documents currently use the key.

Administrators can add, edit, and delete dictionary entries. Built-in reserved keys such as `createBy`, `createTime`, `fileHash`, and `originalFile` cannot be created as dictionary keys. A key that is in use by documents cannot be deleted until it is no longer used.

6. Documents

Open **Documents** from the sidebar.

Ziru Admin

Overview

Users

API Keys

Attributes

Documents

Jobs

Webhooks

Settings

Documents

Administrator

A

admin@ziru.local

Filter documents

Filters apply as attribute key=value pairs; same key ORs, different keys AND.

Key

Value

Select a key

select an attribute key first

+ Add filter

Apply


Reset

Documents

26 matching document(s) — page 1 of 2

Upload document


Document	Status	Attributes	Created	Actions
PG for Website and Web Application Sec... doc_16af985e2f68	active	division=ssd creator_email=lib@ziru.local	09/02/2026, 12:07 AM	View Edit Archive
PG for SRAA_EN.pdf doc_453b7d3ae41d	active	division=ssd creator_email=lib@ziru.local	09/02/2026, 12:07 AM	View Edit Archive
PG for Wi-Fi Security_EN.pdf doc_6f3ed0d2f074	active	division=ssd creator_email=lib@ziru.local	09/02/2026, 12:04 AM	View Edit Archive
PG for Social Media Security_EN.pdf doc_c0b354b83d56	active	division=ssd creator_email=lib@ziru.local	09/02/2026, 12:00 AM	View Edit Archive
PG for DLP_EN.pdf doc_4d1820b51d4d	active	creator_email=admin@ziru.local	09/01/2026, 11:27 PM	View Edit Archive
PG for Security Log Management_EN.pdf doc_aaa61c4e8178	active	division=ssd creator_email=lib@ziru.local	09/01/2026, 11:03 PM	View Edit Archive
PG for Security by Design_EN.pdf doc_58a4e0b0d321	active	division=ssd creator_email=lib@ziru.local	09/01/2026, 11:03 PM	View Edit Archive
PG for Security Controls of Web 2.0 Appl... doc_d192e82a61ef	active	division=ssd creator_email=lib@ziru.local	09/01/2026, 10:58 PM	View Edit Archive
PG for Security Controls on Virtualisation... doc_9556192335d8	active	division=ssd creator_email=lib@ziru.local	09/01/2026, 10:57 PM	View Edit Archive
PG for Mobile Security_EN.pdf doc_8ec8e6c98c85	active	division=ssd creator_email=lib@ziru.local	09/01/2026, 10:43 PM	View Edit Archive
PG for Secure Use of USB Storage Devic... doc_0718f6c2f15e	active	division=ssd creator_email=lib@ziru.local	09/01/2026, 10:42 PM	View Edit Archive
PG for Penetration Testing_EN.pdf doc_b42f5d40787b	active	division=ssd creator_email=lib@ziru.local	09/01/2026, 10:42 PM	View Edit Archive
PG for Mitigation Strategy for Distributed... doc_81f8dd577972	active	division=ssd creator_email=lib@ziru.local	09/01/2026, 10:38 PM	View Edit Archive
PG for DLP_EN.pdf doc_a9a9f908a119	active	creator_email=admin@ziru.local	09/01/2026, 10:26 PM	View Edit Archive
PG for DLP_EN.pdf doc_6336841bf1a15	active	creator_email=admin@ziru.local	09/01/2026, 06:57 PM	View Edit Archive
PG for IT Security Threat Management_E... doc_bbe5ea98abab8	active	division=ssd creator_email=lib@ziru.local	09/01/2026, 04:35 PM	View Edit Archive
PG for IT Security Risk Management_EN.... doc_36b86737d34a	active	division=ssd creator_email=lib@ziru.local	09/01/2026, 04:28 PM	View Edit Archive
PG for IT Outsourcing_EN.pdf doc_3faef30507c5	active	division=ssd creator_email=lib@ziru.local	09/01/2026, 04:22 PM	View Edit Archive
PG for ISIH_EN.pdf doc_aefeb1a260a7	active	division=ssd creator_email=lib@ziru.local	09/01/2026, 03:49 PM	View Edit Archive



Administrators see all documents. The **Attributes** column includes the document's dictionary attributes and the creator email (rendered from the `createBy` built-in attribute). You can filter the list with key/value filters; the same key is OR-ed and different keys are AND-ed.

Uploading a document


1. Click **Upload document**.
2. Choose one or more files (up to 10 per batch).
3. Add optional dictionary attributes. The upload starts a parse job for each file.
4. Click **Upload**.



After upload, the console shows the accepted parse job id. You can follow it on the Jobs page.


Editing attributes

Click **Edit** on a document row to open the **Edit attributes** dialog. This replaces all non-built-in attributes. Built-in attributes are shown read-only at the bottom.




Viewing the original file

Click **View** on a document row to see the full attribute map. For documents that have an `originalFile` attribute, the dialog includes a **view original** link that opens the original file.



Archiving

Click **Archive** on a document row and confirm. Archived documents are removed from listings.



7. Jobs

Open **Jobs** from the sidebar.

Ziru Admin

Overview

Users

API Keys

Attributes

Documents

Jobs

Webhooks

Settings

Jobs

Administrator

A

admin@ziru.local

All statuses

The core jobs API lists jobs owned by the signed-in user (admin monitoring is server-scoped).

Jobs

10 job(s) — page 1 of 1

Job	File	Status	Created	Duration	Estimate
job_b0fea49c20d8	PG for DLP_EN.pdf	done	09/01/2026, 11:22 PM	335.4s	—
job_b2639967f3e0	PG for DLP_EN.pdf	done	09/01/2026, 10:24 PM	85.9s	—
job_f494e997833a	PG for DLP_EN.pdf	failed	09/01/2026, 06:55 PM	0.1s	—
job_fc994015aa2b	PG for DLP_EN.pdf	done	09/01/2026, 06:52 PM	292.2s	—
job_c1062d77d3eb	PG for DLP_EN.pdf	done	09/01/2026, 02:46 PM	342.1s	—
job_205787a55732	PG for Destruction and Disposal of Storage Media_EN.pdf	done	08/27/2026, 12:38 AM	578.8s	—
job_df42457edb21	PG for Cloud Computing Security_EN.pdf	done	08/27/2026, 12:38 AM	1526.7s	—
job_0ee9b85120e1	G3_EN.pdf	done	08/27/2026, 12:37 AM	2076.9s	—
job_5c1daac60bfd	S17_EN.pdf	done	08/26/2026, 11:14 PM	333.4s	—
job_fb93142234af	G3_EN.pdf	done	08/26/2026, 07:30 PM	1828.7s	—

Previous

Page 1 of 1

Next


The Jobs page lists parsing jobs owned by the signed-in administrator account and shows:

- **Job** – the job id.
- **File** – the source file name.
- **Status** – pending , waiting-file , running , converting , done , or failed .
- **Created** – creation time.
- **Duration** – completed job duration.
- **Estimate** – for running jobs, the estimated total duration and remaining time. Completed jobs show a dash.

The page refreshes automatically every 60 seconds. Use the status selector to filter by status.


8. API keys

Open **API Keys** from the sidebar.



Administrators can see all API keys in the system and revoke any key. To create a key on behalf of a user:

1. Click **Create API key**.
2. Select the **Owner** user.
3. Enter a **Name**.
4. Optionally set an **Expires at** value (defaults to now + 3 months; empty means never expires).
5. Click **Create key**.



The raw key is shown only once. Copy it immediately and store it somewhere safe.

9. Webhooks and Settings

- **Webhooks** – manage webhook endpoints and inspect delivery logs.
- **Settings** – account settings and password change. The administrator's API keys are also visible here.

Only administrators should use the user-management, dictionary-management, document-archiving, and API-key minting/revocation controls.