


Ziru User Guide

This guide is for **user** accounts. A user has read-only access to the knowledge base through the Ziru WebUI: browse documents, search, and chat with traceable sources. Users cannot upload documents or manage the dictionary.

- WebUI URL: <http://localhost:80>
- Console URL: <http://localhost:81> (limited read-only console)

1. Signing in to the WebUI

1. Open <http://localhost:80>.
2. Enter your core Ziru email and password.
3. Click **Sign in**.



The WebUI has four tabs: **Search**, **Documents**, **Chat**, and **Settings**.

2. Browsing documents (profile-scoped)

Open **Documents**.

Documents

22 documents

division	product	engineering	exec	ssd	doc-type	docx	pdf	xlsx	region	apac	emea	topic	security	practice
----------	---------	-------------	------	-----	----------	------	-----	------	--------	------	------	-------	----------	----------

 **PG for Website and Web Application Security_EN.pdf**

doc_16af985e2f68 · updated 9/1/2026, 4:07:35 PM

division: **ssd**

createBy: 0fe62cc8-b476-425f-b455-67a83ca64259

createTime: 2026-09-01T16:07:35.128667

fileHash: 297870c2a17d1e45735ae7ee771abe4e2f8e3d9b9e281e8647ee783b770d80

originalFile: objects/doc_16af985e2f68/original/PG for Website and Web Application Security_EN.pdf

activeView original

 **PG for SRAA_EN.pdf**

doc_453b7d3ae41d · updated 9/1/2026, 4:07:22 PM

division: **ssd**

createBy: 0fe62cc8-b476-425f-b455-67a83ca64259

createTime: 2026-09-01T16:07:22.811332

fileHash: 9a9932c026c24cb8c1e6b09b50dfd284cdc93df04ct2687327e689a3eccc6f06

originalFile: objects/doc_453b7d3ae41d/original/PG for SRAA_EN.pdf

activeView original

 **PG for Wi-Fi Security_EN.pdf**

doc_6f3ed0d2f074 · updated 9/1/2026, 4:04:10 PM

division: **ssd**

createBy: 0fe62cc8-b476-425f-b455-67a83ca64259

createTime: 2026-09-01T16:04:10.563036

fileHash: e0732125bf87362531bcebf5f98f79233051133b0005fb4ac2ba23bf44c02f38

originalFile: objects/doc_6f3ed0d2f074/original/PG for Wi-Fi Security_EN.pdf

activeView original

 **PG for Social Media Security_EN.pdf**

doc_c0b354b83d56 · updated 9/1/2026, 4:00:51 PM

division: **ssd**

createBy: 0fe62cc8-b476-425f-b455-67a83ca64259

createTime: 2026-09-01T16:00:51.464110

fileHash: bb19b2a017b97bed6198bc3c504aa72f48f123e4ae6bd082c9e7fb67aa447f6

originalFile: objects/doc_c0b354b83d56/original/PG for Social Media Security_EN.pdf

activeView original

 **PG for Security Log Management_EN.pdf**

doc_aaa61c4e8178 · updated 9/1/2026, 3:03:10 PM

division: **ssd**

createBy: 0fe62cc8-b476-425f-b455-67a83ca64259

createTime: 2026-09-01T15:03:10.808785

fileHash: 210231248e37d4ab01cfc8c727b62d828dee1ff956fb30976b7c5fbb11b951f

originalFile: objects/doc_aaa61c4e8178/original/PG for Security Log Management_EN.pdf

activeView original

 **PG for Security by Design_EN.pdf**

doc_58a4e0b0321 · updated 9/1/2026, 3:03:09 PM

division: **ssd**

createBy: 0fe62cc8-b476-425f-b455-67a83ca64259

createTime: 2026-09-01T15:03:09.516211

fileHash: d38ef811cdebf89e58a58afb61c5204b331574431d8b603d9a2332011f1362

originalFile: objects/doc_58a4e0b0321/original/PG for Security by Design_EN.pdf

activeView original

 **PG for Security Controls of Web 2.0 Application Development_EN.pdf**

doc_d192e82a61ef · updated 9/1/2026, 2:58:05 PM

division: **ssd**

createBy: 0fe62cc8-b476-425f-b455-67a83ca64259

createTime: 2026-09-01T14:58:05.806953

fileHash: 60d76ad76e84cb59e3440484f9324c7f733e297f01ce97fec3223ae73b45aab7

originalFile: objects/doc_d192e82a61ef/original/PG for Security Controls of Web 2.0 Application Development_EN.pdf

activeView original

 **PG for Security Controls on Virtualisation_EN.pdf**

doc_9556192335d8 · updated 9/1/2026, 2:57:17 PM

division: **ssd**

createBy: 0fe62cc8-b476-425f-b455-67a83ca64259

createTime: 2026-09-01T14:57:17.388144

fileHash: e6008e0cc2f8f8e9a339390722b0ea02b1d584d6479d73a7a437865f13a6b63a

originalFile: objects/doc_9556192335d8/original/PG for Security Controls on Virtualisation_EN.pdf

activeView original

 **PG for Mobile Security_EN.pdf**

doc_8ec8e6c90c85 · updated 9/1/2026, 2:43:08 PM

division: **ssd**

createBy: 0fe62cc8-b476-425f-b455-67a83ca64259

createTime: 2026-09-01T14:43:08.605626

fileHash: d01e8c5a5eb9c502a60bc57924b7934d13d0cd9815e87ffaa85bd7ee7f66667

originalFile: objects/doc_8ec8e6c90c85/original/PG for Mobile Security_EN.pdf

activeView original

 **PG for Secure Use of USB Storage Devices_EN.pdf**

doc_0718f6c2f15e · updated 9/1/2026, 2:42:24 PM

division: **ssd**

createBy: 0fe62cc8-b476-425f-b455-67a83ca64259

createTime: 2026-09-01T14:42:24.216465

fileHash: 20be276954e50ed0da69e2706f85af6b1c62c55a34cd90348e47fa12a8206105

originalFile: objects/doc_0718f6c2f15e/original/PG for Secure Use of USB Storage Devices_EN.pdf

activeView original

 **PG for Penetration Testing_EN.pdf**

doc_b42f5d40787b · updated 9/1/2026, 2:42:23 PM

division: **ssd**

createBy: 0fe62cc8-b476-425f-b455-67a83ca64259

createTime: 2026-09-01T14:42:23.406293

fileHash: 5445bbd54aee002afebb1453a5e68554872620c1946eaddb8f72209b3b46c91

originalFile: objects/doc_b42f5d40787b/original/PG for Penetration Testing_EN.pdf

activeView original

 **PG for Mitigation Strategy for Distributed Denial-of-Service Attacks_EN.pdf**

doc_81f8dd577972 · updated 9/1/2026, 2:38:22 PM

division: **ssd**

createBy: 0fe62cc8-b476-425f-b455-67a83ca64259

createTime: 2026-09-01T14:38:22.060448

fileHash: a647a2b2b88909ced80ce07e46494f2f9343f3b8bc393ac2eaf3f80f4e6f3ab4

originalFile: objects/doc_81f8dd577972/original/PG for Mitigation Strategy for Distributed Denial-of-Service Attacks_EN.pdf

activeView original

 **PG for IT Security Threat Management_EN.pdf**

doc_bbe5ea98aba8 · updated 9/1/2026, 8:35:06 AM

division: **ssd**

createBy: 0fe62cc8-b476-425f-b455-67a83ca64259

createTime: 2026-09-01T08:35:06.999837

fileHash: 31ea84c01cb59e3906a7a3e380e6884312c77870e54ea958a593e03ed5fec73

originalFile: objects/doc_bbe5ea98aba8/original/PG for IT Security Threat Management_EN.pdf

activeView original

 **PG for IT Security Risk Management_EN.pdf**

doc_36b86737d34a · updated 9/1/2026, 8:28:39 AM

division: **ssd**

createBy: 0fe62cc8-b476-425f-b455-67a83ca64259

createTime: 2026-09-01T08:28:39.281076

fileHash: Od2e2e2f630c3d03b2df41ccbd9691b224fb3037b177e3d27fec490eadb29fb

originalFile: objects/doc_36b86737d34a/original/PG for IT Security Risk Management_EN.pdf

activeView original

 **PG for IT Outsourcing_EN.pdf**

doc_3faef30507c5 · updated 9/1/2026, 8:22:19 AM

division: **ssd**

createBy: 0fe62cc8-b476-425f-b455-67a83ca64259

createTime: 2026-09-01T08:22:19.506925

fileHash: 3b08cf8f91da70f9a45c1da643a63685055489f5dd1ff19060eed80dd7b4ce56

originalFile: objects/doc_3faef30507c5/original/PG for IT Outsourcing_EN.pdf

activeView original

 **PG for ISIH_EN.pdf**

doc_aef61a260a7 · updated 9/1/2026, 7:49:52 AM

division: **ssd**

createBy: 0fe62cc8-b476-425f-b455-67a83ca64259

createTime: 2026-09-01T07:49:52.983599

fileHash: 977b0994b4766220c051fa37a0f1d185303b77f499f9d6679520fba4078afca

originalFile: objects/doc_aef61a260a7/original/PG for ISIH_EN.pdf

activeView original

PG for IoT Security_EN.pdf doc_ea9b792a2490 · updated 9/1/2026, 7:42:42 AM division: ssd createBy: 0fe62cc8-b476-425f-b455-67a83ca64259 createTime: 2026-09-01T07:42:42.317043 fileHash: f2583fa154b11d462a3db61a820323c8f643c4a3678e4ea91897cb4cea92bc5a originalFile: objects/doc_ea9b792a2490/original/PG for IoT Security_EN.pdf	active	View original
PG for IGS_EN.pdf doc_df69fa4dd2dd · updated 9/1/2026, 7:42:22 AM division: ssd createBy: 0fe62cc8-b476-425f-b455-67a83ca64259 createTime: 2026-09-01T07:04:22.349677 fileHash: 91c9b8869e82542018f47ba495fe013004711f88404d93583724e5c29582aeda originalFile: objects/doc_df69fa4dd2dd/original/PG for IGS_EN.pdf	active	View original
G3_EN.pdf doc_a1108cf48118 · updated 8/26/2026, 5:12:23 PM createBy: a6142377-5697-4efd-96b1-23da1043b772 createTime: 2026-08-26T17:12:23.141683 fileHash: 9acceeb67816ad521aee035a1951aba2e01c47238dbcd913a693dc226f5cb742a originalFile: objects/doc_a1108cf48118/original/G3_EN.pdf division: ssd topic: security	active	View original
PG for Cloud Computing Security_EN.pdf doc_3681c85abd45 · updated 8/26/2026, 5:03:52 PM division: ssd topic: practice createBy: a6142377-5697-4efd-96b1-23da1043b772 createTime: 2026-08-26T17:03:52.665199 fileHash: 95d9fc8a51981c5fe6c3bbdd2a796b32219b74978dd47a90b08ab9a8b473e0 originalFile: objects/doc_3681c85abd45/original/PG for Cloud Computing Security_EN.pdf	active	View original
PG for Destruction and Disposal of Storage Media_EN.pdf doc_ee89ac425f7b · updated 8/26/2026, 4:48:05 PM division: ssd topic: practice createBy: a6142377-5697-4efd-96b1-23da1043b772 createTime: 2026-08-26T16:48:05.186590 fileHash: 7972e486272ae89e97cc2191725686e85ae53f52a19478a76a8ca47d4b007f originalFile: objects/doc_ee89ac425f7b/original/PG for Destruction and Disposal of Storage Media_EN.pdf	active	View original
S17_EN.pdf doc_idfca805905b · updated 8/26/2026, 3:20:30 PM division: ssd createBy: a6142377-5697-4efd-96b1-23da1043b772 createTime: 2026-08-26T15:20:30.352592 fileHash: d3f241463df39bda79cd2c2dd6950a07614f515476a92536b01431c180069d0e originalFile: objects/doc_idfca805905b/original/S17_EN.pdf	active	View original

The Documents page lists documents that match your profile scope. Use the attribute chips at the top to narrow the list further. Each row shows the document name, id, update time, status, and its attributes, plus a **View original** link when the original file is available.

Your visible corpus is profile-scoped. In the screenshot, the signed-in user's profile scope is `division: product, ssd`, so documents with `division: ssd` are shown.

3. Searching the knowledge base

Open **Search.**

1. Type a question or keywords in the search box.
2. Optionally select attribute filters. If you leave filters empty, the search automatically uses your profile scope.
3. Click **Search**.

Ziru WebUI

Search

Documents

Chat

Settings

tester@ziru.local
User

TE

Profile scope

division: product, ssd

What are the key password security practices?

Search

Rerank

Top K

8

Recall K

30

Agentic

division

product

engineering

exec

ssd

doc-type

docx

pdf

xlsx

region

apac

emea

topic

security

practice

EVIDENCE

[Document] G3_EN.pdf

• (a) Sanitisation: refers to the process of removing the data on the media to ensure that the original data cannot be retrieved. Sanitising may be accomplished by overwriting or degaussing: / (a) Data Encryption

--- Encryption techniques are used to protect the data and enforce confidentiality during transmission and storage. Many schemes exist for the encryption of files, such as using the program's own encryption feature, external hardware device, secret key encryption, and public key encryption.

--- The primary use of an application's password-protection feature is to provide protection on the file and prevent unauthorised access. Users should encrypt the file instead of using only a password in order to protect the information for confidentiality as appropriate. When a password is used, it is also important to follow the practices in password selection and handling described in Section 11.4(b) Password Policy and 11.4(c) Password Selection.

--- B/Ds shall comply with the government security requirements in relation to the use of encryption for the protection of classified data.

--- User passwords used for authentication or administration should be hashed or encrypted in storage. For hashing algorithms, at least Secure Hash Algorithm 2 (SHA-2) or the equivalent should be used. Subject to operational needs, SM3 can also be used for hashing algorithms. SHA-1 shall not be used unless it is for legacy systems. If encryption is used, keys used for performing encryption (symmetric key only) or decryption shall be kept secret and shall not be disclosed to unauthorised users.

--- B/Ds are encouraged to conduct their own research and evaluation in selecting the most suitable solutions that meet their

Search returns evidence text and ranked source passages. Each result card shows the source document, section path, score, and links to view the document or original file. The retrieval settings (rerank, top K, recall K, agentic) are available above the filters.

4. Chat with trace, sources, and chunk pane

Open **Chat**.

1. Click **New** to create a thread.
2. Type a question in the composer.
3. Press **Enter** or click **Send**.

The assistant returns a synthesized answer with citations.

Ziru WebUI
Search
Documents
Chat
Settings
tester@ziru.local
User
TE

THREADS
+ New

What are the key password security practices in the guidelin
2 messages

What are the key password securit...

What are the key password security practices in the guidelines?

9/2/2026, 3:35:21 PM

[Document] G3_EN.pdf • (a) Sanitisation: refers to the process of removing the data on the media to ensure that the original data cannot be retrieved. Sanitising may be accomplished by overwriting or degaussing: / (a) Data Encryption --- Encryption techniques are used to protect the data and enforce confidentiality during transmission and storage. Many schemes exist for the encryption of files, such as using the program's own encryption feature, external hardware device, secret key encryption, and public key encryption. --- The primary use of an application's password-protection feature is to provide protection on the file and prevent unauthorised access. Users should encrypt the file instead of using only a password in order to protect the information for confidentiality as appropriate. When a password is used, it is also important to follow the practices in password selection and handling described in Section 11.4(b) Password Policy and 11.4(c) Password Selection. --- B/Ds shall comply with the government security requirements in relation to the use of encryption for the protection of classified data. --- User passwords used for authentication or administration should be hashed or encrypted in storage. For hashing algorithms, at least Secure Hash Algorithm 2 (SHA-2) or the equivalent should be used. Subject to operational needs, SM3 can also be used for hashing algorithms. SHA-1 shall not be used unless it is for legacy systems. If encryption is used, keys used for performing encryption (symmetric key only) or decryption shall be kept secret and shall not be disclosed to unauthorised users. --- B/Ds are encouraged to conduct their own research and evaluation in selecting the most suitable solutions that meet their business requirements. The theme page "Catalogue of IT Security Solutions" provides some encryption solutions for reference by B/Ds. It may serve as a starting point for users looking for relevant security solutions. You may access the theme page via the following URL: • (a) Sanitisation: refers to the process of removing the data on the media to ensure that the original data cannot be retrieved. Sanitising may be accomplished by overwriting or deaaussing: / (c) Password Protection --- Passwords shall always be well protected.

Ask a question about your knowledge...

Send

Rerank
Top K
8
Recall K
30
Agentic

Enter to send · Shift+Enter for a new line

Below the answer, expand **Retrieval** to see the trace (queries, hit counts, LLM call count, tokens) and **Sources** to see the cited passages.

Ziru WebUI
Search
Documents
Chat
Settings
tester@ziru.local
User
TE

THREADS
+ New

What are the key password security practices in the guidelin
2 messages

What are the key password securit...

contribute to a more profound understanding of the security controls in place. Likewise, assessors should maintain clear, detailed records of their assessment activities and conclusions. These practices ensure a robust, transparent, and effective assessment process. • Annex C: Different Sample Audit Areas / C.10 Security Policy, Guidelines & Procedures --- The objective is to review the existing security policy, guidelines and procedures. The review can focus on high-level / overall / organisation-wide security policy, or on specific systems, networks or components under concerns. --- Listed below are some sample components under concerns: --- • Remote access control. --- • Internet access control, usage and monitoring. --- • Internet email system. --- • Operating system management. --- • Password control policy. --- • User account management. --- • Network, systems or gateways administration. --- • Change control practices. --- • Network security practices. [Document] PG for Website and Web Application Security_EN.pdf • Annex E: OWASP Secure Coding Practices Quick Reference Guide / Cryptographic Practices --- It is necessary to protect classified information using encryption. Cryptographic practices provide guidance for web application developers such as key length, encryption/decryption algorithms and key management. Some security considerations are highlighted as follows: --- a) Follow the encryption requirements mentioned in Section 12.1 of IT Security Guidelines to protect the classified data. That is, for information classified as CONFIDENTIAL or above, the symmetric encryption key length shall be at least 128-bit for the AES encryption or the equivalent, whereas the asymmetric encryption key length shall be at least 2048-bit for the RSA encryption. Alternatively, the requirement can be met by Elliptic Curve Cryptography (ECC) encryption with key length of 224-bit; --- b) Use random number generator to generate encryption keys, random numbers, random file names, and random strings, in order to avoid guessing by malicious persons; and --- c) Implement fail securely for cryptographic modules/equipment.

RETRIEVAL 1

SOURCES 8

(a) Sanitisation: refers to the process of removing the data on the media to ensure that the original d...
(a) Sanitisation: refers to the process of removing the data on the media to ensure that the original data cannot be retrieved. Sanitising m...

Ask a question about your knowledge...

Send

Rerank
Top K
8
Recall K
30
Agentic

Enter to send · Shift+Enter for a new line

Click a source passage to open the **Source chunk** pane. It starts in **Text** view, showing the chunk type, score, section breadcrumb, and chunk text.

(a) Sanitisation: refers to the process of removing the data on the media to ensure th...

doc_a1108cf48118

Text Tree X

(a) Sanitisation: refers to the process of removing the data on the media to ensure that the original data cannot be retrieved. Sanitising may be accomplished by overwriting or degaussing:

/ (a) Data Encryption

text score 1.4890

Encryption techniques are used to protect the data and enforce confidentiality during transmission and storage. Many schemes exist for the encryption of files, such as using the program's own encryption feature, external hardware device, secret key encryption, and public key encryption.

The primary use of an application's password-protection feature is to provide protection on the file and prevent unauthorised access. Users should encrypt the file instead of using only a password in order to protect the information for confidentiality as appropriate. When a password is used, it is also important to follow the practices in password selection and handling described in Section 11.4(b) Password Policy and 11.4(c) Password Selection.

B/Ds shall comply with the government security requirements in relation to the use of encryption for the protection of classified data.

User passwords used for authentication or administration should be hashed or encrypted in storage. For hashing algorithms, at least Secure Hash Algorithm 2 (SHA-2) or the equivalent should be used. Subject to operational needs, SM3 can also be used for hashing algorithms. SHA-1 shall not be used unless it is for legacy systems. If encryption is used, keys used for performing encryption (symmetric key only) or decryption shall be kept secret and shall not be disclosed to unauthorised users.

B/Ds are encouraged to conduct their own research and evaluation in selecting the most suitable solutions that meet their business requirements. The theme page "Catalogue of IT Security Solutions" provides some encryption solutions for reference by B/Ds. It may serve as a starting point for users looking for relevant security solutions. You may access the theme page via the following URL:

G3_EN.pdf

Switch the pane to **Tree** view to see the document/section hierarchy for the cited chunk.

(a) Sanitisation: refers to the process of removing the data on the media to ensure th...

doc_a1108cf48118

Text Tree X

▼ G3_EN.pdf


▼ (a) Sanitisation: refers to the process of removing the data on the media to ensure that the original data cannot be retriev...

▼ (a) Data Encryption CURRENT

text chunk

5. Settings

Open **Settings**.




The Settings page shows:

- **Profile** – email, grade, profile scope, and member-since date (managed by your administrator).
- **Password** – self-service password change via **Change password**.
- **API keys** – your keys, read-only. Creation and revocation are handled by an administrator.

6. Limited console access

A user can also sign in to the admin console at `<http://localhost:81>`, but the console is read-only and limited.

The sidebar for a user has no **Users** and no **Jobs** items. It shows Overview, API Keys, Attributes, Documents, Webhooks, and Settings.



On **Documents**, a user can only **View** a document; there is no **Upload document**, **Edit**, or **Archive** action.

Ziru Admin

Overview

API Keys

Attributes

Documents

Webhooks

Settings

Documents

User

T

tester@ziru.local

Filter documents

Filters apply as attribute key=value pairs; same key ORs, different keys AND.

Key

Value

Select a key

select an attribute key first

+ Add filter

Apply

Reset

Documents

22 matching document(s) — page 1 of 2

Document	Status	Attributes	Created	Actions
PG for Website and Web Application Sec... doc_16af985e2f68	active	division=ssd createBy=0fe62cc8-b476-425f-b455-67a83...	09/02/2026, 12:07 AM	View
PG for SRAA_EN.pdf doc_453b7d3ae41d	active	division=ssd createBy=0fe62cc8-b476-425f-b455-67a83...	09/02/2026, 12:07 AM	View
PG for Wi-Fi Security_EN.pdf doc_6f3ed0d2f074	active	division=ssd createBy=0fe62cc8-b476-425f-b455-67a83...	09/02/2026, 12:04 AM	View
PG for Social Media Security_EN.pdf doc_c0b354b83d56	active	division=ssd createBy=0fe62cc8-b476-425f-b455-67a83...	09/02/2026, 12:00 AM	View
PG for Security Log Management_EN.pdf doc_aaa61c4e8178	active	division=ssd createBy=0fe62cc8-b476-425f-b455-67a83...	09/01/2026, 11:03 PM	View
PG for Security by Design_EN.pdf doc_58a4e0b0d321	active	division=ssd createBy=0fe62cc8-b476-425f-b455-67a83...	09/01/2026, 11:03 PM	View
PG for Security Controls of Web 2.0 Appl... doc_d192e82a61ef	active	division=ssd createBy=0fe62cc8-b476-425f-b455-67a83...	09/01/2026, 10:58 PM	View
PG for Security Controls on Virtualisation... doc_9556192335d8	active	division=ssd createBy=0fe62cc8-b476-425f-b455-67a83...	09/01/2026, 10:57 PM	View
PG for Mobile Security_EN.pdf doc_8ec8e6c98c85	active	division=ssd createBy=0fe62cc8-b476-425f-b455-67a83...	09/01/2026, 10:43 PM	View
PG for Secure Use of USB Storage Devic... doc_0718f6c2f15e	active	division=ssd createBy=0fe62cc8-b476-425f-b455-67a83...	09/01/2026, 10:42 PM	View
PG for Penetration Testing_EN.pdf doc_b42f5d40787b	active	division=ssd createBy=0fe62cc8-b476-425f-b455-67a83...	09/01/2026, 10:42 PM	View
PG for Mitigation Strategy for Distributed... doc_81f8dd577972	active	division=ssd createBy=0fe62cc8-b476-425f-b455-67a83...	09/01/2026, 10:38 PM	View
PG for IT Security Threat Management_E... doc_bbe5ea98abab8	active	division=ssd createBy=0fe62cc8-b476-425f-b455-67a83...	09/01/2026, 04:35 PM	View
PG for IT Security Risk Management_EN.... doc_36b86737d34a	active	division=ssd createBy=0fe62cc8-b476-425f-b455-67a83...	09/01/2026, 04:28 PM	View
PG for IT Outsourcing_EN.pdf doc_3faef30507c5	active	division=ssd createBy=0fe62cc8-b476-425f-b455-67a83...	09/01/2026, 04:22 PM	View
PG for ISIH_EN.pdf doc_aefeb1a260a7	active	division=ssd createBy=0fe62cc8-b476-425f-b455-67a83...	09/01/2026, 03:49 PM	View
PG for IoT Security_EN.pdf doc_ea9b792a2490	active	division=ssd createBy=0fe62cc8-b476-425f-b455-67a83...	09/01/2026, 03:42 PM	View
PG for IGS_EN.pdf doc_df69fa4d02dd	active	division=ssd createBy=0fe62cc8-b476-425f-b455-67a83...	09/01/2026, 03:04 PM	View
G3_EN.pdf doc_a1108cf48118	active	createBy=a6142377-5697-4efd-96b1-23da1043b7f2 cre...	08/27/2026, 01:12 AM	View
PG for Cloud Computing Security_EN.pdf doc_3681c05abd45	active	division=ssd topic=practice createBy=a6142377-5697-4...	08/27/2026, 01:03 AM	View

Previous

Page 1 of 2

Next

The **Attributes** page and **API Keys** page are read-only for users. Use the WebUI for day-to-day knowledge access and the console only when you need the read-only attribute view.