

Ziru Admin Guide


This guide is for **administrator** accounts in Ziru. Administrators have full access to the admin console: user management, the attribute dictionary, all documents (including creator information), archiving, jobs, API keys, webhooks, and settings.

The admin console is a web application that talks directly to the core Ziru API.

- Console URL: <http://localhost:81>
- API base: <http://127.0.0.1:5005>

1. Signing in

1. Open <http://localhost:81>. You are redirected to the **Ziru Admin** login page.
2. Enter your core API email and password.
3. Click **Sign in**.

A screenshot of the Ziru Admin login page. It features a white login card centered on a light blue background. The card has the title 'Ziru Admin' and the subtitle 'Sign in with your core API account'. Below the subtitle, there are two input fields: 'Email' with the value 'admin@ziru.local' and 'Password' with masked characters '.....'. A blue 'Sign in' button is positioned at the bottom of the card.

Ziru Admin
Sign in with your core API account

Email

Password

Sign in

After a successful login you land on the **Overview** page. The sidebar shows every administrator navigation item: Overview, Users, API Keys, Attributes, Documents, Jobs, Webhooks, and Settings.

Ziru Admin

Overview

Users

API Keys

Attributes

Documents

Jobs

Webhooks

Settings

Overview

Administrator

⌂

A

admin@ziru.local

▼

Welcome, admin@ziru.local

Signed in as Administrator. This console talks directly to the core Ziru API.

System status

healthy

Documents

26

Dictionary keys

4

Jobs (yours)

10

API health

Reported by the core API

Service: ziru-api

Version: 1.0.0

Environment: production

Recent jobs (yours)

Your latest parsing jobs from the core API

PG for DLP_EN.pdf

09/01/2026, 11:22 PM

done

PG for DLP_EN.pdf

09/01/2026, 10:24 PM

done

PG for DLP_EN.pdf

09/01/2026, 06:55 PM

failed

PG for DLP_EN.pdf

09/01/2026, 06:52 PM

done


PG for DLP_EN.pdf

09/01/2026, 02:46 PM

done

2. First-login password change

If your account was just created (or an administrator reset your password), the console shows the forced password-change screen before you can continue.



Change your password

Your administrator requires a password change before you can use the console.

Current password

New password

Confirm new password

Update password

To complete the change:

1. Type your **Current password**.
2. Choose a **New password**. The policy requires at least 8 characters with uppercase, lowercase, and a digit.
3. Type the same value in **Confirm new password**.
4. Click the primary submit button on the forced-change screen.

The current session stays active. Your other sessions are signed out.

3. Overview dashboard

The Overview page summarizes the system:

- **System status** – health reported by the core API.
- **Documents** – total document count.
- **Dictionary keys** – number of attribute dictionary entries.
- **Jobs (yours)** – jobs owned by the signed-in administrator account.
- **API health** – service, version, and environment.
- **Recent jobs (yours)** – the latest parsing jobs for this account.

Click any linked statistic card to jump to the matching page.

4. Managing users

Open **Users** from the sidebar.

Ziru Admin

Overview

Users

API Keys

Attributes

Documents

Jobs

Webhooks

Settings

Users

AdministratorAadmin@ziru.local

Manage accounts, grades, profile attributes, and password resets via the core API.

Create user

Users

5 accounts loaded


User ID	Email	Grade	Profile	State	Created	Actions
4073dec2-fb61-4413-a4aa-656dd1302098	tester@ziru.local	User	division=product		09/02/2026, 11:23 PM	Edit
909c4f0d-93a6-4e6c-878a-1ca9c15b906c	gordonccyuen@labour.gov.hk	Librarian	division=ssd		08/25/2026, 08:38 AM	Edit
755025e0-411a-4ad5-b656-b6b675863c80	u@ziru.local	User	division=product		08/24/2026, 10:42 PM	Edit
0fe62cc8-b476-425f-b455-67a83ca64259	lib@ziru.local	Librarian	division=ssd		08/24/2026, 10:42 PM	Edit
a6142377-5697-4efd-96b1-23da1043b7f2	admin@ziru.local	Administrator	—		08/24/2026, 08:54 PM	Edit

The table shows each account's email, grade, profile attributes, sign-in state, and creation time. Administrators can:

- **Create user** – click **Create user**.
- **Edit a user** – change grade, profile, disable an account, or reset a password.
- **View/reset temporary password** – the API returns a one-time temporary password when a password reset is requested.

Creating a librarian or user

1. Click **Create user**.
2. Fill in **Email** and an **Initial password** (required unless you provide an SSO provider and subject).
3. Choose a **Grade**: **user** or **librarian**.
4. Add **Profile attributes** from the attribute dictionary. The attribute editor uses allowed values from the dictionary when available.
5. Click **Create user**.



New accounts are created with must-change-password enabled, so the user must change their password on first sign-in.

5. Attribute dictionary

Open **Attributes** from the sidebar.

Ziru Admin

Overview

Users

API Keys

Attributes

Documents

Jobs

Webhooks

Settings

Attribute Dictionary

Administrator

Aadmin@ziru.local

Attribute dictionary drives validation for document and profile attributes.

Attribute dictionary

4 keys defined

Key	Allowed values	In use	Actions
division	productengineeringexecssd	27 documents	EditDelete
doc-type	docxpdfxlsx	5 documents	EditDelete
region	apacemea	5 documents	EditDelete
topic	securitypractice	3 documents	EditDelete

The dictionary drives validation for document and profile attributes. Each entry has:

- **Key** – the attribute name, for example `division`.
- **Allowed values** – optional. When set, documents and profiles may only use those values.
- **In use** – how many documents currently use the key.

Administrators can add, edit, and delete dictionary entries. Built-in reserved keys such as `createBy`, `createTime`, `fileHash`, and `originalFile` cannot be created as dictionary keys. A key that is in use by documents cannot be deleted until it is no longer used.

6. Documents

Open **Documents** from the sidebar.

Ziru Admin

Overview

Users

API Keys

Attributes

Documents

Jobs

Webhooks

Settings

Documents

Administrator

A

admin@ziru.local

Filter documents

Filters apply as attribute key=value pairs; same key ORs, different keys AND.

Key

Select a key

Value

select an attribute key first

+ Add filter

Apply

Reset

Documents

26 matching document(s) — page 1 of 2


Upload document

Document	Status	Attributes	Created	Actions
PG for Website and Web Application Sec... doc_16af985e2f68	active	division=ssd creator_email=lib@ziru.local	09/02/2026, 12:07 AM	View Edit Archive
PG for SRAA_EN.pdf doc_453b7d3ae41d	active	division=ssd creator_email=lib@ziru.local	09/02/2026, 12:07 AM	View Edit Archive
PG for Wi-Fi Security_EN.pdf doc_6f3ed8d2f074	active	division=ssd creator_email=lib@ziru.local	09/02/2026, 12:04 AM	View Edit Archive
PG for Social Media Security_EN.pdf doc_c0b354b83d56	active	division=ssd creator_email=lib@ziru.local	09/02/2026, 12:00 AM	View Edit Archive
PG for DLP_EN.pdf doc_4d1820b51d4d	active	creator_email=admin@ziru.local	09/01/2026, 11:27 PM	View Edit Archive

Administrators see all documents in a denser table with columns **Document**, **Status**, **Attributes**, **Created**, and **Actions** (there is no **Updated** column). The **Attributes** column shows the document's custom dictionary attributes plus the creator email (rendered from the `createBy` built-in attribute); the `createTime`, `fileHash`, and `originalFile` built-ins are hidden from the table but remain visible in the **View** dialog. Both administrators and librarians see the **Edit** action; only administrators see **Archive**. You can filter the list with key/value filters; the same key is OR-ed and different keys are AND-ed.

Uploading a document


1. Click **Upload document**.
2. Choose one or more files (up to 10 per batch).
3. Add optional dictionary attributes. The upload starts a parse job for each file.
4. Click **Upload**.



After upload, the console shows the accepted parse job id. You can follow it on the Jobs page.


Editing attributes

Click **Edit** on a document row to open the **Edit attributes** dialog. This replaces all non-built-in attributes. Built-in attributes are shown read-only at the bottom.




Viewing the original file

Click **View** on a document row to see the full attribute map. For documents that have an `originalFile` attribute, the dialog includes a **view original** link that opens the original file.



Archiving

Click **Archive** on a document row and confirm. Archived documents are removed from listings.



7. Jobs

Open **Jobs** from the sidebar.

Ziru Admin

Overview

Users

API Keys

Attributes

Documents

Jobs

Webhooks

Settings

Jobs

Administrator

A

admin@ziru.local

All statuses

The core jobs API lists jobs owned by the signed-in user (admin monitoring is server-scoped).

Jobs

11 job(s) — page 1 of 1

Job	File	Status	Created	Duration	Estimate
job_cf3f0ceeb8f6	demo2.pdf	running	09/03/2026, 09:56 PM	0.8s	est total ~2m · remaining ~0m
job_b0fea49c20d8	PG for DLP_EN.pdf	done	09/01/2026, 11:22 PM	335.4s	—
job_b2639967f3e0	PG for DLP_EN.pdf	done	09/01/2026, 10:24 PM	85.9s	—
job_f494e997833a	PG for DLP_EN.pdf	failed	09/01/2026, 06:55 PM	0.1s	—
job_fc994015aa2b	PG for DLP_EN.pdf	done	09/01/2026, 06:52 PM	292.2s	—
job_c1062d77d3eb	PG for DLP_EN.pdf	done	09/01/2026, 02:46 PM	342.1s	—
job_205787a55732	PG for Destruction and Disposal of Storage Media_EN.pdf	done	08/27/2026, 12:38 AM	578.8s	—
job_df42457edb21	PG for Cloud Computing Security_EN.pdf	done	08/27/2026, 12:38 AM	1526.7s	—
job_0ee9b85120e1	G3_EN.pdf	done	08/27/2026, 12:37 AM	2076.9s	—
job_5c1daac60bfd	S17_EN.pdf	done	08/26/2026, 11:14 PM	333.4s	—
job_fb93142234af	G3_EN.pdf	done	08/26/2026, 07:30 PM	1828.7s	—

Previous

Page 1 of 1

Next


The Jobs page lists parsing jobs owned by the signed-in administrator account and shows:

- **Job** – the job id.
- **File** – the source file name.
- **Status** – pending, waiting-file, running, converting, done, or failed.
- **Created** – creation time.
- **Duration** – completed job duration.
- **Estimate** – for running jobs, the estimated total duration and remaining time. Completed jobs show a dash.

The page refreshes automatically every 60 seconds. Use the status selector to filter by status.


8. API keys

Open **API Keys** from the sidebar.



Administrators can see all API keys in the system and revoke any key. To create a key on behalf of a user:

1. Click **Create API key**.
2. Select the **Owner** user.
3. Enter a **Name**.
4. Optionally set an **Expires at** value (defaults to now + 3 months; empty means never expires).
5. Click **Create key**.



The raw key is shown only once. Copy it immediately and store it somewhere safe.

9. Webhooks and Settings

- **Webhooks** – manage webhook endpoints and inspect delivery logs.
- **Settings** – account settings and password change. The administrator's API keys are also visible here.

Only administrators should use the user-management, dictionary-management, document-archiving, and API-key minting/revocation controls.