

Random Letter Generator

tools-src/random-letter-generator.html

SYSTEM OVERVIEW

This prompt is for adding a new tool page to Wordineer — a static site hosted on Cloudflare using a Python template build system. The key facts:

Build script	template-deploy/build.py reads tools.json + tools-src/*.html → outputs to output/
Tool source	One file: template-deploy/tools-src/random-letter-generator.html
JS engine	wordineer-deploy/scripts/tool-engine.js — exposes WORDINEER global. Do NOT modify.
Fonts	Self-hosted DM Sans + DM Serif Display in wordineer-deploy/fonts/. No Google Fonts.
Global CSS	wordineer-deploy/styles/global.css — CSS variables already defined, use them.
No data file	No external JSON fetch needed. All letter logic is pure inline JS in SLOT:init.
URL	/random-letter-generator/
Output	random-letter-generator/index.html

THE NEW TOOL

A **random letter generator** at URL /random-letter-generator/. It renders instantly on load — no external fetch, no loading state. All data and logic lives in SLOT:init.

User controls — left panel

Number of letters	Number input. Range: 1–50. Auto-selected (focused + selected) on page load exactly like the word generator. Validation error shown inline if out of range.
Case	Three-way selector: Uppercase / Lowercase / Mixed. Rendered as custom radio checkboxes matching the word generator's .size-opt / .size-tick pattern. Default: Uppercase.
Letter set	Dropdown: All letters (A–Z) / Vowels only (A E I O U) / Consonants only. Default: All letters. Unique vs all competitors — strong teaching angle.
Allow duplicates	Toggle (same .toggle / .toggle-sl pattern as existing tools). ON = true random, a letter can repeat. OFF = no repeats in one batch. Default: ON.

Frequency weighting

Toggle. OFF = flat uniform random. ON = letters weighted by real English frequency (E=12.7%, T=9.1%, A=8.2% ... Z=0.07%). Label must read: "Weight by English frequency (E most common)" — not just "Frequency weighted". Default: OFF.

Display toggles — below filters, same style as word/sentence generators

Show letter number

Toggle. Default: OFF. Appends annotation e.g. "(1)" under A, "(26)" under Z. Education angle — parents, ESL, alphabet drills.

Show NATO phonetic

Toggle. Default: OFF. Shows NATO word under each letter e.g. "Alpha" under A, "Bravo" under B. Strong SEO angle — pilots, military, customer service.

Mobile behaviour

The number of letters field is always visible. All other controls (Case, Letter set, Allow duplicates, Frequency weighting, both display toggles) collapse into a "More options" button on mobile (max-width: 700px), identical to the pattern in random-word-generator.html: `.lg-mobile-toggle` button + `#lg-advanced` div with `.is-open` class toggle.

RESULTS PANEL

Each result renders as a **letter card** — a large, prominent letter display (~48px font, bold) as the primary content. Below the letter, an optional annotation line shows letter number and/or NATO word based on the display toggles. Each card has:

- A **copy button** (copies that letter to clipboard, shows green checkmark tick feedback for 900ms — same pattern as sentence generator's `copyItem()`)
- A **heart/save button** (saves letter to the saved strip below)

The **saved strip** below the tool mirrors random-word-generator.html and random-sentence-generator.html exactly — same `.saved-section`, `.saved-tags`, `.saved-tag`, `.saved-tag-remove` classes and UX. Saved tags show the letter only (e.g. "A"). Copy saved button copies all saved letters as a comma-separated string.

Top bar of results panel: letter count display (e.g. "10 letters"), Copy all button (copies all letters as a comma-separated string), Regenerate button.

Spacebar triggers regenerate — guard against firing when focus is inside INPUT, SELECT, TEXTAREA, or BUTTON. Same implementation as word and sentence generators.

WHAT TO BUILD — SLOT BY SLOT

SLOT:meta

Random Letter Generator — Free, Instant, No Sign-up | Wordineer. Meta description targeting: "random letter generator", "random letter picker", "vowel generator", "consonant generator", "NATO phonetic alphabet generator". Canonical: <https://wordineer.com/random-letter-generator/>. Full OG tags matching the word/sentence generator pattern. JSON-LD FAQPage schema (reuse the 5 FAQ questions from SLOT:faq).

SLOT:style

Widget CSS only — no global styles. Use CSS variables exclusively: --brand, --brand-dark, --brand-light, --text, --text-2, --text-3, --bg, --bg-2, --bg-3, --border, --border-2, --radius-lg, --shadow. Prefix all new class names with lg- to avoid collisions with the word generator (unprefixed) and sentence generator (sg- prefix). Mirror .ctrl, .tool-split, .tool-card, .tool-wrap, .words-panel structure from existing tools. Add styles for: large letter display cards, NATO/number annotation line, the three-way Case radio selector (reuse .size-opt / .size-tick pattern exactly).

SLOT:hero

Badge: "Free · No sign-up · Instant". H1: "Random letter generator" (lowercase, matches site pattern). Subtitle: "Pick random letters instantly — filter by case, vowels or consonants, and see the NATO phonetic alphabet. One click, no sign-up." Use the same .hero, .hero-badge structure as existing tools.

SLOT:tool

Full interactive widget HTML. Left panel: number input (lg-count) + mobile-more-toggle button (lg-mobile-toggle) + advanced options div (lg-advanced) containing: Case selector, Letter set dropdown, Allow duplicates toggle, Frequency weighting toggle, Show letter number toggle, Show NATO phonetic toggle + Generate button (calls WORDINEER_LETTERS.generate()) + Reset link + Space hint. Right panel (.words-panel): top bar with count display (lg-count-display) + Copy all + Regenerate buttons, then letter list (lg-list). Below tool: saved strip (lg-saved-tags, lg-saved-count, lg-copy-saved-btn). All element IDs must be prefixed lg-. Sidebar ad placeholder uses class="ad-sidebar" — keep as-is.

SLOT:ad_b

Reuse the Grammarly 728x90 leaderboard placeholder from random-word-generator.html verbatim. No changes.

SLOT:explainer

Minimum 400 words of unique SEO copy. Cover ALL of these angles:

1. What a random letter generator is and who needs it.
2. Vocabulary games (Scrabble rack, Boggle board, Wordle practice) — highest-volume use case, leads the section.
3. Teaching the alphabet — parents, preschool, ESL/EFL. The vowels-only and consonants-only filter is a unique angle competitors lack. Explain WHY this matters (sorting the alphabet into vowel/consonant groups is a core phonics milestone).
4. The NATO phonetic alphabet — who uses it, why it exists, how the toggle works. Aviation, military, customer service, spelling over the phone.
5. Letter frequency in English — brief, engaging explanation of E/T/A/O/I dominance vs Z/Q/X rarity. Tie to the frequency weighting toggle. Writers, Wordle players.
6. Creative writing prompts — generate 3 letters, write a sentence where each word starts with one. Internal link to /random-word-generator/ (anchor text: "random word generator").

Do NOT mention any competitor sites by name.

SLOT:faq

5 accordion items using the exact same .faq, .faq-item, .faq-q, .faq-a, .faq-chevron structure as existing tools. First item has class="faq-item open". Questions:

1. What is a random letter generator?
2. What is the NATO phonetic alphabet and why does it matter?
3. What is the most common letter in the English alphabet?
4. Can I use this tool to teach my child the alphabet?
5. What is the difference between vowels and consonants?

SLOT:who

4 "Who uses this" cards using .uc-grid / .uc / .uc-title / .uc-body classes:

1. Teachers & parents — vowels-only filter, alphabet drills, flash cards.
2. Word gamers — Scrabble racks, Boggle boards, Wordle practice.
3. Writers — alliteration prompts, creative letter constraints.
4. Pilots & professionals — NATO phonetic practice, clear spelling over calls.

SLOT:init

Implement a self-contained WORDINEER_LETTERS module (IIFE). Do NOT modify tool-engine.js. The module must contain:

- ALPHABET array (26 uppercase letters A-Z)
- VOWELS set: A E I O U
- FREQ_WEIGHTS object: English letter frequencies as weights (E:12.7, T:9.1, A:8.2, O:7.5, I:7.0, N:6.7, S:6.3, H:6.1, R:6.0, D:4.3, L:4.0, C:2.8, U:2.8, M:2.4, W:2.4, F:2.2, G:2.0, Y:2.0, P:1.9, B:1.5, V:1.0, K:0.8, J:0.15, X:0.15, Q:0.10, Z:0.07)
- NATO_PHONETIC object: {A:'Alpha', B:'Bravo', C:'Charlie', D:'Delta', E:'Echo', F:'Foxtrot', G:'Golf', H:'Hotel', I:'India', J:'Juliet', K:'Kilo', L:'Lima', M:'Mike', N:'November', O:'Oscar', P:'Papa', Q:'Quebec', R:'Romeo', S:'Sierra', T:'Tango', U:'Uniform', V:'Victor', W:'Whiskey', X:'X-ray', Y:'Yankee', Z:'Zulu'}
- LETTER_NUM object: {A:1, B:2, ... Z:26}
- generate() — reads all 6 controls, picks letters, calls renderList()
- renderList() — re-renders letter cards reactively (no re-generate) when toggles change
- copyAll() — copies all current letters as comma-separated string + checkmark toast
- copySaved() — copies saved letters as comma-separated string + toast
- copyItem(letter, btn) — copies single letter + 900ms checkmark feedback
- toggleSave(letter) — heart save/unsave, updates saved strip
- removeSaved(letter) — remove from saved strip
- showToast(msg) — reuses #toast element from global layout
- Spacebar handler: guard against INPUT/SELECT/TEXTAREA/BUTTON
- Mobile toggle: lg-mobile-toggle button + lg-advanced div with is-open class
- Auto-select count on load: window.addEventListener('load', ...) + focus event
- init(cfg) accepting IDs for all controls

Call: WORDINEER_LETTERS.init({ countId: 'lg-count', listId: 'lg-list', countDisplayId: 'lg-count-display', caseId: 'lg-case-{up|low|mix}' (radio names), letterSetId: 'lg-letter-set', duplicatesId: 'lg-duplicates', freqId: 'lg-freq', showNumId: 'lg-show-num', showNatId: 'lg-show-nato', genBtnId: 'lg-gen-btn', resetBtnId: 'lg-reset-btn', copyAllBtnId: 'lg-copy-all-btn', regenBtnId: 'lg-regen-btn', copySavedBtnId: 'lg-copy-saved-btn' });

tools.json ENTRIES — copy-paste ready

1. mega (nav menu)

```
{ "category": "Generators", "href": "/random-letter-generator/", "text": "Random Letter Generator" }
```

2. more_word_tools (card grid)

```
{
  "href": "/random-letter-generator/",
  "name": "Random Letter Generator",
  "desc": "Pick random letters – filter by case, vowels or consonants, and see NATO phonetic codes.",
  "icon_bg": "#EEF6E8",
```

```
"icon_path": ""  
}
```

3. footer_cols

```
{ "column": "Generators", "href": "/random-letter-generator/", "text": "Random Letter Generator"  
}
```

CONSTRAINTS

- No external CSS frameworks or JS libraries — vanilla JS only
- No Google Fonts calls — fonts are self-hosted (DM Sans + DM Serif Display)
- All CSS inside SLOT:style only — no global style changes
- CSS variables for all colours — no hardcoded hex except in ad placeholders
- Tool must render instantly on load — no fetch, no blank state, no loading spinner
- WORDINEER_LETTERS must be fully self-contained in SLOT:init — do NOT touch tool-engine.js
- All widget element IDs must be prefixed lg- to avoid collision with word generator (unprefixed) and sentence generator (sg- prefix)
- Ad placeholders use classes ad-sidebar, ad-leaderboard, ad-rect — keep as-is
- Number input clamped to 1–50 with inline error message (same .count-error pattern)
- Frequency weights must sum to ~100 — use weighted random selection (not rejection sampling)

LOCKED DECISIONS — DO NOT CHANGE

NATO phonetic toggle	YES — include as display toggle, default OFF
Frequency weighting	YES — include as control toggle, default OFF, label: "Weight by English frequency (E most common)"
Letter number toggle	YES — include as display toggle, default OFF
Sidebar ad	Placeholder only — same ad-sidebar class, no affiliate link needed
External data file	NONE — pure inline JS in SLOT:init, no sentences.json equivalent
URL	/random-letter-generator/
Output file	random-letter-generator/index.html
ID prefix	lg- (e.g. lg-count, lg-list, lg-gen-btn)
Count range	1 to 50, same as word generator
Copy all format	Comma-separated string e.g. "A, T, M, E, R"

OUTPUT FORMAT

Give me the complete `tools-src/random-letter-generator.html` file ready to save, with all slots in order. Then separately list the three `tools.json` snippets (copy-paste ready, correct JSON format).

Reminder: this file uses the same CONFIG comment at the top as the sentence generator: