

Prompt for creating a new tool for Wordineer

I'm building a new tool page for Wordineer — a static site hosted on Cloudflare. The site uses a Python template system. Here's how it works:

SYSTEM OVERVIEW

template-deploy/build.py reads tools.json + tools-src/*.html → outputs finished HTML to output/

- Shared parts (nav, footer, tool grids) are in template-deploy/template/ and auto-generated from tools.json
- Tool-specific content lives in a single file: template-deploy/tools-src/your-tool-name.html
- The live JS engine is at wordineer-deploy/scripts/tool-engine.js (WORDINEER global)
- Fonts are self-hosted in wordineer-deploy/fonts/ (DM Sans + DM Serif Display)
- Global CSS is at wordineer-deploy/styles/global.css

THE NEW TOOL I WANT

A **random letter generator** at URL /random-letter-generator/.

The user controls:

- **Number of letters** — 1–50 (number input). Auto-selected on page load. Inline error if out of range.
- **Case** — Uppercase / Lowercase / Mixed — custom radio checkboxes matching the .size-opt / .size-tick pattern. Default: Uppercase.
- **Letter set** — All letters (A–Z) / Vowels only (A E I O U) / Consonants only. Dropdown. Default: All letters.
- **Allow duplicates** — Toggle. ON = true random (letter can repeat). OFF = no repeats in one batch. Default: ON.
- **Frequency weighting** — Toggle. OFF = flat uniform random. ON = weighted by real English letter frequency (E=12.7%, T=9.1%, A=8.2% ... Z=0.07%). Label: "Weight by English frequency (E most common)". Default: OFF.

Display toggles (below filters, same .toggle / .toggle-sl style as word generator):

- **Show letter number** — Default OFF. Appends annotation e.g. "(1)" under A, "(26)" under Z.
- **Show NATO phonetic** — Default OFF. Shows NATO word under each letter e.g. "Alpha" under A, "Bravo" under B.

Each letter card has:

- The letter text (large, ~48px, bold)
- Optional annotation line: letter number and/or NATO word based on active toggles
- A copy button (copies that letter to clipboard, shows checkmark tick feedback for 900ms)
- A heart/save button (saves to the saved strip below)

Saved strip below the tool and copy-saved button must match random-word-generator.html exactly — same classes, same UX pattern, same saved-tags layout. Saved tags show the letter only (e.g. "A"). Copy saved copies

all saved letters as a comma-separated string (e.g. "A, T, M, E, R").

The spacebar triggers regenerate (same guard as word generator — not when focus is in INPUT/SELECT/TEXTAREA/BUTTON). The tool layout mirrors random-word-generator.html exactly: left control panel + right results panel, same tool-split / tool-card / ctrl / words-panel structure.

Mobile behaviour: the number of letters field is always visible. All other controls (Case, Letter set, Allow duplicates, Frequency weighting, both display toggles) collapse behind a "More options" button on mobile (max-width: 700px), identical to the pattern in random-word-generator.html: lg-mobile-toggle button + #lg-advanced div with .is-open class toggle.

Inline data for SLOT:init (no external file needed)

Unlike the word and sentence generators, the letter generator requires no external JSON fetch. All data objects live inline in SLOT:init:

FREQ_WEIGHTS

E:12.7, T:9.1, A:8.2, O:7.5, I:7.0, N:6.7, S:6.3, H:6.1, R:6.0, D:4.3,
L:4.0, C:2.8, U:2.8, M:2.4, W:2.4, F:2.2, G:2.0, Y:2.0, P:1.9, B:1.5,
V:1.0, K:0.8, J:0.15, X:0.15, Q:0.10, Z:0.07

NATO_PHONETIC

A:Alpha, B:Bravo, C:Charlie, D:Delta, E:Echo, F:Foxtrot, G:Golf, H:Hotel,
I:India, J:Juliet, K:Kilo, L:Lima, M:Mike, N:November, O:Oscar, P:Papa,
Q:Quebec, R:Romeo, S:Sierra, T:Tango, U:Uniform, V:Victor,
W:Whiskey, X:X-ray, Y:Yankee, Z:Zulu

LETTER_NUM

A:1, B:2, C:3, D:4, E:5, F:6, G:7, H:8, I:9, J:10, K:11, L:12, M:13,
N:14, O:15, P:16, Q:17, R:18, S:19, T:20, U:21, V:22, W:23, X:24, Y:25, Z:26

WHAT I NEED YOU TO BUILD

1. **tools-src/random-letter-generator.html** — the tool source file with these exact slots:

```
<!-- SLOT:meta --> title, description, canonical, OG tags, JSON-LD FAQPage schema
<!-- SLOT:style --> CSS for this tool's widget only (no global styles) — all classes prefixed lg-
<!-- SLOT:hero --> hero badge, h1, subtitle paragraph
<!-- SLOT:tool --> the interactive widget HTML
<!-- SLOT:ad_b --> 728x90 leaderboard ad zone (reuse the Grammarly placeholder verbatim)
<!-- SLOT:explainer --> 400+ words of unique SEO copy about the tool
<!-- SLOT:faq --> 5 FAQ accordion items (unique questions for this tool)
<!-- SLOT:who --> "Who uses Wordineer" cards relevant to this tool
<!-- SLOT:init --> WORDINEER_LETTERS module (self-contained IIFE) + auto-select JS + mobile toggle JS
```

2. **The tools.json entries** I need to add manually:

- Entry for "mega" (nav menu) — category: "Generators", href: /random-letter-generator/, text: "Random Letter Generator"
- Entry for "more_word_tools" (card grid) — href, name, desc, icon_bg, icon_path SVG

- Entry for "footer_cols" — column: "Generators", href: /random-letter-generator/, text: "Random Letter Generator"

SLOT SPECIFICATIONS

SLOT:meta

Random Letter Generator – Free, Instant, No Sign-up | Wordineer
Meta description targeting: "random letter generator", "random letter picker", "vowel generator", "consonant generator", "NATO phonetic alphabet generator".
Canonical: <https://wordineer.com/random-letter-generator/>
Full OG tags matching the word/sentence generator pattern.
JSON-LD FAQPage schema (reuse the 5 FAQ questions from SLOT:faq).

SLOT:style

Widget CSS only – no global styles. Use CSS variables exclusively:
--brand, --brand-dark, --brand-light, --text, --text-2, --text-3,
--bg, --bg-2, --bg-3, --border, --border-2, --radius-lg, --shadow.
All new class names prefixed lg- to avoid collision.
Mirror .ctrl, .tool-split, .tool-card, .tool-wrap, .words-panel structure.
Add styles for: large letter display cards, annotation line below letter,
three-way Case radio selector (reuse .size-opt / .size-tick pattern exactly).

SLOT:hero

Badge: "Free · No sign-up · Instant"
H1: "Random letter generator"
Subtitle: "Pick random letters instantly – filter by case, vowels or consonants,
and see the NATO phonetic alphabet. One click, no sign-up."
Use the same .hero, .hero-badge structure as existing tools.

SLOT:tool

Full interactive widget HTML. Left panel: lg-count input + lg-mobile-toggle button
+ lg-advanced div containing: Case selector (lg-case radio group), Letter set
dropdown (lg-letter-set), Allow duplicates toggle (lg-duplicates), Frequency
weighting toggle (lg-freq), Show letter number toggle (lg-show-num), Show NATO
phonetic toggle (lg-show-nato) + Generate button (lg-gen-btn) + Reset link
(lg-reset-btn) + Space hint.
Right panel: count display (lg-count-display) + Copy all (lg-copy-all-btn) +
Regenerate (lg-regen-btn) buttons + letter list (lg-list).
Below tool: saved strip (lg-saved-tags, lg-saved-count, lg-copy-saved-btn).
Sidebar ad placeholder: class="ad-sidebar" – keep as-is.

SLOT:ad_b

Reuse the Grammarly 728x90 leaderboard placeholder from
random-word-generator.html verbatim. No changes.

SLOT:explainer

Minimum 400 words of unique SEO copy. Cover ALL of these angles:

1. What a random letter generator is and who needs it.
 2. Vocabulary games (Scrabble, Boggle, Wordle) – highest-volume use case, leads the section.
 3. Teaching the alphabet – parents, preschool, ESL/EFL. Vowels-only and consonants-only filter is a unique angle. Explain WHY it matters (sorting vowels/consonants is a core phonics milestone).
 4. The NATO phonetic alphabet – who uses it, why it exists, how the toggle works. Aviation, military, customer service, spelling over the phone.
 5. Letter frequency in English – E/T/A/O/I dominance vs Z/Q/X rarity. Tie to the frequency weighting toggle. Writers, Wordle players.
 6. Creative writing prompts – generate 3 letters, write a sentence where each word starts with one. Internal link to /random-word-generator/ (anchor text: "random word generator").
- Do NOT mention any competitor sites by name.

SLOT:faq

5 accordion items. Use .faq, .faq-item, .faq-q, .faq-a, .faq-chevron classes.

First item: class="faq-item open". Questions:

1. What is a random letter generator?
2. What is the NATO phonetic alphabet and why does it matter?
3. What is the most common letter in the English alphabet?
4. Can I use this tool to teach my child the alphabet?
5. What is the difference between vowels and consonants?

SLOT:who

4 cards using .uc-grid / .uc / .uc-title / .uc-body classes:

1. Teachers & parents – vowels-only filter, alphabet drills, flash cards.
2. Word gamers – Scrabble racks, Boggle boards, Wordle practice.
3. Writers – alliteration prompts, creative letter constraints.
4. Pilots & professionals – NATO phonetic practice, spelling over calls.

SLOT:init

Self-contained WORDINEER_LETTERS IIFE. Do NOT modify tool-engine.js.
Module contains: ALPHABET, VOWELS set, FREQ_WEIGHTS, NATO_PHONETIC, LETTER_NUM
(all values provided in the "Inline data" section above).

Methods required:

generate() – reads all 6 controls, picks letters, calls renderList()
renderList() – re-renders cards reactively on toggle change (no re-pick)
copyAll() – copies comma-separated string + toast
copySaved() – copies saved letters comma-separated + toast
copyItem(l,btn) – copies single letter + 900ms checkmark feedback
toggleSave(l) – heart save/unsave, updates saved strip
removeSaved(l) – removes from saved strip
showToast(msg) – reuses #toast element from global layout
init(cfg) – wires all control IDs

Spacebar handler: guard INPUT/SELECT/TEXTAREA/BUTTON.

Auto-select count: window load + focus events (same as word generator).

Mobile toggle: lg-mobile-toggle + lg-advanced + .is-open.

Weighted random pick: use cumulative weight table, not rejection sampling.

Call:

```
WORDINEER_LETTERS.init({  
  countId: "lg-count", listId: "lg-list",  
  countDisplayId: "lg-count-display",  
  letterSetId: "lg-letter-set",  
  duplicatesId: "lg-duplicates", freqId: "lg-freq",  
  showNumId: "lg-show-num", showNatoId: "lg-show-nato",  
  genBtnId: "lg-gen-btn", resetBtnId: "lg-reset-btn",  
  copyAllBtnId: "lg-copy-all-btn", regenBtnId: "lg-regen-btn",  
  copySavedBtnId: "lg-copy-saved-btn"  
});
```

CONSTRAINTS

- No external CSS frameworks or JS libraries — vanilla only
- No Google Fonts calls — fonts are self-hosted (DM Sans + DM Serif Display)
- All CSS inside SLOT:style only — no global style changes
- Use CSS variables for all colours — no hardcoded hex except in ad placeholders
- Tool must render instantly on load — no fetch, no blank state, no loading spinner
- WORDINEER_LETTERS must be fully self-contained in SLOT:init — do not touch tool-engine.js
- All widget element IDs must be prefixed lg- to avoid collision with word generator (unprefixed) and sentence generator (sg- prefix)
- Ad placeholders use classes ad-sidebar, ad-leaderboard, ad-rect — keep as-is
- Number input clamped to 1–50 with inline .count-error message (same pattern as word generator)
- Frequency weights: use cumulative weight table for weighted pick, not rejection sampling

OUTPUT FORMAT

Give me the complete `tools-src/random-letter-generator.html` file ready to save, with all slots in the order listed above. Then separately list the three `tools.json` snippets (copy-paste ready, correct JSON format).

The CONFIG comment at the top of the file must be exactly:

Wordineer · random-letter-generator · Prompt ready for Claude Code