


DataLens Agent Report

CSV analysis agent that chooses steps, creates plots, and summarizes findings

GitHub repository: <https://github.com/your-username/datalens-agent> (replace with the uploaded repository URL before submission)

Prototype: A browser-based data analysis agent that accepts pasted or uploaded CSV data and runs an end-to-end analysis loop.

System Design



Design Explanation

DataLens follows a perceive-decide-act agent loop. The user provides a CSV and an analysis goal. The perception module parses the CSV, infers numeric, categorical, and date columns, and checks missing values. The safety gate blocks requests that appear to involve secrets or sensitive identifiers. The optional LLM planner selects suitable analysis steps from the dataset shape, user goal, and checked options through a small local proxy; if it is unavailable, deterministic rules select local tools. The tool layer executes schema inspection, numeric profiling, category aggregation, relationship plotting, missing-value checks, outlier scans, trend checks, custom notes, and summary generation.

Agent Concepts Used


- **Perception:** parses CSV rows and infers column types.
- **Decision making:** optionally uses an LLM planner, with deterministic fallback, to choose or refine selected analysis steps.
- **Action:** executes local analysis tools, draws selected chart types on canvas, handles optional custom instructions, and can use the LLM to rewrite the final summary.
- **Memory:** records loaded datasets, LLM/fallback status, and executed tool runs in localStorage.
- **Safety:** refuses analysis requests involving secrets or sensitive identifiers.

Assignment 2


Screenshots and System Behavior

Evidence of CSV perception, step choice, plotting, execution, and summary


The screenshots below show the DataLens agent running a small public tips CSV sample. The central workspace lets users choose chart types, gives generated plots more room, adds chart-specific analysis, and ends with an overall summary.



1. Perception and decisions: the agent detects 24 rows, infers field types, and keeps the charts in the main workspace.



2. Plot actions: selected bar, scatter, histogram, pie, and line chart slots include short analysis paragraphs.



3. Overall summary: the final section combines schema, profile, plot, quality, custom, and action findings.

How It Works

- **Input:** user uploads, pastes, or loads a sample CSV.
- **Perception:** CSV parser builds records and infers data types.
- **Decision:** the agent uses checked options and detected fields to choose profiling, aggregation, plotting, quality, custom, and summary steps.
- **Execution:** each selected tool runs and writes to the right-side execution log.
- **Output:** large charts, chart notes, overall findings, memory, and JSON export make the result reproducible.