Accessibility Audit Report

Violations

[label-content-name-mismatch] Elements must have their visible text as part of their accessible name

Impact: serious

Description: Ensure that elements labelled through their content must have their visible text as part of their accessible name

Help URL: https://dequeuniversity.com/rules/axe/4.14/label-content-name-mismatch?application=playwright

Nodes:

- **HTML**:

  ```
  <a href="https://edu.google.c..." target="_blank" rel="noopener noreferrer" data-cy="c
  ```

  Target: `#improving-representation-of-people-with-disabilities-in-ai-datasets`

  Failure Summary: Fix any of the following: Text inside the element is not included in the accessible name

- **HTML**:

  ```
  <a href="https://support.goog..." target="_blank" rel="noopener noreferrer" data-cy="c
  ```

  Target: `#google-accessibility-help-and-community`

  Failure Summary: Fix any of the following: Text inside the element is not included in the accessible name

- **HTML**:

  ```
  <a href="https://www.android...." target="_blank" rel="noopener noreferrer" data-cy="c
  ```

  Target: `#android-accessibility-website`

  Failure Summary: Fix any of the following: Text inside the element is not included in the accessible name

- **HTML**:

  ```
  <a href="https://cloud.google..." target="_blank" rel="noopener noreferrer" data-cy="c
  ```

  Target: `#google-for-education-accessibility-website`

  Failure Summary: Fix any of the following: Text inside the element is not included in the accessible name

- **HTML**:

  ```
  <a href="https://developers.g..." target="_blank" rel="noopener noreferrer" data-cy="c
  ```

  Target: `#natively-adaptive-interfaces-nai-website`

  Failure Summary: Fix any of the following: Text inside the element is not included in the accessible name

- **HTML**:

  ```
  <a href="https://accessibilit..." target="_self" rel="noopener noreferrer" data-cy="ca
  ```

  Target: `#google-accessibility-conformance-reports`

  Failure Summary: Fix any of the following: Text inside the element is not included in the accessible name

[landmark-unique] Landmarks should have a unique role or role/label/title (i.e. accessible name) combination

Impact: moderate

Description: Ensure landmarks are unique

Help URL: https://dequeuniversity.com/rules/axe/4.14/landmark-unique?application=playwright

Nodes:

- **HTML**:

  ```
  <nav class="glue-header__link-bar">
                <ul class="glue-header__list"></ul>
              </nav>
  ```

  Target: `.glue-header__link-bar`

Failure Summary: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Passes

- [aria-allowed-attr] Elements must only use supported ARIA attributes
- [aria-allowed-role] ARIA role should be appropriate for the element
- [aria-command-name] ARIA commands must have an accessible name
- [aria-conditional-attr] ARIA attributes must be used as specified for the element's role
- [aria-deprecated-role] Deprecated ARIA roles must not be used
- [aria-hidden-body] aria-hidden="true" must not be present on the document body
- [aria-hidden-focus] ARIA hidden element must not be focusable or contain focusable elements
- [aria-prohibited-attr] Elements must only use permitted ARIA attributes
- [aria-required-attr] Required ARIA attributes must be provided
- [aria-required-children] Certain ARIA roles must contain particular children
- [aria-roles] ARIA roles used must conform to valid values
- [aria-valid-attr-value] ARIA attributes must conform to valid values
- [aria-valid-attr] ARIA attributes must conform to valid names
- [avoid-inline-spacing] Inline text spacing must be adjustable with custom stylesheets
- [button-name] Buttons must have discernible text
- [bypass] Page must have means to bypass repeated blocks
- [color-contrast] Elements must meet minimum color contrast ratio thresholds
- [document-title] Documents must have