

id int(10) unsigned int(11) user_id int(11) user_id int(11) user_id int(11) user_id int(11) user_id int(100) in			1	
user_id int(11) name varchar(255) secret varchar(100) redirect text personal_access_client tinyint(1) password_client tinyint(1) revoked tinyint(1) created_at timestamp	oauth_clients			III oa
mame varchar(255) cli secret varchar(100) na redirect text sc personal_access_client tinyint(1) revoked tinyint(1) up created_at timestamp	📶 id	int(10) unsigned		📶 id
secret varchar(100) Ina redirect text sc personal_access_client tinyint(1) revoked tinyint(1) up created_at timestamp	user_id	int(11)		us
redirect text sc personal_access_client tinyint(1) re password_client tinyint(1) cr revoked tinyint(1) up created_at timestamp	name	varchar(255)		III. cli
personal_access_client tinyint(1) rev password_client tinyint(1) cr revoked tinyint(1) up created_at timestamp ex	secret	varchar(100)		III na
password_client tinyint(1) crevoked tinyint(1) up created_at timestamp ex	III redirect	text		sc
revoked tinyint(1) up created_at timestamp	mpersonal_access_cli	ent tinyint(1)		III rev
created_at timestamp	password_client	tinyint(1)		cre
	III revoked	tinyint(1)		III up
updated at timestamp	created_at	timestamp		ex
	updated_at	timestamp		

iii oauth_acces	auth_access_tokens		
📶 id	varchar(100)		
user_id	int(11)		
iii client_id	int(11)		
name	varchar(255)		
scopes	text		
III revoked	tinyint(1)		
created_at	timestamp		
updated_at	timestamp		
expires_at	datetime		

HH)	
id id	bigint(20) unsigned
queue	varchar(255)
payload	longtext
attempts	tinyint(3) unsigned
reserved_at	int(10) unsigned
available_at	int(10) unsigned
mcreated_at	int(10) unsigned

revoked

m expires_at

tinyint(1)

datetime



oauth_refresh_toke	ns		auth_persor	nal_access_clients
id	varchar(100)		📶 id	int(10) unsigned
access_token_id	varchar(100)	-	ii client_id	int(11)
revoked	tinyint(1)		created_at	timestamp
expires_at	datetime		updated_at	timestamp

migrations	
id id	int(10) unsigned
migration	varchar(255)
iii batch	int(11)