

PRODUCTION SUMMARY

Four physical samples only

Apliiq sample order specification. Automatic fulfillment remains disabled until physical approval.

ORDER HOLD: OWNER MUST CONFIRM THREE GARMENT SAMPLE SIZES

ID	EXACT BLANK	COLOR	FRONT	SAMPLE	BACK
01	Sport-Tek ST720	Black	Badge / DTF	1 / size TBD	Blank
02	Independent IND4000	Black	Wordmark / DTF	1 / size TBD	Blank
03	Bella+Canvas 4810GD	Washed Black	Wordmark / DTF	1 / size TBD	Blank
04	OTTO 31-069	Black/Natural	Front wordmark + right-side slogan	1 / adjustable	Blank rear

Global production controls

- Use only the production files named in this packet. No redraw, substitution, recolor, stretch, compression, added type, or portal-generated replacement artwork.
- Garment sellable sizes are S, M, L, XL, and 2XL. Sample size is not authorized until the owner confirms it in writing.
- All three garment backs are intentionally blank. The cap carries the approved wordmark on front and THE SOUND OF VICTORY on the wearer's right side; rear remains blank.
- Center to the physical garment or front-panel axis. Target center deviation is 0.125 in or less; reject any sample beyond +/-0.25 in.
- Apply the approved 1 x 1 in GOOOL private satin neck label to all three garments. Do not apply it to the cap.
- The new side slogan is a separate owner-directed embroidery lockup. Do not substitute a font, retype it in the portal, or combine it with the front wordmark file.

PRODUCTION AUTHORITY

Written dimensions and named files control. Technical drawings communicate placement only. If the Apliiq portal prevents an exact setup, stop and return the proof for owner approval before ordering.

ARTWORK CONTROL

Approved artwork and extracted color standards

Production derivatives preserve the supplied geometry and proportions. Only transparent outer margins were removed.



Master audit and production derivatives

CONTROL	SOURCE	TRIM AUDIT	PRODUCTION RESULT
Badge source	1607 x 2047 px	Visible bounds 1549 x 1983 px	Final 1500 x 1920 px / 5.00 x 6.40 in
Wordmark source	2048 x 727 px	Visible bounds 2048 x 711 px	Final 2025 x 703 px / 6.75 x 2.34 in
Centering	Visible bounds drive axis	Badge horizontal bias +0.03 in	No geometry change; align visible-bound center

Extracted production colors

PRINT WHITE

sRGB 255 / 255 / 255

#FFFFFF

GOOOL RED

sRGB 198 / 19 / 34

#C61322

DARK THREAD / LABEL

sRGB 0 / 0 / 0

#000000

PREPRESS RULES

- Transparent PNG, sRGB, 300 DPI at final physical size; one-pixel safety border may be added automatically by Apliiq.
- Do not remove internal negative spaces, distressed edge detail, the underline gap, or the red accent.
- Cap conversion maps print white to black embroidery thread and preserves the extracted red. Apliiq performs machine-specific digitization.
- Cap side slogan is supplied as a path-based SVG plus 300-DPI PNG. The front wordmark remains the exact approved raster reference; no DST file is fabricated.

SAMPLE 01

Men's athletic performance shirt

Sport-Tek ST720 / Black / approved badge / centered front DTF / blank back

MANUFACTURER / STYLE	Sport-Tek ST720 PosiCharge Re-Compete Tee / Apliiq Sustainable Athletic Tee
FABRIC / BUILD	3.8 oz/yd2; 100% recycled polyester with PosiCharge; taped neck; set-in sleeves; athletic fit
SIZES / SAMPLE	Sellable S, M, L, XL, 2XL / quantity 1 / SAMPLE SIZE: OWNER TO CONFIRM BEFORE ORDER
ARTWORK FILE	GOOOL_SAMPLE_01_ST720_BADGE_FRONT_5IN.png
FINAL ART SIZE	5.00 in W x 6.40 in H / 1500 x 1920 px / 300 DPI
PLACEMENT	Visible-bound center on physical garment axis; crest top point 2.25 in below bottom of front collar seam, beginning between the pecs
DECORATION / BACK	Apliiq transfer / DTF front only / back has NO DECORATION
TOLERANCE	Target center deviation <=0.125 in; maximum acceptable +/-0.25 in; scale +/-2%
PRIVATE LABEL	Apply GOOOL 1 x 1 in black-on-white satin private label if live blank support is confirmed

TECHNICAL PLACEMENT MOCKUP / WRITTEN DIMENSIONS CONTROL

Crest top point: 2.25 in below collar seam / shield extends toward upper midsection



FRONT / CENTER AXIS

POLYESTER HEAT CONTROL



BACK / NO DECORATION

Low-cure adhesive + bleed blocker / protective pad / cool flat / no hot stacking

SAMPLE 02


Men's premium simple hoodie

Independent IND4000 / Black / approved underlined wordmark / centered front DTF / blank back

MANUFACTURER / STYLE	Independent Trading Co. IND4000 Heavyweight Pullover Hoodie
FABRIC / BUILD	10 oz (330 gsm) 3-end fleece; Black 70% cotton / 30% polyester; 100% cotton face yarn; generous fit
SIZES / SAMPLE	Sellable S, M, L, XL, 2XL / quantity 1 / SAMPLE SIZE: OWNER TO CONFIRM BEFORE ORDER
ARTWORK FILE	GOOOL_SAMPLE_02_IND4000_WORDMARK_FRONT_6.75IN.png
FINAL ART SIZE	6.75 in W x 2.34 in H / 2025 x 703 px / 300 DPI
PLACEMENT	Visible-bound center on physical axis; art top 4.00 in below hood/neck seam; internal GOOOL lettering axis approx. 4.66 in below seam across pec line
CLEARANCE	Maintain at least 1.50 in between artwork bottom and kangaroo-pocket top edge
DECORATION / BACK	Apliiq transfer / DTF front only / back has NO DECORATION
TOLERANCE	Target center deviation <=0.125 in; maximum acceptable +/-0.25 in; scale +/-2%
PRIVATE LABEL	Apply approved 1 x 1 in black-on-white satin GOOOL private label; remove manufacturer tag


TECHNICAL PLACEMENT MOCKUP / WRITTEN DIMENSIONS CONTROL

GOOOL lettering crosses pec line / art top 4.00 in below hood-neck seam



FRONT / CENTER AXIS

MINIMAL SCALE CONTROL



BACK / NO DECORATION

Do not enlarge to fill the portal print area / keep drawcords and pocket clear

SAMPLE 03

Men's premium simple casual tee

Bella+Canvas 4810GD / Washed Black / same underlined wordmark / centered front DTF / blank back

MANUFACTURER / STYLE	Bella+Canvas 4810GD Heavyweight Garment-Dyed Tee
FABRIC / BUILD	6.5 oz/yd2; 18 singles; 100% ring-spun cotton; relaxed fit; semi-dropped shoulder; side-seamed
COLOR	Washed Black. If the exact live Apliiq color is unavailable, STOP; do not substitute Black without owner approval
SIZES / SAMPLE	Sellable S, M, L, XL, 2XL / quantity 1 / SAMPLE SIZE: OWNER TO CONFIRM BEFORE ORDER
ARTWORK FILE	GOOOL_SAMPLE_03_4810GD_WORDMARK_FRONT_6.75IN.png
FINAL ART SIZE	6.75 in W x 2.34 in H / 2025 x 703 px / 300 DPI
PLACEMENT	Visible-bound center on physical axis; art top 3.25 in below collar seam; internal GOOOL lettering axis approx. 3.91 in below seam across pec line
DECORATION / BACK	Apliiq transfer / DTF front only / back has NO DECORATION
TOLERANCE	Target center deviation <=0.125 in; maximum acceptable +/-0.25 in; scale +/-2%
PRIVATE LABEL	Apply approved 1 x 1 in black-on-white satin GOOOL private label; remove manufacturer tag

TECHNICAL PLACEMENT MOCKUP / WRITTEN DIMENSIONS CONTROL

GOOOL lettering crosses pec line / art top 3.25 in below collar seam



FRONT / CENTER AXIS

GARMENT-DYE HEAT CONTROL



BACK / NO DECORATION

Use low-temperature DTF under 300 F / test for scorching, halo, dye shift, and shade variance

SAMPLE 04


Structured coordinating cap

OTTO 31-069 / Black-Natural / front wordmark + right-side slogan / flat embroidery

MANUFACTURER / STYLE	OTTO 31-069 structured seamless five-panel mid-profile cap
FABRIC / BUILD	65% polyester / 35% cotton twill; firm buckram front; slightly curved visor; plastic snap; one size
COLOR / SAMPLE	Black/Natural / adjustable one size / quantity 1
FRONT FILES	GOOOL_SAMPLE_04_OTTO31069_WORDMARK_FRONT_EMBROIDERY_REFERENCE.png + GOOOL_SAMPLE_04_OTTO31069_WORDMARK_FRONT_EMBROIDERY_REFERENCE.pdf
SIDE FILES	GOOOL_SAMPLE_04_OTTO31069_SOUND_OF_VICTORY_RIGHT_SIDE.svg + GOOOL_SAMPLE_04_OTTO31069_SOUND_OF_VICTORY_RIGHT_SIDE.png
FRONT ART / PLACEMENT	3.75 in W x 1.30 in H; center on seamless front; bottom edge 0.50 in above visor seam
RIGHT-SIDE ART	2.25 in W x 0.86 in H; center in Apliiq wearer's-right field; bottom edge 0.55 in above sweatband seam
DECORATION	Two flat-embroidery placements; no puff; Apliiq performs machine-specific digitization and supplies both proofs
THREAD MAP	Front: white source -> stock black thread; red -> nearest thread to #C61322. Side slogan: stock black thread only
TOLERANCE	Target center deviation <=0.125 in; maximum acceptable +/-0.25 in; no visible tilt
REAR / LEFT SIDE	NO DECORATION. Slogan is authorized on wearer's right side only

TECHNICAL EMBROIDERY MOCKUP / WRITTEN DIMENSIONS CONTROL

Center on seamless front panel; bottom edge 0.50 in above upper visor seam



FRONT / 3.75 IN W FLAT EMBROIDERY

DIGITIZATION CONTROL



WEARER'S RIGHT / SLOGAN EMBROIDERY

Front + right-side proofs required / reject puckering, broken letters, wrong side, or red misregistration

FILE INDEX AND APPROVAL

Production file manifest and sample-release gate

Every filename below must match the supplied package exactly. No additional artwork is authorized.

FOLDER	EXACT FILENAME	PRODUCTION USE	SHA-256
01_Performance_Tee_Artwork	GOOOL_SAMPLE_01_ST720_BADGE_FRONT_5IN.png	ST720 front / 5.00 x 6.40 in	ca2f9bbcac8e
02_Hoodie_Artwork	GOOOL_SAMPLE_02_IND4000_WORDMARK_FRONT_6.75IN.png	IND4000 front / 6.75 x 2.34 in	e853b475085f
03_Casual_Tee_Artwork	GOOOL_SAMPLE_03_4810GD_WORDMARK_FRONT_6.75IN.png	4810GD front / 6.75 x 2.34 in	e853b475085f
04_Cap_Embroidery_Artwork	GOOOL_SAMPLE_04_OTTO31069_WORDMARK_FRONT_EMBROIDERY_REFERENCE.png	Black-red digitizing reference	661f917ecd0c
04_Cap_Embroidery_Artwork	GOOOL_SAMPLE_04_OTTO31069_WORDMARK_FRONT_EMBROIDERY_REFERENCE.pdf	3.75 in production PDF	55ec1e78db0d
04_Cap_Embroidery_Artwork	GOOOL_SAMPLE_04_OTTO31069_SOUND_OF_VICTORY_RIGHT_SIDE.svg	Right-side vector outlines	e6eadbb366f5
04_Cap_Embroidery_Artwork	GOOOL_SAMPLE_04_OTTO31069_SOUND_OF_VICTORY_RIGHT_SIDE.png	Right side / 2.25 x 0.86 in	83a35c5f6376
05_Private_Label_Artwork	GOOOL_PRIVATE_LABEL_APPAREL_MASTER.png	1 x 1 in satin label	02ce4d42b769

Pre-order owner approvals

- Confirm the sample size for ST720, IND4000, and 4810GD. No garment sample order may proceed while size is TBD.
- Confirm the Apliiq live color names: ST720 Black, IND4000 Black, 4810GD Washed Black, and OTTO 31-069 Black/Natural.
- Approve Apliiq portal proofs showing exact style code, front dimensions, reference measurements, blank backs, and private labels.
- Approve the two-line THE SOUND OF VICTORY lockup and the wearer's-right side location in the Apliiq digitized proof.

Physical sample approval checklist

- ☐ Exact centering and scale
- ☐ White-black-red accuracy
- ☐ Print hand and flexibility
- ☐ Side slogan legibility
- ☐ Garment construction
- ☐ Three-wash shrinkage
- ☐ Actual workout comfort - ST720
- ☐ Crest top + pec-line placement
- ☐ Sharp edges and opacity
- ☐ Front embroidery clarity
- ☐ No cap puckering or tilt
- ☐ Private-label installation
- ☐ Three-wash print durability
- ☐ Written owner release

RELEASE STANDARD

No sample approval means no customer fulfillment. Apliiq digitized proof and the physical cap sew-out both require written GOOOL approval.