



UNIVERSIDADE ESTADUAL PAULISTA
“JÚLIO DE MESQUITA FILHO”
Câmpus de Ilha Solteira

Faculdade de Engenharia

NEURAL NETWORKS: ENHANCING INTELLIGENT SYSTEMS WITH DEEP LEARNING



Gabriel D. Silva

Student

Douglas D. Bueno

Advisor

UNESP

Ilha Solteira – SP

2023

Research Report

The present report approaches a way to improve smart systems. Through artificial intelligence applied in the mechanical engineering field, it provides a consistent algorithm that can reads data, trains the machine and provides results about the situation and what to do with it. It will be studied two cases, one of them using machine learning classical techniques to determine the forces applied to a unnamed aerial vehicle and other using deep learning techniques like neural networks in the structural health monitoring area.

Complete after the research is done.

Keywords: machine learning, structural health monitoring, unnamed aerial vehicle

LIST OF FIGURES

2.1.1	SHM and Human Nervous System Analogy	3
2.3.1	Subareas of Artificial Intelligence	7
2.3.2	Loss Function for Linear Regression	9
2.3.3	Gradient Descent Process	11

LIST OF ACRONYM

AI	Artificial Intelligence
BD	Big Data
CNN	Convolutional Neural Networks
DL	Deep Learning
FEM	Finite Element Method
IoT	Internet of Things
MEMS	Micro Electromechanical Systems
ML	Machine Learning
NN	Neural Networks
SHM	Structural Health Monitoring
UAV	Unnamed Aerial Vehicle

CONTENTS

List of Figures	<i>ii</i>
List of Acronym	<i>iii</i>
1 Introduction	1
1.1 Motivation	2
1.2 Objective	2
2 Literature Review	3
2.1 Structural Health Monitoring	3
2.1.1 Definition	3
2.1.2 Brief History	4
2.1.3 Main Techniques	4
2.1.4 Railway Cracks	6
2.2 UAV Dynamics	7
2.3 Neural Networks	7
2.3.1 Deep Learning	7
2.3.2 Neural Networks Models	8
2.3.3 Activation Function	8
2.3.4 Loss Function	8
2.3.5 Optimizer	10
3 Methodology	13
4 Results and Discussion	14
5 Conclusion	16
Bibliography	17

1 INTRODUCTION

The use of Artificial Intelligence (AI) is very present nowadays (35, 47, 48). This area of statistics neither is new nor started just now with the autonomous cars and voice assistants (43), but it is clear that in the last years it has been increasingly gaining more popularity. This happens mainly because of the advances that the World Wide Web has been had over the years (36, 14), since dial-up internet connection, back in the eighties, until now, with broadband internet and smartphones equipped with 5G connection. Another factor is that in the past, the cost to get a large capacity of storage memory was significantly more expensive than it is now, what makes today cheaper and easy to get memory to store information (25). With the amount of data available, the evolution of internet and storage capacity, now it is not difficult to obtain, keep and analyze databases to make decisions (19).

AI application is everywhere and today, more than ever, it is easy to realize that. Either to get multimedia recommendations on streaming platforms, like occurs at Netflix, YouTube, Spotify, and so many others platforms (13), or to make predictions on the financial market and sports betting (42, 32, 28), AI is there behind the scenes making all the magic happen. Evidently there is nothing really magical about them, it is pure mathematics combined with a programming language that produces the algorithm capable of doing those things (26, 3, 49, 50). The launch of ChatGPT-3, and shortly thereafter ChatGPT-4, has shown the power of those technologies and how they can change the way people do things (10, 9, 38, 6).

Getting into the smart systems application, the use of AI is widely used to Structural Health Monitoring (SHM), which is heavily used in the aerospace and civil fields, (5, 65). The level and the complexity of the AI to be applied to monitor the structure, whether is going to use Deep Learning (DL) and Neural Networks (NN) or simpler methods of Machine Learning (ML) like regressions, is determined by the problem itself and the results desired (21). In some cases, the standards methods use numerical techniques and they may not be feasible, especially when there is a huge data to be analyzed. Thus, taking the AI road is an alternative to get the needed results for the monitoring in a more practical way (56, 59).

Still in this context, but in the field of Unnamed Aerial Vehicle (UAV), the use of AI can be combined to integrate UAV through wireless communication networks (34) what can be useful in the agriculture sphere (1) with technologies like Internet of Things (IoT) (62, 61). Also, the use of the AI can be subtle, such as the use of a built-in MATLAB function to make a simple NN to determine the final pose of a UAV based on the initial pose and the forces applied on it (23), or can be more sophisticated, like the use of ML and DL algorithms to predict materials properties, design new materials, discover new mechanisms and control real dynamic systems (27, 2).

It is clear, therefore, that AI can transit into different fields, such as entertainment, business, health care, marketing, financial, agriculture, engineering, among others (51, 66, 18, 63, 41, 46, 24). The use of the Big Data (BD) can not only make it clear the scenario to be studied, but also to support making strategical decisions (29, 33). The internet and hardware improvement (7), alongside the facility to storage data with accessible costs, encourages the AI use due to the benefits it can provide.

1.1 Motivation

1.2 Objective

To develop an AI algorithm based on NN to apply in smart systems. The main goals are:

- to determine the forces used to move an UAV based on its initial and final pose;
- to detect railways cracks through piezoelectric signal for SHM.

2 LITERATURE REVIEW

This chapter deals with the history, the main concepts and some practical cases of SHM inside the industry and academic area, besides showing how it may be used in the railway crack detection context. Next, in the dynamic field, it will be studied the main mechanical concepts to get the necessary understanding to an UAV motion as well the basics to know how an UAV can be controlled. Then, it will be shown the mathematics behind the algorithms of deep learning that will be implemented in the [Chapter 4](#). Finally, the way how the algorithms are going to be implemented and the tools necessary to achieve the desired neural network.

2.1 Structural Health Monitoring

2.1.1 Definition

According to Balageas u. a. (8), the SHM main purpose is to provide, during the life of a structure, a diagnosis of: the state of the constituent material; the different parts of the structure; and the full assembly of each part that makes the structure as a whole. It is an improved way to make non-destructive evaluation. It can be applied in several areas such as civil infrastructure, like bridges and buildings; aerospace, like airplanes and spaceships; and mechanical, like machines.




Figure 2.1.1. SHM and Human Nervous System Analogy. The nerve endings are responsible to pass the information to the brain; as the sensors embedded in the structure play the role of the nerve endings, the central processing does the brain role.

Furthermore, it also can be associated as an analogy to the human nervous system.

Just like the sensors send a signal to the central processor, the human senses send a signal to the brain to make the recognition of what is happening, as shown in the [Fig. 2.1.1](#).

2.1.2 Brief History

The SHM development began back in the 20th century and it has been coupled with the evolution of the digital computing hardware, what allowed the costs of the applied techniques less expensive over time.

It all starts back in the early 1970s and 1980s. The oil industry tried to develop vibration-based damage identification methods for offshore platforms by simulating damage scenarios, examining the changes in the resonant frequencies and correlating them with those measured on a platform. In the same period, the aerospace community studied vibration-based damage identification along with the development of the space shuttle. From that, it was developed the shuttle modal inspection system which aimed to identify fatigue damage in components like fuselage panels and control surfaces. The system was so successful that all orbiter vehicles had been periodically subjected to this test. Also, the civil engineering community studied vibration-based damage evaluation of bridge structures and buildings in the late 1980s ([20](#)).

From the late 1990s to the early 2000s, Sohn u. a. ([57](#)) showed the evolution of the techniques used in SHM, analyzing mainly the following factors: the operational evaluation; data acquisition and cleansing; feature extraction; and statistical modeling for feature discrimination. He also verified that the statistical pattern recognition had not been embraced by the researchers to be more often used in such matter.

Nowadays, in order to contour inherent issues of SHM methods, as large computational effort and hand-crafted work that results in poor classification performance, many deep learning techniques have been used, such as Convolutional Neural Networks (CNN) ([4](#)).

2.1.3 Main Techniques

ACCELEROMETERS

The use of accelerometers is consolidated in the engineering community to be used in several areas and it is present in the people daily life in things like game consoles, smartphones, and tablets.

Micro Electromechanical Systems (MEMS) sensor have several applications in measuring linear acceleration or angular motion along axis as an input to control a system. MEMS accelerometer sensors often measure the movement of a mass with a position measuring interface circuit that is converted into a digital electrical signal by an analog-to-digital converter for digital processing (16).

In SHM situation, the accelerometers are in the MEMS. The MEMS are, then, embedded in the structure and can provide information about the structure by detecting low-amplitude and low-frequency vibrations that are not always viable with the conventional low-cost sensor boards (52).

There are many others sensors used in vibration-base techniques like velocity and displacement sensors, however the accelerometers are widely used for this purpose.

GRAPHICAL INSPECTION

The use of digital cameras to detect any kind of irregularity in the surface is also a way to monitor the structure, mainly in the surface areas. The camera itself may be static in a strategical position that allow it to provide good images to be analyzed or can be embedded in the structure itself or in an UAV that will surround it.

To automate and improve the accuracy of the damage detection, image processing techniques are employed, that being a non-conventional approach (55). In the civil engineering context, it is commonly utilized computer vision to damage detection (22) and also UAV integrated in the same local as the structures for SHM (54).

Many of the images obtained can have their not only the images improved by AI, but also the analyses can take advantage of it.

PIEZOELECTRIC MATERIALS

When dealing with acoustic-based techniques, the use of piezoelectric materials as sensor is a great choice due to its ability to respond to stimuli, incorporation, and compatibility with construction materials. Beyond that, these materials are relatively cost-efficient and can sense vibrations in the structures they are installed (30).

Piezoelectric materials and their main property were discovered back in 1880 (15). The phenomenon is that by the application of pressure in those kinds of materials in the correct direction, it is observed the production of a potential difference and consequently an electrical charge. Examples of materials that are piezoelectric are quartz, zinc, sodium

chlorate, tourmaline, calamine, topaz, tartaric acid, cane sugar, and others (11).

The application of these materials in SHM is basically to install the piezoelectric sensor in the structure intend to be monitored and through the tension or compression in it done, a sign will be sent to the central system by the potential differential. The signal indicates that something not usual is happening in the structure. Of course there are levels of the signals and each case must be evaluated in its context. In the last years the use of piezoelectric materials has been capable to identify failures, like the presence of delamination damage, as long as the piezoelectric sensors are close to the damage (39).

2.1.4 Railway Cracks

Train is one of the most used means of transportation around the world, either to transport people or groceries, therefore, there are inherent problems in the attached to it. One of the most common problems is the crack on the railway track, mainly due to the expansion and contraction caused by the heat and to constant pressure because of the wagon.

The crack in a railway is considerable problem because it may cause fatal accidents since the wagon is able to leave the railway. In this scenario, many methods are used to detect the crack or to foresee it before any misfortune happen. Karthick und Ramalingam (31) proposed a system to identify the cracks and prevent the accidents. One of its advantages is that if some crack is detected on the track, the train starts to slow and stop before it passes by there. Other method includes the use of sensor coupled in the track that allow to detect the crack and send a signal to the command center through IoT (53).

The use of piezoelectric materials for SHM is very common, as seen in the Section 2.1.3. Loveday (37) presents a system where piezoelectric transducer are installed along the railway track. They receive an electrical wave and send it, then, a signal to the receiver, making it possible, also through Finite Element Method (FEM), to detect any inconsistency that should not be there.

There are, hence, lots of methods that can be used to detect and prevent accidents in railway tracks. Putting them together and optimize them with SHM techniques are an efficient way of improve the railway ecosystem.

2.2 UAV Dynamics

2.3 Neural Networks

2.3.1 Deep Learning

The concepts of deep learning studied in this section is going to be based on the work of Goodfellow u. a. (26) and the documentation of PyTorch¹ and MATLAB².

There are several definitions of AI (64), but the computer scientist McCarthy (40) defines it as “the science and engineering of making intelligent machines, especially intelligent computer programs.”. He also states that “it is related to the similar task of using computers to understand human intelligence, but AI does not have to confine itself to methods that are biologically observable.”.

The big area of study is the AI and it includes several branches like fuzzy logics, robotics, machine learning and so on. The later one, in turn, is another field with also some branches and one of them is the deep learning. This can be represented in a Venn diagram, as the Fig. 2.3.1 shows. However, all the three terms can be interchangeable in the major context.




Figure 2.3.1. Subareas of Artificial Intelligence

The deep learning history goes back to the 1940s and it had several names over the years. It was called by *cybernetics* (1940s–1960s), *connectionism* (1980s–1990s), and from 2006 until now is known as *deep learning*. The DL models were engineered

¹<https://pytorch.org/docs/stable/index.html>

²<https://www.mathworks.com/help/matlab/>

systems inspired by the biological brain and they were denominated Artificial Neural Networks (ANN). One of the motivations of the neural perspective was to understand that the brain provides a proof by example that intelligent behavior is possible and try to reverse engineer the computation principals behind the brain, duplicating its functionality. Today it goes beyond the neuroscientist perspective and it is more of general principle of learning multiple levels of composition.

DL dwells in the programming sphere. The approach, however, it is not like the traditional programming scripts and models. To automate stuff, there are three main parts: (i) the input data, (ii) the rule (function) and (iii) the output data. In both types there are two of three parts available, but different ones for each other. In the traditional programming, there is the input data and the rule, for the algorithm output the data. In deep learning, there is the input data and the output data, for the algorithm provides the rule. A good analogy is cooking: in the traditional programming context, one has the ingredients and the recipe to make the main course; in the deep learning context, one has the ingredients and the main course to discover the recipe.

2.3.2 Neural Networks Models

2.3.3 Activation Function

LINEAR FUNCTION

RELU FUNCTION

SIGMOID FUNCTION

2.3.4 Loss Function

The *loss function*, also called *cost function* or *error function*, is the one used measure the error between the predicted output of an algorithm and the real target output. There are several loss functions suitable to different kind of situation. For each distributed data there is one that fits better. The [Fig. 2.3.2](#) represents domain of the loss function.

For regression problems, common loss functions adopted are the Mean Squared




Figure 2.3.2. Loss Function for Linear Regression. The loss function take all the distances between the predicted and the target value to verify if the model is in the right path. The lower the distance, the better. The y -axis represents the output data and the x -axis represents the input data.

Error (MSE) (12) or Mean Absolute Error (MAE).

$$\text{MSE} = \frac{1}{n} \sum_{i=1}^n (y_i - \hat{y}_i)^2 \quad (2.3.1)$$

$$\text{MAE} = \frac{1}{n} \sum_{i=1}^n |y_i - \hat{y}_i| \quad (2.3.2)$$

where n is the sample size; y_i is the predicted output; and \hat{y}_i is the real target.

MAE and MSE are simple methods and both lead to poor results for complex data patterns. Although, through them, it is easy to recognize the essence of what the cost function does. Other methods like *cross-entropy* are more likely to get better results when having a pattern of complex data.

Therefore, the loss function measures how far from the real value the data is. Many kinds of them are available and must be analyzed the most proper one to each case. It will depend on not only the data and its pattern, but also the computational processing and the cost attached to it.

CROSS-ENTROPY

From a determined data, there are several classifications that can be extracted from them. Their pattern will determine what kind of classification, whether it is a classification or a regression data, for instance. For classification, the cross-entropy function is a common loss function adopted.

From a distribution Q relative to a distribution P over a given set, being both

discrete probability distribution, the cross-entropy is defined as

$$H(P, Q) = - \sum_{i=1}^n P(x) \log Q(x) \quad (2.3.3)$$

where n is the size of the sample.

As the Eq. (2.3.3) is used for multi-classification, the binary cross-entropy, as the name suggest, is used to binary classification. It is defined as

$$H(P, Q) = -\frac{1}{n} \sum_{i=1}^n x \log P(x) + (1 - x) \log (1 - Q(x)) \quad (2.3.4)$$

For classification problems, from the data, the model will try to conclude in what label should the input be classified. It is done through probability. The cross-entropy measures the “distance” between the probability distribution and the true probability, being ideal for this kind of problem.

2.3.5 Optimizer

The optimizer is an algorithm that updates the model in response to the output of the loss function, that is, it aids to minimize the loss function. As the loss function minimizes, the model is getting closer to the target values and, hence, closer to the real pattern.

The *gradient descent* is one of the main algorithm (44) that optimizes the model and many important ones are based on it, like the Stochastic Gradient Descent (SGD). The goal is to get the minimum, as the error (loss) between the predicted and the target data is null. This would mean that the model fits to the pattern of the data.

GRADIENT DESCENT

The gradient descent is a powerful algorithm that reduces the loss function, minimizing the error between the predicted value and the target value.

Since the gradient of a function gives the direction of the steepest ascent of a function and it is orthogonal to the surface at a determined point, it seems reasonable that moving in the perpendicular direction gives the maximum increase of the function (58). On the other hand, the negative of the gradient may be used to find the opposite, that is, the steepest descent of the function, or the minimum decrease. If the steps given




Figure 2.3.3. Gradient Descent Process. In this case, the loss function (yellow curve) can be represented in a two-axes plan. Depending on the data, it is not possible to represent graphically due to its multi dimension. Each point represents the learning step. When the gradient descent reaches the minimum of the loss function, it means that the model may be accurate. Note that the gradient descent can reach a local minimum of the function and not the global minimum necessarily. The y -axis represents the loss function and the x -axis represents the weight values.

to the direction of the negative gradient of the function are small, there is a good chance to get minimum value of the function. However, if the steps are too long, the chance to pass by the minimum value is high (45). These steps are called *learning rate* and should be chosen wisely.

This way, let \mathbf{x} be the entry vector with the predicted data and L the loss function adopted for some deep learning model, and ϵ the learning rate, the gradient descent is:

$$\mathbf{x}_{t+1} = \mathbf{x}_t - \epsilon \nabla L(\mathbf{x}_t) \quad (2.3.5)$$

In determined cases, it is possible to avoid running the iterative algorithm and just go directly to the critical point by solving $\nabla L(\mathbf{x}_t) = 0$ for \mathbf{x} .

STOCHASTIC GRADIENT DESCENT

As seen, gradient descent is a powerful tool to minimize the loss function, however, for large data, the cost of operation is very high and its use is not feasible. The main idea of SGD is that the gradient is an expectation. Later, the data is divided in subsets, also called *mini-batch* and then the gradient is performed over them. The mini-batch size is chosen to be a relatively small numbers of examples. The data inside each subset may be considered redundant, that is why it uses one single value of the subset to compute the gradient descent. This way, the process is considerable better for computational resources.

The SGD can be written as:

$$\mathbf{x}_{t+1} = \mathbf{x}_t - \frac{\epsilon}{m} \sum_{i=1}^m \nabla L(\mathbf{x}_t; p^{(i)}, q^{(i)}) \quad (2.3.6)$$

where m is the mini-batch size, and $\nabla L(\mathbf{x}; p^{(i)}, q^{(i)})$ is the gradient of the loss function with respect to the parameter vector \mathbf{x} for the i^{th} example $(p^{(i)}, q^{(i)})$ in the mini-batch.





Yet, nowadays, with the amount of data, many techniques are still applied in SGD as creating an automatic adaptive learning rates which achieve the optimal rate of convergence (17) and the momentum technique to improve it (60).

3 METHODOLOGY

The code implementation will be pragmatical and the lines of the code will not be fully explained. The frameworks methods will not be explained either, but their documentation are reasonably comprehensive with previous programming knowledge, especially in Python and MATLAB, and they are going to be linked whenever possible.

While the engineering goal of AI is to solve real-world problems using it as an equipment, the scientific goal is to determine which ideas explain the various sorts of intelligence (64) and the current objective is to use AI from the engineering perspective.

4 RESULTS AND DISCUSSION



5 CONCLUSION

BIBLIOGRAPHY

- [1] AHIRWAR, S. ; SWARNKAR, R. ; BHUKYA, S. ; NAMWADE, G.: Application of Drone in Agriculture. In: *International Journal of Current Microbiology and Applied Sciences* 8 (2019), Januar, Nr. 01, S. 2500–2505. – ISSN 23197692, 23197706
- [2] ASSILIAN, Sedrak: *Artificial Intelligence in the Controle of Real Dynamic Systems*, Queen Mary University of London, Dissertation, 1974
- [3] AURÉLIEN, Géron: *Hands-on Machine Learning with Scikit-Learn, Keras, and TensorFlow*. O'Reilly Media, Inc., 2022
- [4] AVCI, Onur ; ABDELJABER, Osama ; KIRANYAZ, Serkan ; INMAN, Daniel: Structural Damage Detection in Real Time: Implementation of 1D Convolutional Neural Networks for SHM Applications. In: NIEZRECKI, Christopher (Hrsg.): *Structural Health Monitoring & Damage Detection, Volume 7*. Cham : Springer International Publishing, 2017, S. 49–54. – ISBN 978-3-319-54108-2 978-3-319-54109-9
- [5] AZIMI, Mohsen ; ESLAMLOU, Armin ; PEKCAN, Gokhan: Data-Driven Structural Health Monitoring and Damage Detection through Deep Learning: State-of-the-Art Review. In: *Sensors* 20 (2020), Mai, Nr. 10, S. 2778. – ISSN 1424-8220
- [6] BAIDOO-ANU, David ; OWUSU ANSAH, Leticia: Education in the Era of Generative Artificial Intelligence (AI): Understanding the Potential Benefits of ChatGPT in Promoting Teaching and Learning. In: *SSRN Electronic Journal* (2023). – ISSN 1556-5068
- [7] BAJI, Toru: Evolution of the GPU Device Widely Used in AI and Massive Parallel Processing. In: *2018 IEEE 2nd Electron Devices Technology and Manufacturing Conference (EDTM)*. Kobe : IEEE, März 2018, S. 7–9. – ISBN 978-1-5386-3712-8
- [8] BALAGEAS, Daniel ; FRITZEN, Claus-Peter ; GÜEMES, Alfredo: *Structural Health Monitoring*. Bd. 90. John Wiley & Sons, 2010
- [9] BISWAS, Som S.: Potential Use of Chat GPT in Global Warming. In: *Annals of Biomedical Engineering* (2023), März. – ISSN 0090-6964, 1573-9686

- [10] BISWAS, Som S.: Role of Chat GPT in Public Health. In: *Annals of Biomedical Engineering* (2023), März. – ISSN 0090-6964, 1573-9686
- [11] BROWN, C. ; KELL, R. ; TAYLOR, R. ; THOMAS, L.: Piezoelectric Materials, A Review of Progress. In: *IRE Transactions on Component Parts* 9 (1962), Dezember, Nr. 4, S. 193–211. – ISSN 0096-2422
- [12] BUSSAB, Wilton de O. ; MORETTIN, Pedro A.: *Estatística Básica*. Saraiva Uni, 2017
- [13] CHAN-OLMSTED, Sylvia M.: A Review of Artificial Intelligence Adoptions in the Media Industry. In: *International Journal on Media Management* 21 (2019), Oktober, Nr. 3-4, S. 193–215. – ISSN 1424-1277
- [14] COHEN-ALMAGOR, Raphael: Internet History:. In: *International Journal of Technoethics* 2 (2011), April, Nr. 2, S. 45–64. – ISSN 1947-3451, 1947-346X
- [15] CURIE, Jacques ; CURIE, Pierre: Développement par compression de l'électricité polaire dans les cristaux hémiedres à faces inclinées. In: *Bulletin de la Société minéralogique de France* 3 (1880), Nr. 4, S. 90–93. – ISSN 0150-9640
- [16] DADAFSHAR, Majid: Accelerometer and Gyroscopes Sensors: Operation, Sensing, and Applications. In: *Maxim Integrated [online]* (2014)
- [17] DARKEN, Christian ; MOODY, John E.: Towards Faster Stochastic Gradient Search. 4 (1991)
- [18] DAVENPORT, Thomas ; KALAKOTA, Ravi: The Potential for Artificial Intelligence in Healthcare. In: *Future Healthcare Journal* 6 (2019), Juni, Nr. 2, S. 94–98. – ISSN 2514-6645, 2514-6653
- [19] DUAN, Yanqing ; EDWARDS, John S. ; DWIVEDI, Yogesh K.: Artificial Intelligence for Decision Making in the Era of Big Data – Evolution, Challenges and Research Agenda. In: *International Journal of Information Management* 48 (2019), Oktober, S. 63–71. – ISSN 02684012
- [20] FARRAR, Charles R. ; WORDEN, Keith: An Introduction to Structural Health Monitoring. In: *Philosophical Transactions of the Royal Society A: Mathematical,*

- Physical and Engineering Sciences* 365 (2007), Februar, Nr. 1851, S. 303–315. – ISSN 1364-503X, 1471-2962
- [21] FARRAR, Charles R. ; WORDEN, Keith: *Structural Health Monitoring: A Machine Learning Perspective*. John Wiley & Sons, 2012
- [22] FENG, Dongming ; FENG, Maria Q.: Computer Vision for SHM of Civil Infrastructure: From Dynamic Response Measurement to Damage Detection – A Review. In: *Engineering Structures* 156 (2018), Februar, S. 105–117. – ISSN 01410296
- [23] GERONEL, R. S. ; BOTEZ, R. M. ; BUENO, D. D.: Dynamic Responses Due to the Dryden Gust of an Autonomous Quadrotor UAV Carrying a Payload. In: *The Aeronautical Journal* 127 (2023), Januar, Nr. 1307, S. 116–138. – ISSN 0001-9240, 2059-6464
- [24] GHATREHSAMANI, Shirin ; JHA, Gaurav ; DUTTA, Writuparna ; MOLAEI, Faezeh ; NAZRUL, Farshina ; FORTIN, Mathieu ; BANSAL, Sangeeta ; DEBANGSHI, Udit ; NEUPANE, Jasmine: Artificial Intelligence Tools and Techniques to Combat Herbicide Resistant Weeds—A Review. In: *Sustainability* 15 (2023), Januar, Nr. 3, S. 1843. – ISSN 2071-1050
- [25] GODA, K. ; KITSUREGAWA, M.: The History of Storage Systems. In: *Proceedings of the IEEE* 100 (2012), Mai, Nr. Special Centennial Issue, S. 1433–1440. – ISSN 0018-9219, 1558-2256
- [26] GOODFELLOW, Ian ; BENGIO, Yoshua ; COURVILLE, Aaron: *Deep Learning*. MIT Press, 2016
- [27] GUO, Kai ; YANG, Zhenze ; YU, Chi-Hua ; BUEHLER, Markus J.: Artificial Intelligence and Machine Learning in Design of Mechanical Materials. In: *Materials Horizons* 8 (2021), Nr. 4, S. 1153–1172. – ISSN 2051-6347, 2051-6355
- [28] HUBÁČEK, Ondřej ; ŠOUREK, Gustav ; ŽELEZNÝ, Filip: Exploiting Sports-Betting Market Using Machine Learning. In: *International Journal of Forecasting* 35 (2019), April, Nr. 2, S. 783–796. – ISSN 01692070

- [29] JEBLE, Shirish ; KUMARI, Sneha ; PATIL, Yogesh: Role of Big Data in Decision Making. In: *Operations and Supply Chain Management: An International Journal* (2018), Januar, S. 36–44. – ISSN 2579-9363
- [30] JIAO, Pengcheng ; EGBE, King-James I. ; XIE, Yiwei ; MATIN NAZAR, Ali ; ALAVI, Amir H.: Piezoelectric Sensing Techniques in Structural Health Monitoring: A State-of-the-Art Review. In: *Sensors* 20 (2020), Juli, Nr. 13, S. 3730. – ISSN 1424-8220
- [31] KARTHICK, N. ; RAMALINGAM, Nagarajan: Implementation of Railway Track Crack Detection and Protection. In: *International Journal Of Engineering And Computer Science* (2017), Juni
- [32] KOLLÁR, Aladár: Betting Models Using AI: A Review on ANN, SVM, and Markov Chain / Open Science Framework. März 2021. – Preprint
- [33] KOŚCIELNIAK, Helena ; PUTO, Agnieszka: BIG DATA in Decision Making Processes of Enterprises. In: *Procedia Computer Science* 65 (2015), S. 1052–1058. – ISSN 18770509
- [34] LAHMERI, Mohamed-Amine ; KISHK, Mustafa A. ; ALOUINI, Mohamed-Slim: Artificial Intelligence for UAV-Enabled Wireless Networks: A Survey. In: *IEEE Open Journal of the Communications Society* 2 (2021), S. 1015–1040. – ISSN 2644-125X
- [35] LEE, Raymond S. T.: *Artificial Intelligence in Daily Life*. Singapore : Springer Singapore, 2020. – ISBN 9789811576942 9789811576959
- [36] LEINER, Barry M. ; CERF, Vinton G. ; CLARK, David D. ; KAHN, Robert E. ; KLEINROCK, Leonard ; LYNCH, Daniel C. ; POSTEL, Jon ; ROBERTS, Larry G. ; WOLFF, Stephen: A Brief History of the Internet. In: *ACM SIGCOMM Computer Communication Review* 39 (2009), Oktober, Nr. 5, S. 22–31. – ISSN 0146-4833
- [37] LOVEDAY, Philip W.: Development of Piezoelectric Transducers for a Railway Integrity Monitoring System. In: LIU, S.-C. (Hrsg.): *SPIE's 7th Annual International Symposium on Smart Structures and Materials*. Newport Beach, CA, April 2000, S. 330–338

- [38] LUND, Brady D. ; WANG, Ting: Chatting about ChatGPT: How May AI and GPT Impact Academia and Libraries? In: *Library Hi Tech News* (2023), Februar. – ISSN 0741-9058, 0741-9058
- [39] MAIO, Carlos Eduardo B.: *Técnicas para monitoramento de integridade estrutural usando sensores e atuadores piezoelétricos*. São Carlos, Universidade de São Paulo, Mestrado em Dinâmica das Máquinas e Sistemas, März 2011
- [40] MCCARTHY, John: What Is Artificial Intelligence? In: *Stanford University* (2007)
- [41] MHLANGA, David: Industry 4.0 in Finance: The Impact of Artificial Intelligence (AI) on Digital Financial Inclusion. In: *International Journal of Financial Studies* 8 (2020), Juli, Nr. 3, S. 45. – ISSN 2227-7072
- [42] MILANA, Carlo ; ASHTA, Arvind: Artificial Intelligence Techniques in Finance and Financial Markets: A Survey of the Literature. In: *Strategic Change* 30 (2021), Mai, Nr. 3, S. 189–209. – ISSN 1086-1718, 1099-1697
- [43] MUTHUKRISHNAN, Nikesh ; MALEKI, Farhad ; OVENS, Katie ; REINHOLD, Caroline ; FORGHANI, Behzad ; FORGHANI, Reza: Brief History of Artificial Intelligence. In: *Neuroimaging Clinics of North America* 30 (2020), November, Nr. 4, S. 393–399. – ISSN 10525149
- [44] NESTEROV, IU E.: *Introductory Lectures on Convex Optimization: A Basic Course*. Boston : Kluwer Academic Publishers, 2004 (Applied Optimization v. 87). – ISBN 978-1-4020-7553-7
- [45] NIELSEN, Michael: *Neural Networks and Deep Learning*. Bd. 25. Determination press San Francisco, CA, USA, 2015
- [46] PANNU, Avneet: Artificial Intelligence and Its Application in Different Areas. 4 (2015), Nr. 10
- [47] POOLA, Indrasen: How Artificial Intelligence in Impacting Real Life Everyday. In: *International Journal for Advance Research and Development* 2 (2017), Nr. 10, S. 96–100

- [48] RABUNAL, Juan R. (Hrsg.) ; DORADO, Julian (Hrsg.): *Artificial Neural Networks in Real-Life Applications*. Hershey PA : Idea Group Pub, 2006. – ISBN 978-1-59140-902-1 978-1-59140-903-8 978-1-59140-904-5
- [49] RASCHKA, Sebastian: *Python Machine Learning*. Packt Publishing Ltd, 2015
- [50] RASCHKA, Sebastian ; LIU, Yuxi H. ; MIRJALILI, Vahid ; DZHULGAKOV, Dmytro: *Machine Learning with PyTorch and Scikit-Learn: Develop Machine Learning and Deep Learning Models with Python*. Packt Publishing Ltd, 2022
- [51] RUIZ-REAL, José Luis ; URIBE-TORIL, Juan ; TORRES, José A. ; DE PABLO, Jaime: Artificial Intelligence in Business and Economics Research: Trends and Future. In: *Journal of Business Economics and Management* 22 (2020), Oktober, Nr. 1, S. 98–117. – ISSN 1611-1699, 2029-4433
- [52] SABATO, Alessandro ; NIEZRECKI, Christopher ; FORTINO, Giancarlo: Wireless MEMS-Based Accelerometer Sensor Boards for Structural Vibration Monitoring: A Review. In: *IEEE Sensors Journal* 17 (2017), Januar, Nr. 2, S. 226–235. – ISSN 1530-437X, 1558-1748, 2379-9153
- [53] SAKENA BENAZER, S. ; SHEIK DAWOOD, M. ; KARTHICK RAMANATHAN, Sulochanan ; SARANYA, G.: Efficient Model for IoT Based Railway Crack Detection System. In: *Materials Today: Proceedings* 45 (2021), S. 2789–2792. – ISSN 22147853
- [54] SANKARASRINIVASAN, S. ; BALASUBRAMANIAN, E. ; KARTHIK, K. ; CHANDRASEKAR, U. ; GUPTA, Rishi: Health Monitoring of Civil Structures with Integrated UAV and Image Processing System. In: *Procedia Computer Science* 54 (2015), S. 508–515. – ISSN 18770509
- [55] SHARMA, Arabinda ; MEHTA, Neeraj: Structural Health Monitoring Using Image Processing Techniques-A Review. (2016), August
- [56] SMARSLY, Kay ; LEHNER, Karlheinz ; HARTMANN, Dietrich: Structural Health Monitoring Based on Artificial Intelligence Techniques. In: *Computing in Civil Engineering (2007)*. 2007, S. 111–118

- [57] SOHN, Hoon ; FARRAR, Charles R. ; HEMEZ, Francois ; CZARNECKI, Jerry: A Review of Structural Health Monitoring Literature 1996 – 200. In: *Los Alamos National Laboratory, USA* 1 (2003), S. 16
- [58] STEWART, James: *Calculus*. Eighth edition. Boston, MA, USA : Cengage Learning, 2016. – ISBN 978-1-285-74062-1 978-1-305-27176-0
- [59] SUN, Limin ; SHANG, Zhiqiang ; XIA, Ye ; BHOWMICK, Sutanu ; NAGARAJAIAH, Satish: Review of Bridge Structural Health Monitoring Aided by Big Data and Artificial Intelligence: From Condition Assessment to Damage Detection. In: *Journal of Structural Engineering* 146 (2020)
- [60] SUTSKEVER, Ilya ; MARTENS, James ; DAHL, George ; HINTON, Geoffrey: On the Importance of Initialization and Momentum in Deep Learning. (2013), S. 1139–1147
- [61] TZOUNIS, Antonis ; KATSOULAS, Nikolaos ; BARTZANAS, Thomas ; KITTAS, Constantinos: Internet of Things in Agriculture, Recent Advances and Future Challenges. In: *Biosystems Engineering* 164 (2017), Dezember, S. 31–48. – ISSN 15375110
- [62] VERDOUW, C. ; WOLFERT, S. ; TEKINERDOGAN, B.: Internet of Things in Agriculture. In: *CABI Reviews* 2016 (2016), Januar, S. 1–12. – ISSN 1749-8848
- [63] VERMA, Sanjeev ; SHARMA, Rohit ; DEB, Subhamay ; MAITRA, Debojit: Artificial Intelligence in Marketing: Systematic Review and Future Research Direction. In: *International Journal of Information Management Data Insights* 1 (2021), April, Nr. 1, S. 100002. – ISSN 26670968
- [64] WINSTON, Patrick H.: *Artificial Intelligence*. 3rd ed. Reading, Mass : Addison-Wesley Pub. Co, 1992. – ISBN 978-0-201-53377-4
- [65] YE, X.W. ; JIN, T. ; YUN, C.B.: A Review on Deep Learning-Based Structural Health Monitoring of Civil Infrastructures. In: *Smart Structures and Systems* 24 (2019), November, Nr. 5, S. 567–585
- [66] YU, Kun-Hsing ; BEAM, Andrew L. ; KOHANE, Isaac S.: Artificial Intelligence in Healthcare. In: *Nature Biomedical Engineering* 2 (2018), Oktober, Nr. 10, S. 719–731. – ISSN 2157-846X