Approaches to deal with confounding

Alternatives to traditional regression adjustment

ERHS 732

Conditional models

► The simplest regression models we have typically fit for an exposure of interest X and outcome Y have been of the form

$$E[Y|X] = \beta_0 + \beta_1 X$$

Conditional models

► The simplest regression models we have typically fit for an exposure of interest X and outcome Y have been of the form

$$E[Y|X] = \beta_0 + \beta_1 X$$

However we typically want to adjust for potential confounding, so we typically include more variables in the model

$$E[Y|X, C_{i}] = \beta_{0} + \beta_{1}X + \gamma'C_{i}$$

Conditional models

► The simplest regression models we have typically fit for an exposure of interest X and outcome Y have been of the form

$$E[Y|X] = \beta_0 + \beta_1 X$$

However we typically want to adjust for potential confounding, so we typically include more variables in the model

$$E[Y|X,C_{i}] = \beta_{0} + \beta_{1}X + \gamma'C_{i}$$

• where γ' represents a vector of parameter coefficients for each of our covariates C_i

► Including these additional variables in the model is often sufficient to control for potential confounding by them

- Including these additional variables in the model is often sufficient to control for potential confounding by them
 - ▶ If the variables are predictors of the outcome (they should be) they will also typically improve model fit and help the model explain more of the variance in the outcome

- Including these additional variables in the model is often sufficient to control for potential confounding by them
 - ▶ If the variables are predictors of the outcome (they should be) they will also typically improve model fit and help the model explain more of the variance in the outcome
- ▶ The interpretation of the parameter coefficient for X from a model of $E[Y|X, C_i]$ is the effect estimate for a unit increase in X conditional on C_i

- Including these additional variables in the model is often sufficient to control for potential confounding by them
 - ▶ If the variables are predictors of the outcome (they should be) they will also typically improve model fit and help the model explain more of the variance in the outcome
- ▶ The interpretation of the parameter coefficient for X from a model of $E[Y|X, C_i]$ is the effect estimate for a unit increase in X conditional on C_i
 - In other words this is an estimate of the effect assuming all of C_i remain constant, or within levels of C_i


- Including these additional variables in the model is often sufficient to control for potential confounding by them
 - ▶ If the variables are predictors of the outcome (they should be) they will also typically improve model fit and help the model explain more of the variance in the outcome
- ▶ The interpretation of the parameter coefficient for X from a model of $E[Y|X, C_i]$ is the effect estimate for a unit increase in X conditional on C_i
 - In other words this is an estimate of the effect assuming all of C_i remain constant, or within levels of C_i
 - ▶ We could look at effect estimates in strata defined by C_i and take the weighted average across the strata

Conditioning on a covariate/confounder

Including these additional variables in the model is often sufficient to control for potential confounding by them


Conditioning on a covariate/confounder

- Including these additional variables in the model is often sufficient to control for potential confounding by them
- Including a variable in a model or stratifying on it essentially conditions on it (E[Y|X,C])



Conditioning on a covariate/confounder

- Including these additional variables in the model is often sufficient to control for potential confounding by them
- Including a variable in a model or stratifying on it essentially conditions on it (E[Y|X,C])



► Including several variables in the model however comes at a cost as they increase in number

- ► Including several variables in the model however comes at a cost as they increase in number
 - Each additional parameter will use a degree of freedom (or more), which maybe a problem if we have limited power

- ► Including several variables in the model however comes at a cost as they increase in number
 - Each additional parameter will use a degree of freedom (or more), which maybe a problem if we have limited power
 - ► These are also nuisance parameters, because we typically don't care about the individual effect estimates of covariates, we simply want to adjust for them, but the model has to estimate them anyway

- ► Including several variables in the model however comes at a cost as they increase in number
 - Each additional parameter will use a degree of freedom (or more), which maybe a problem if we have limited power
 - ► These are also nuisance parameters, because we typically don't care about the individual effect estimates of covariates, we simply want to adjust for them, but the model has to estimate them anyway
- ► Approaches that minimize the amount of parameters in the model, could therefore be advantageous

Propensity scores are an alternative method of covariate adjustment, relying on a participant's (or observation's) propensity to be exposed given covariate values

- Propensity scores are an alternative method of covariate adjustment, relying on a participant's (or observation's) propensity to be exposed given covariate values
- Based on this score we can adjust for covariates by

- Propensity scores are an alternative method of covariate adjustment, relying on a participant's (or observation's) propensity to be exposed given covariate values
- Based on this score we can adjust for covariates by
 - Stratifying based on the PS

- Propensity scores are an alternative method of covariate adjustment, relying on a participant's (or observation's) propensity to be exposed given covariate values
- Based on this score we can adjust for covariates by
 - Stratifying based on the PS
 - Matching based on it

- Propensity scores are an alternative method of covariate adjustment, relying on a participant's (or observation's) propensity to be exposed given covariate values
- Based on this score we can adjust for covariates by
 - Stratifying based on the PS
 - Matching based on it
 - Including it in a regression model

- Propensity scores are an alternative method of covariate adjustment, relying on a participant's (or observation's) propensity to be exposed given covariate values
- Based on this score we can adjust for covariates by
 - Stratifying based on the PS
 - Matching based on it
 - Including it in a regression model
 - Weighting based on it (IPW is one option)

- Propensity scores are an alternative method of covariate adjustment, relying on a participant's (or observation's) propensity to be exposed given covariate values
- Based on this score we can adjust for covariates by
 - Stratifying based on the PS
 - Matching based on it
 - Including it in a regression model
 - Weighting based on it (IPW is one option)
- ➤ Since we no longer have to worry about covariates given the PS this is a dimension reduction procedure

▶ Dimension reduction comes at a cost

- Dimension reduction comes at a cost
 - We have to rely on a model for the exposure in order to estimate the PS

- Dimension reduction comes at a cost
 - We have to rely on a model for the exposure in order to estimate the PS
 - ► The model has to be correctly specified in addition to the outcome model


- Dimension reduction comes at a cost
 - We have to rely on a model for the exposure in order to estimate the PS
 - ► The model has to be correctly specified in addition to the outcome model
- PS not well defined for polytomous and continuous exposures

- Dimension reduction comes at a cost
 - We have to rely on a model for the exposure in order to estimate the PS
 - ► The model has to be correctly specified in addition to the outcome model
- PS not well defined for polytomous and continuous exposures
- ▶ Other issues may also arise


- Dimension reduction comes at a cost
 - We have to rely on a model for the exposure in order to estimate the PS
 - ► The model has to be correctly specified in addition to the outcome model
- PS not well defined for polytomous and continuous exposures
- Other issues may also arise
- Have to weigh limitations against advantages in each case

 Simple confounding structures involving a common cause of exposure and outcome are not a major concern as long as the common cause is measured

 Simple confounding structures involving a common cause of exposure and outcome are not a major concern as long as the common cause is measured




 Simple confounding structures involving a common cause of exposure and outcome are not a major concern as long as the common cause is measured




► However, in a time varying setting the relationship can be more complicated

- However, in a time varying setting the relationship can be more complicated
 - ► Confounder may cause the exposure, which may in turn cause the confounder at a later time-point

- However, in a time varying setting the relationship can be more complicated
 - Confounder may cause the exposure, which may in turn cause the confounder at a later time-point




- However, in a time varying setting the relationship can be more complicated
 - Confounder may cause the exposure, which may in turn cause the confounder at a later time-point




► Traditional regression approaches fail in this case

- Traditional regression approaches fail in this case
- ▶ IPW (and other methods) can be effective


- ► Traditional regression approaches fail in this case
- ▶ IPW (and other methods) can be effective



- ► Traditional regression approaches fail in this case
- ▶ IPW (and other methods) can be effective



- ► Traditional regression approaches fail in this case
- ▶ IPW (and other methods) can be effective



- ► Traditional regression approaches fail in this case
- ▶ IPW (and other methods) can be effective

