

# R PROGRAMMING

for data visualization

Brooke Anderson  
Colorado State University

March 28, 2019

# Today's goals

LEARN principles of a key R plotting framework

UNDERSTAND what R can do for visualizations

KNOW what to do next to learn more

# Homework?!

[goo.gl/7fPYUx](http://goo.gl/7fPYUx)

Today's plan

**PLOT**

**MAP**

**INTERACT**

**REPORT**

**TIDY**

# PREREQUISITES

Setting up for success

# R packages



# R packages



# Installing R packages

```
install.packages("readr")
```

Use the **install.packages** function to install an R package to your computer.

# Loading R packages

```
library("readr")
```

Use the **library** function to load an R package that is installed on your computer.

# Hello my name is

<-

Assign an object a name with R's **gets arrow**

## Assignment with the gets arrow

You want to read in the “`daily_fatalities.csv`” file, which is in the “`data`” subdirectory.

# Assignment with the gets arrow

Assign the filepath of this file to the R object named **fatalities\_files**.

Reference that object to read in the data and assign it to the R object named **daily\_fatalities**.

```
fatalities_file <- "data/daily_fatalities.csv"  
daily_fatalities <- read_csv(fatalities_file)
```

# Hurricane Irma



# Hurricane Irma



NWS Key West

@NWSKeyWest

Follow



\*\*\*THIS IS AS REAL AS IT GETS\*\*\*

\*\*\*NOWHERE IN THE FLORIDA KEYS  
WILL BE SAFE\*\*\*

\*\*\*YOU STILL HAVE TIME TO  
EVACUATE\*\*\*

Please RT. #Irma

# Hurricane Irma

## Navy evacuates over 5,000 personnel from Florida base ahead of Hurricane Irma

Published time: 6 Sep, 2017 05:08

Edited time: 7 Sep, 2017 10:56

[Get short URL](#)





Ratings   Recalls   Risky Driving   Road Safety   Equipment   Technology & Innovation

← RESEARCH & DATA

## Fatality Analysis Reporting System (FARS)

<https://www.nhtsa.gov/research-data/fatality-analysis-reporting-system-fars>

# Example data

daily\_fatalities

```
## # A tibble: 28 x 4
##   date       week weekday   fatals
##   <date>     <dbl> <chr>      <dbl>
## 1 2017-08-27     35 Sunday      4
## 2 2017-08-28     35 Monday      5
## 3 2017-08-29     35 Tuesday     6
## 4 2017-08-30     35 Wednesday    6
## 5 2017-08-31     35 Thursday     6
## 6 2017-09-01     35 Friday      9
## 7 2017-09-02     35 Saturday     8
## 8 2017-09-03     36 Sunday     15
## 9 2017-09-04     36 Monday      7
## 10 2017-09-05    36 Tuesday     8
## # ... with 18 more rows
```

# PLOT

R's **ggplot2** framework for plotting

# ggplot2: Think layers



# Plot elements

**data** Observations shown with the plot



**geoms** Geometric objects showing the data on the plot, with aesthetics mapped to characteristics of the data or given constant values.

**coordinate system** Grid system defining how the data in the plot are layed out; often a Cartesian coordinate system

**labels** Names of axes and other scales, as well as plot titles

**themes** Background elements of the plot

# Spot the differences



```
irma_week_accs <- fl_accidents %>%  
  group_by(fips) %>%  
  summarize(fatals = sum(fatals))
```


```
irma_accs <- fl_counties %>%  
  full_join(irma_week_accs, by = c("EOID" = "fips")) %>%  
  mutate(fatals = ifelse(is.na(fatals), 0, fatalities))
```

# [Live coding example]

```
fl_accidents <- fl_accidents %>%  
  st_as_sf(coords = c("longitude", "latitude")) %>%  
  st_set_crs(st_crs(st_read(dsn, layer, ...)))
```

```
irma_track <- st_read("data/al112017_best_track",  
                      layer = "al112017_lin") %>%  
  st_transform(crs = st_crs(irma_accs))
```

# ``Kirk Moment''



# MAP

R's **sf** framework for mapping


# sf: simple features

# sf class

```
## Simple feature collection with 37 features and 3 fields
## geometry type:  POINT
## dimension:      XY
## bbox:            xmin: -87.3797 ymin: 25.6876 xmax: -80.32332 ymax: 30.37913
## epsg (SRID):    4326
## proj4string:    +proj=longlat +datum=WGS84 +no_defs
## # A tibble: 37 x 4
##       fips date     fatalities      geometry
##   <dbl> <date>     <dbl>      <POINT [°]>
## 1 12031 2017-09-08     1 (-81.5407 30.2474)
## 2 12095 2017-09-07     1 (-81.41927 28.51796)
## 3 12097 2017-09-08    1 (-81.34221 28.26149)
## 4 12095 2017-09-07    1 (-81.18188 28.57327)
## 5 12031 2017-09-08    1 (-81.84294 30.22846)
## 6 12033 2017-09-07    2 (-87.3797 30.56341)
## 7 12023 2017-09-10    1 (-82.71024 30.13608)
## 8 12075 2017-09-08    1 (-82.87318 29.56196)
## 9 12045 2017-09-09    2 (-85.25815 30.06198)
## 10 12031 2017-09-12   1 (-81.76086 30.37913)
```

# Open Data APIs

```
library(tigris)
fl_counties <- counties(state = "FL",
                         class = "sf")
```



```
irma_week_accs <- fl_accidents %>%  
  group_by(fips) %>%  
  summarize(fatals = sum(fatals))
```

# [Live coding example]

```
irma_accs <- fl_counties %>%  
  full_join(irma_week_accs, by = c("EOID" = "fips")) %>%  
  mutate(fatals = ifelse(is.na(fatals), 0, fatals))
```

```
fl_accidents <- fl_accidents %>%  
  st_as_sf(coords = c("longitude", "latitude")) %>%  
  st_set_crs(st_crs(st_read(dsn, layer, ...)))
```

```
irma_track <- st_read("data/al112017_best_track",  
                      layer = "al112017_lin") %>%  
  st_transform(crs = st_crs(irma_accs))
```

``Kirk Moment''

# The Grisly Murder Case That Could Turn Half of Oklahoma Back Into Tribal Lands

Did Congress fail to legally abolish the Muscogee Creek Nation's reservation? The Supreme Court may have to answer that question.

By **MATT FORD** | March 15, 2018


 Add to Pocket



# INTERACT

R's **htmlwidgets** framework for interacting

# Interactive graphics




# JavaScript



# htmlwidgets

<https://www.htmlwidgets.org/>

# leaflet map



```
irma_week_accs <- fl_accidents %>%  
  group_by(fips) %>%  
  summarize(fatals = sum(fatals))
```

```
irma_accs <- fl_counties %>%  
  full_join(irma_week_accs, by = c("EOID" = "fips")) %>%  
  mutate(fatals = ifelse(is.na(fatals), 0, fatalities))
```

# [Live coding example]

```
fl_accidents <- fl_accidents %>%  
  st_as_sf(coords = c("longitude", "latitude")) %>%  
  st_set_crs(st_crs(st_read(dsn, layer, ...)))
```

```
irma_track <- st_read("data/al112017_best_track",  
                      layer = "al112017_lin") %>%  
  st_transform(crs = st_crs(irma_accs))
```

# ``Kirk Moment''




<https://github.com/ropenscilabs/miner>

# REPORT

R's **RMarkdown** framework for reporting

# Donald Knuth




If you think you're a  
really good  
programmer... read  
Art of Computer  
Programming... You  
should definitely  
send me a résumé if  
you can read the  
whole thing."

---

*Bill Gates*

# Yihui Xie



# **WYSISYG**

**What You See Is What You Get**

Text of the report, with Markdown \*\*format markers\*\*.

```
```{r}  
number_one <- 1
```

```
number_one  
```
```

More text, \*also\* with Markdown format markers.

And a list:

```
\- Item 1
```

```
\- Item 2
```

Text of the report, with Markdown **format markers**.

```
number_one <- 1
```

```
number_one
```

```
## [1] 1
```

More text, *also* with Markdown format markers. And some items:


Item 1

Item 2


# Flexdashboard

## Example flexdashboard report

Accident locations



Time series of fatalities



## Information

This dashboard explores **fatal motor vehicle accidents** in Florida around the time of Hurricane Irma's Florida landfall on September 10, 2017.

All the data in these visualizations is from the [Federal Accident Reporting System](#).

```
irma_week_accs <- fl_accidents %>%  
  group_by(fips) %>%  
  summarize(fatals = sum(fatals))
```

```
irma_accs <- fl_counties %>%  
  full_join(irma_week_accs, by = c("EOID" = "fips")) %>%  
  mutate(fatals = ifelse(is.na(fatals), 0, fatalities))
```

# [Live coding example]

```
fl_accidents <- fl_accidents %>%  
  st_as_sf(coords = c("longitude", "latitude")) %>%  
  st_set_crs(st_crs(st_read(dsn, layer, ...)))
```

```
irma_track <- st_read("data/al112017_best_track",  
                      layer = "al112017_lin") %>%  
  st_transform(crs = st_crs(irma_accs))
```

# ``Kirk Moment''

1 Prerequisites    2 Plot    3 Map    4 Interact    5 Report    6 Tidy    7 Final Words

## Data Visualization in R

*Workshop for the 2019 Navy and Marine Corps Public Health Conference*

*Brooke Anderson*

*March 28, 2019*

### Chapter 1 Prerequisites

I HAVE BASED THIS WORKSHOP on examples for you to try yourself, because you won't be able to learn how to program unless you try it out. I've picked example data that I hope will be interesting to Navy and Marine Corp public health researchers and practitioners. You can download the slides from the workshop by [clicking here](#).

To try out these examples, you need some set-up:

1. Download R
2. Download RStudio
3. Install some R packages
4. Download example R Project

# TIDY

R's **tidyverse** framework for tidying

# ``Tidy" data

| country     | year | cases | population |
|-------------|------|-------|------------|
| Afghanistan | 1990 | 15    | 17071      |
| Afghanistan | 2000 | 666   | 2095360    |
| Brazil      | 1999 | 31737 | 17206362   |
| Brazil      | 2000 | 84888 | 17404898   |
| China       | 1999 | 21258 | 127215272  |
| China       | 2000 | 21666 | 128023583  |

variables

| country     | year | cases | population |
|-------------|------|-------|------------|
| Afghanistan | 1990 | 15    | 17071      |
| Afghanistan | 2000 | 666   | 2095360    |
| Brazil      | 1999 | 31737 | 17206362   |
| Brazil      | 2000 | 84888 | 17404898   |
| China       | 1999 | 21258 | 127215272  |
| China       | 2000 | 21666 | 128023583  |

observations

| country     | year | cases | population |
|-------------|------|-------|------------|
| Afghanistan | 1990 | 15    | 17071      |
| Afghanistan | 2000 | 666   | 2095360    |
| Brazil      | 1999 | 31737 | 17206362   |
| Brazil      | 2000 | 84888 | 17404898   |
| China       | 1999 | 21258 | 127215272  |
| China       | 2000 | 21666 | 128023583  |

values

Source: *R for Data Science*, Grolemund and Wickham

# Untidy data example

|       | Rural Male | Rural Female | Urban Male | Urban Female |
|-------|------------|--------------|------------|--------------|
| 50-54 | 11.7       | 8.7          | 15.4       | 8.4          |
| 55-59 | 18.1       | 11.7         | 24.3       | 13.6         |
| 60-64 | 26.9       | 20.3         | 37.0       | 19.3         |
| 65-69 | 41.0       | 30.9         | 54.6       | 35.1         |
| 70-74 | 66.0       | 54.3         | 71.1       | 50.0         |

# Why are Legos such a great toy?



# Tidyverse---Small functions that play well together

**select** some columns

**slice** to certain rows, or **filter** to rows that meet certain conditions

**mutate** existing columns to create new ones or change the old ones in place

**unite** separate columns into one

**summarize** the data, maybe after you **group\_by** certain characteristics

# Pipe operator



# Cleaning data with the tidyverse

```
fl_accidents %>%  
  rename_all(.funs = str_to_lower) %>%  
  select(state, county, day, month, year,  
         latitude, longitud, fatalities) %>%  
  filter(state == 12) %>%  
  mutate(county = str_pad(county, width = 3, pad = "0")) %>%  
  unite(col = fips, c(state, county), sep = "") %>%  
  unite(col = date, c(month, day, year), sep = "-") %>%  
  mutate(date = mdy(date)) %>%  
  filter(date >= mdy("9-7-2017") & date <= mdy("9-13-2017"))
```

```
irma_week_accs <- fl_accidents %>%  
  group_by(fips) %>%  
  summarize(fatals = sum(fatals))
```

# [Live coding example]

```
irma_accs <- fl_counties %>%  
  full_join(irma_week_accs, by = c("EOID" = "fips")) %>%  
  mutate(fatals = ifelse(is.na(fatals), 0, fatalities))
```

```
fl_accidents <- fl_accidents %>%  
  st_as_sf(coords = c("longitude", "latitude")) %>%  
  st_set_crs(st_crs(st_read(dsn, layer, ...)))
```

```
irma_track <- st_read("data/al112017_best_track",  
                      layer = "al112017_lin") %>%  
  st_transform(crs = st_crs(irma_accs))
```

# ``Kirk Moment''



**Dirk Eddelbuettel** @eddelbuettel · 27 Jan 2017

Big congratulations to @gbwanderson whose new package 'hurricaneexposure' just became package 10,000 on CRAN !!

**CRAN Package Updates** @CRANberriesFeed

9999 packages on CRAN right now, so imagine dozens of R nerds hanging in suspense waiting for the package to make it 10k ...

2

35

93



# Homework!!

[goo.gl/7fPYUx](http://goo.gl/7fPYUx)