

1

Cisco Packet Tracer - C:\Users\alber\OneDrive\UNIVERSIDAD\REDES\ejercicio1.pkt

File Edit Options View Tools Extensions Window Help

Logical Physical 42:50:33 07:47:30

PC8

Physical Config Desktop Programming Attributes

Command Prompt

```
Cisco Packet Tracer PC Command Line 1.0
C:\>ping 192.168.20.2
Invalid Command.
C:\>ping 192.168.20.2
Pinging 192.168.20.2 with 32 bytes of data:
Reply from 192.168.20.2: bytes=32 time=34ms TTL=126
Reply from 192.168.20.2: bytes=32 time=2ms TTL=126
Reply from 192.168.20.2: bytes=32 time=2ms TTL=126
Reply from 192.168.20.2: bytes=32 time=2ms TTL=126
Ping statistics for 192.168.20.2:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 2ms, Maximum = 34ms, Average = 10ms
C:\>
```

1941 Router6

240-241 Switch

PC-PT PC8

PC-PT PC9

PC-PT PC11

Time: 42:50:33

Realtime Simulation

Periodic Num Edit Delete

N 0 (e... (delete)

N 1 (e... (delete)

Copper Straight-Through

Toggle PDU List Window

Cisco Packet Tracer - C:\Users\alber\OneDrive\UNIVERSIDAD\REDES\ejercicio1.pkt

File Edit Options View Tools Extensions Window Help

Logical Physical 42:52:29 08:45:00

PC11

Physical Config Desktop Programming Attributes

Command Prompt

```
Cisco Packet Tracer PC Command Line 1.0
C:\>ping 192.168.10.3
Pinging 192.168.10.3 with 32 bytes of data:
Request timed out.
Reply from 192.168.10.3: bytes=32 time=2ms TTL=126
Reply from 192.168.10.3: bytes=32 time=2ms TTL=126
Reply from 192.168.10.3: bytes=32 time=2ms TTL=126
Ping statistics for 192.168.10.3:
    Packets: Sent = 4, Received = 3, Lost = 1 (25% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 2ms, Maximum = 2ms, Average = 2ms
C:\>
```

1941 Router6

240-241 Switch

PC-PT PC8

PC-PT PC9

PC-PT PC11

Time: 42:52:29

Realtime Simulation



Periodic Num Edit Delete

N 0 (e... (delete)

N 1 (e... (delete)

Copper Straight-Through

Toggle PDU List Window



2

