

Software Requirements Specification for ${\bf Afet~Bilgi}$

Emre Geçit, Baran Yancı April 22, 2023

Contents

1	Inti	roduction	3
	1.1	Purpose of the System	3
	1.2	Scope	3
	1.3	System Overview	3
		1.3.1 System Perspective	4
		1.3.2 System Functions	5
		1.3.3 Stakeholder Characteristics	5
		1.3.4 Limitations	5
	1.4	Definitions	6
2	Ref	erences	6
3	Spe	cific Requirements	6
	3.1	External Interfaces	6
	3.2	Functions	6
	3.3	Usability Requirements	11
	3.4	Performance Requirements	12
	3.5	Logical Database Requirements	12
	3.6	Design Constraints	12
	3.7	System Attributes	12
	3.8	Supporting Information	12
4	Sug	gestions for Future Work	12
	4.1	System Perspective	12
	4.2	External Interfaces	13
	4.3	Functions	13
	4.4	Usability Requirements	13
	4.5	Performance Requirements	13
	4.6	Logical Database Requirements	13
	4.7	Design Constraints	13
	4.8	System Attributes	13
	4.9	Supporting Information	14

1 Introduction

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nullam eget libero sollicitudin justo vehicula venenatis quis ut eros. Proin vitae.

1.1 Purpose of the System


Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nullam eget libero sollicitudin justo vehicula venenatis quis ut eros. Proin vitae.

1.2 Scope

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nullam eget libero sollicitudin justo vehicula venenatis quis ut eros. Proin vitae.

1.3 System Overview

1.3.1 System Perspective



 $\textbf{Figure 1:} \ \operatorname{Context} \ \operatorname{Diagram}$

The afetbilgi.com product is not an element of a larger system. The project is split into two main parts. The first part is the front-end of the website. The second part is the cloud services that is used to store and process the data. The front-end is a web application that is developed using TypeScript and the ReactJS framework. The front-end uses packages like MUI and is hosted on the static website afetbilgi.com. For the cloud services, the project uses Amazon Web Services (AWS) and the serverless framework. Alongside AWS, GitHub Actions is used for continuous integration and continuous deployment (CI/CD). The cloud services process the data and store it in a database. The data comes from individuals who enter and/or validate the data. The data is collected in Google Sheets and then processed by the cloud services. The cloud services are hosted on AWS. GitHub actions are also responsible for generating PDF files including information about affected areas, from the data in the database. The PDF files are then stored in the cloud services and can be accessed by the front-end.

1.3.2 System Functions

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nullam eget libero sollicitudin justo vehicula venenatis quis ut eros. Proin vitae.

1.3.3 Stakeholder Characteristics

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nullam eget libero sollicitudin justo vehicula venenatis quis ut eros. Proin vitae.

1.3.4 Limitations

1.4 Definitions

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nullam eget libero sollicitudin justo vehicula venenatis quis ut eros. Proin vitae.

2 References

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nullam eget libero sollicitudin justo vehicula venenatis quis ut eros. Proin vitae.

3 Specific Requirements

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nullam eget libero sollicitudin justo vehicula venenatis quis ut eros. Proin vitae.

3.1 External Interfaces

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nullam eget libero sollicitudin justo vehicula venenatis quis ut eros. Proin vitae.

3.2 Functions




Figure 2: Use Case Diagram

sscsd

Table 1: See PDF About City Function

TT	G DDE AL . C''
Use case name	See PDF About a City
Actors	User, Static Website, PDF Viewer
	If a user wants to see the PDF document containing
Description	information about a city, the city selection dialog is shown, then
	the desired is picked on the dialog.
Data	PDF file about the city
Preconditions	The PDF for the city file must be refreshed previously.
Stimulus	User clicks on the "PDF" button and picks a city
	Step 1: User clicks the "PDF" button
Basic flow	Step 2: The pop-up dialog is shown
	Step 3: User picks the desired city on the city selection dialog
Alternative flow	-
Exception flow	-
Post conditions	User is redirected to the PDF viewer

Use case name	Kızılay Blood Donation Places
Actors	User, Static Website, Kızılay Website
Description	The user wants to see the blood donation locations.
Data	Blood Donation Locations
Preconditions	-
Stimulus	User clicks on the "Kızılay Blood Donation Places" button
Basic flow	Step 1: User clicks the "Kızılay Blood Donation Places" button
Alternative flow	-
Exception flow	-
Post conditions	User is redirected to the Kızılay website

Table 2: Kızılay Blood Donation Places Function

Use case name	Generating PDF Documents
Actors	GitHub Actions, automation code, Data Providers & Validators
ACIOIS	, ,
	The PDF files are generated by the automated code running
	on GitHub Actions. Those PDF files include information about
Description	evacuation points, food distribution centers, pharmacies, gas
Description	stations and more, based on the districts of the given city.
	All the information comes from Google Sheets, which holds
	the data coming from voluntary individuals.
Data	Open pharmacies, evacuation points, food distribution centers,
Data	gas stations, acommodation places, veterinarians.
Preconditions	The information should be on Google Sheets prior to generation.
Stimulus	GitHub actions runs this task periodically.
	Step 1: The data from sheets are fetched
Basic flow	Step 2: The PDF file is generated using the Python script
	Step 3: The file is stored in AWS Cloud.
Alternative flow	-
Exception flow	-
Dost sanditions	The updated PDF file is stored on the cloud, and is ready
Post conditions	to be seen on the front-end.

Table 3: Generating PDF Documents Function

Use case name	Showing Maps
Actors	Leaflet, Data Providers & Validators
	The map is generated by the map provider Leaflet.
	The map includes information about donation centers,
Description	temporary acommodation places, food distribution places,
Description	pharmacies, gas stations and more, and where they are
	on the map. All the information comes from from voluntary
	individuals.
Data	Open pharmacies, evacuation points, food distribution centers,
Data	gas stations, acommodation places, veterinarians.
Preconditions	The information should be available on the sources prior to generation.
Stimulus	User clicks the "map" button on the page.
	Step 1: The user clicks the "map" button
Basic flow	Step 2: The user is redirected to maps.afebilgi.com
	Step 3: The map is shown.
Alternative flow	Step 1: The user opens maps.afetbilgi.com.
Exception flow	-
Post conditions	-

Table 4: Showing Maps Function

Use case name	Changing Language
Actors	User, Static Website
	There are millions of people living in the affected
	ares belonging to different ethnicities
	and background,
Description	and although the main language of the site is Turkish,
Description	support for different languages is a must.
	The project comes in four different languages which the
	users can choose from: Turkish, English, Kurdish and Arabic.
Data	Visual messages
Preconditions	The translations are done previously.
Stimulus	User clicks the language button on the site
	Step 1: The user clicks the language button
Basic flow	Step 2: A dropdown menu for language selection is shown
	Step 3: The desired language is selected
Alternative flow	-
Exception flow	-
Post conditions	The site is now in the desired language.

Table 5: Changing Language Function

Use case name	Reaching to depremyardim.com
Actors	User, Static Website
Description	The user wants to help the people affected by the earthquake.
Data	URL of the website.
Preconditions	-
Stimulus	User clicks the related button.
	Step 1: The user hovers over the button.
Basic flow	Step 2: A description about the website is shown.
Dasic now	Step 3: The user clicks the button.
	Step 4: The user is redirected to depremyardim.com.
Alternative flow	-
Exception flow	-
Post conditions	The user is redirected to depremyardim.com.

 ${\bf Table~6:}~{\bf Reaching~to~depremyardim.com~Function}$

Use case name	Reaching to afetharita.com
Actors	User, Static Website
	Afetharita.com is a website that provides map based
Description	information about the earthquake.
Description	The map includes information about the earthquake, the aftershocks,
	the shelters, the hospitals, the schools and more.
Data	URL of the website.
Preconditions	-
Stimulus	User clicks the related button.
	Step 1: The user hovers over the button.
Basic flow	Step 2: A description about the website is shown.
Dasic now	Step 3: The user clicks the button.
	Step 4: The user is redirected to afetharita.com.
Alternative flow	-
Exception flow	-
Post conditions	The user is redirected to afetharita.com.

Table 7: Reaching to afetharita.com Function

Use case name	Reaching to deprem.io
Actors	User, Static Website
Description	Deprem.io is a website that users can use to help earthquake victims.
Data	URL of the website.
Preconditions	-
Stimulus	User clicks the related button.
	Step 1: The user hovers over the button.
Basic flow	Step 2: A description about the website is shown.
Dasic now	Step 3: The user clicks the button.
	Step 4: The user is redirected to deprem.io.
Alternative flow	-
Exception flow	-
Post conditions	The user is redirected to deprem.io.

Table 8: Reaching to deprem.io Function

Use case name	Join the Discord server
Actors	User, Static Website
	The Discord server is where the developers of the project
Description	develop their projects and communicate.
	User can join the Discord server.
Data	Link for the Discord server.
Preconditions	-
Stimulus	User clicks the button.
	Step 1: The user hovers over the button.
Basic flow	Step 2: A description about the Discord server is shown.
Dasic now	Step 3: The user clicks the button.
	Step 4: The user is redirected to join the Discord server.
Alternative flow	-
Exception flow	-
Post conditions	The user can join the Discord server after redirected.

Table 9: Join the Discord server Function

Use case name	City Selection
Actors	User, Static Website
	Users may need information about only one city.
Description	In order to eliminate unnecessary information
Description	about other cities and focus on the desired city
	could save time for users.
Data	Information about the given city
Preconditions	Information should be available beforehand.
Stimulus	User interacts with the dropdown menu.
	Step 1: The user clicks "Select a city" button.
Basic flow	Step 2: A dropdown menu is shown.
Dasic now	Step 3: The user selects the desired city.
	Step 4: The information is filtered for the selected city.
Alternative flow	-
Exception flow	-
Post conditions	All the information shown on the home page is
1 ost conditions	about the selected city.

Table 10: City Selection Function

3.3 Usability Requirements

3.4 Performance Requirements

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nullam eget libero sollicitudin justo vehicula venenatis quis ut eros. Proin vitae.

3.5 Logical Database Requirements

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nullam eget libero sollicitudin justo vehicula venenatis quis ut eros. Proin vitae.

3.6 Design Constraints

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nullam eget libero sollicitudin justo vehicula venenatis quis ut eros. Proin vitae.

3.7 System Attributes

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nullam eget libero sollicitudin justo vehicula venenatis quis ut eros. Proin vitae.

3.8 Supporting Information

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nullam eget libero sollicitudin justo vehicula venenatis quis ut eros. Proin vitae.

4 Suggestions for Future Work

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nullam eget libero sollicitudin justo vehicula venenatis quis ut eros. Proin vitae.

4.1 System Perspective

4.2 External Interfaces

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nullam eget libero sollicitudin justo vehicula venenatis quis ut eros. Proin vitae.

4.3 Functions

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nullam eget libero sollicitudin justo vehicula venenatis quis ut eros. Proin vitae.

4.4 Usability Requirements

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nullam eget libero sollicitudin justo vehicula venenatis quis ut eros. Proin vitae.

4.5 Performance Requirements

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nullam eget libero sollicitudin justo vehicula venenatis quis ut eros. Proin vitae.

4.6 Logical Database Requirements

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nullam eget libero sollicitudin justo vehicula venenatis quis ut eros. Proin vitae.

4.7 Design Constraints

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nullam eget libero sollicitudin justo vehicula venenatis quis ut eros. Proin vitae.

4.8 System Attributes

4.9 Supporting Information