

Tobias Oetiker < oetiker@ee.ethz.ch>

David Schweikert < dws@ee.ethz.ch>

• Web database applications are implemented again and again

- Web database applications are implemented again and again
- Developing the frontend is time consuming and tricky, because of the session-less HTTP and document-oriented HTML

- Web database applications are implemented again and again
- Developing the frontend is time consuming and tricky, because of the session-less HTTP and document-oriented HTML
- Because of the high costs, often not enough time is spent on the design of the application

- Web database applications are implemented again and again
- Developing the frontend is time consuming and tricky, because of the session-less HTTP and document-oriented HTML
- Because of the high costs, often not enough time is spent on the design of the application
- Example: PHP/MySQL combination for complex database applications. PHP code grows and grows and becomes unmaintainable

- Web database applications are implemented again and again
- Developing the frontend is time consuming and tricky, because of the session-less HTTP and document-oriented HTML
- Because of the high costs, often not enough time is spent on the design of the application
- Example: PHP/MySQL combination for complex database applications. PHP code grows and grows and becomes unmaintainable

- Application in the Database
- Completely Generic Interface

- Application in the Database
- Completely Generic Interface
- Flexible HTML Templates

- Application in the Database
- Completely Generic Interface
- Flexible HTML Templates
- Authentication at the Database Level

- Application in the Database
- Completely Generic Interface
- Flexible HTML Templates
- Authentication at the Database Level
- Double Form Protection

- Application in the Database
- Completely Generic Interface
- Flexible HTML Templates
- Authentication at the Database Level
- Double Form Protection
- Deep Linking

- Application in the Database
- Completely Generic Interface
- Flexible HTML Templates
- Authentication at the Database Level
- Double Form Protection
- Deep Linking
- Simple to Install

- Application in the Database
- Completely Generic Interface
- Flexible HTML Templates
- Authentication at the Database Level
- Double Form Protection
- Deep Linking
- Simple to Install

• Application-logic with *data integrity* constraints in the database

- Application-logic with *data integrity* constraints in the database
- Application development with SQL is easier

- Application-logic with *data integrity* constraints in the database
- Application development with SQL is easier
- Presentation information for the interface also in the database

- Application-logic with data integrity constraints in the database
- Application development with SQL is easier
- Presentation information for the interface also in the database
- Meta-tables contain additional information that cannot be derived from the database structure

- Application-logic with data integrity constraints in the database
- Application development with SQL is easier
- Presentation information for the interface also in the database
- Meta-tables contain additional information that cannot be derived from the database structure

• Frontend gathers the meta-information about the database at startup

- Frontend gathers the meta-information about the database at startup
- Development time is reduced

- Frontend gathers the meta-information about the database at startup
- Development time is reduced
- Frontend is proven to work

- Frontend gathers the meta-information about the database at startup
- Development time is reduced
- Frontend is proven to work
- A flexible templating-system allows for customized look for each user, application and table combination

- Frontend gathers the meta-information about the database at startup
- Development time is reduced
- Frontend is proven to work
- A flexible templating-system allows for customized look for each user, application and table combination

• Every page is bookmarkable

- Every page is bookmarkable
- Use URL-encoding whenever possible (GET requests)

- Every page is bookmarkable
- Use URL-encoding whenever possible (GET requests)
- Transparent authentication

- Every page is bookmarkable
- Use URL-encoding whenever possible (GET requests)
- Transparent authentication

Authentication

- Authentication at the database level
- Cookie → User/Password mapping is stored by a daemon

Authentication

- Authentication at the database level
- Cookie → User/Password mapping is stored by a daemon

Double Form Protection


- It happens often that the same form gets submitted twice (with a page reload for example)
- Duplicate data could be entered in the database
- Each form has a unique form-id that is stored by the Gedafe daemon


Authentication


- Authentication at the database level
- Cookie → User/Password mapping is stored by a daemon

Double Form Protection

- It happens often that the same form gets submitted twice (with a page reload for example)
- Duplicate data could be entered in the database
- Each form has a unique form-id that is stored by the Gedafe daemon







Programming Language : Perl

Lines of Code : ~ 3000

License: GPL

Programming Language : Perl

Lines of Code : ~ 3000

License: GPL

Future Work

• Port to other databases

Programming Language: Perl

Lines of Code : ~ 3000

License: GPL

Future Work

- Port to other databases
- Improve or change the templating system

Programming Language: Perl

Lines of Code : ~ 3000

License: GPL

Future Work

- Port to other databases
- Improve or change the templating system
- Use PearlReports to create complex reports

Programming Language: Perl

Lines of Code : ~ 3000

License: GPL

Future Work

- Port to other databases
- Improve or change the templating system
- Use PearlReports to create complex reports

Thanks

More information on

http://isg.ee.ethz.ch/tools/gedafe