



Review Test Submission: Quiz 1

| | |
|-------------------|---|
| User | Deborah Barndt |
| Course | IT-D411-ITMD411_Parent.16F |
| Test | Quiz 1 |
| Started | 9/12/16 10:45 AM |
| Submitted | 9/12/16 11:10 AM |
| Due Date | 9/16/16 11:59 PM |
| Status | Completed |
| Attempt Score | 20 out of 20 points |
| Time Elapsed | 25 minutes |
| Results Displayed | All Answers, Submitted Answers, Correct Answers, Feedback, Incorrectly Answered Questions |

Question 1

2 out of 2 points



A method that stores a value in a class's field or in some other way changed the value of a field is known as a mutator method.

Selected Answer: ☒ True

Answers: ☒ True
☐ False

Question 2

2 out of 2 points



An Integrated Development Environment typically consists of:

Selected Answer: ☒ All of the above

Answers: ☐ a compiler
☐ a debugger
☐ a text editor
☒ All of the above
☐ None of these

Question 3

2 out of 2 points

Characters or symbols that perform operations on one or more operands are:



Selected Answer: ☒ operators

Answers: ☒ operators

program ops

syntax

op codes

None of these

Question 4

2 out of 2 points



Class objects normally have _____ that perform useful operations on their data, but primitive variables do not.

Selected Answer: ☒ Methods

Answers: Fields

Relationships

☒ Methods

Instances

Question 5

2 out of 2 points



If chr is a char variable, which of the following if statements is written correctly?

Selected Answer: ☒ if (chr == 'a')

Answers: if (chr = "a")

if (chr == "a")

if (chr = 'a')

☒ if (chr == 'a')

Question 6

2 out of 2 points



If x has been declared an int, which of the following is invalid?

Selected Answer: ☒ x = 1,000;

Answers: x = 592;

x = -58932;

☒ x = 1,000;

x = 0;

Question 7

2 out of 2 points



Instance methods should be declared static.

Selected Answer: ☒ False

Answers:

☐ True☒ False**Question 8**

2 out of 2 points



Mistakes that cause a running program to produce incorrect results are called:

Selected Answer: ☒ logic errors

Answers:

☐ compiler errors☐ syntax errors☐ linker errors☒ logic errors☐ None of these**Question 9**

2 out of 2 points



What will be displayed as a result of executing the following code?

```
int x = 6;
String msg = "I am enjoying this class.";
String msg1 = msg.toUpperCase();
String msg2 = msg.toLowerCase();
char ltr = msg.charAt(x);
int strSize = msg.length();
System.out.println(msg);
System.out.println(msg1);
System.out.println(msg2);
System.out.println("Character at index x = " +
    ltr);
System.out.println("msg has " + strSize +
    "characters.");
```

Selected Answer:


☐ I am enjoying this class.☐ I AM ENJOYING THIS CLASS.☐ i am enjoying this class.☐ Character at index x = n☒ msg has 25 characters.

Answers:

☐ I am enjoying this class.☐ I AM ENJOYING THIS CLASS.☐ i am enjoying this class.☐ Character at index x = e☐ msg has 24 characters.

I am enjoying this class.
I AM ENJOYING THIS CLASS.
i am enjoying this class.
Character at index x = e
msg has 25 characters.

I am enjoying this class.
I AM ENJOYING THIS CLASS.
i am enjoying this class.
Character at index x = n
msg has 24 characters.

I am enjoying this class.
I AM ENJOYING THIS CLASS.
i am enjoying this class.
Character at index x = n
 msg has 25 characters.

Question 10

2 out of 2 points



Which of the following will format .1278 to display as 12.8%?

Selected Answer:  ##0.0%

Answers:  ##0.0%

#0.00%

###.##%

000.0%

Thursday, October 20, 2016 7:33:43 PM CDT

← OK