

字符串资源映射规则定义

1. 转义字符，以"\"开头

```
{{\'}}  
{{\n}}  
{{\"}}  
{{\u0020}}
```

Android: The switch of \'upload videos\' is off.

PM: The switch of {{\'}}upload videos{{\'}} is off.

2. 占位符，以"%"开头

```
{{%1$s}} 字符串占位符  
{{%1$d}} 数字占位符
```

Android: Total phone capacity %1\$s, available capacity %2\$s

PM: Total phone capacity {{%1\$s}}, available capacity {{%2\$s}}

3. HTML标签，以"<"开头

```
{{<u>}}{{</u>}}  
{{<br/>}}  
{{<font color= "#9055ff" >}} {{</font>}}
```

Android: the purple light shines

PM: {{}}the purple light shines{{}}

4. HTML 实体符号，常与CDATA一起使用，以"&"开头

```
{{&nbsp;}}
```

5. CDATA，以"!"开头

```
{{!CDATA}}
```

Android: <![CDATA[Please make sure your camera is plugged in and keep pressing

 "reset"; until the purple light shines]]>

PM: {{!CDATA}} Please make sure your camera is plugged in and keep pressing
{{
}} {{"}}reset {{"}}, until{{}} the purple light
shines{{}}

